

# DRUPALCAMP STOCKHOLM, MARCH 8 2013



Branch branch branch and then rebase  
a Git workflow

Speaker: Fredrik Jonsson



broken English

vs

hygglig svenska





# Fredrik Jonsson

[xdeb.net](http://xdeb.net)

[xdeb.org/blog/frjo](http://xdeb.org/blog/frjo)

[drupal.org/user/5546](http://drupal.org/user/5546) (frjo)



- Started using Drupal 2003.
- Freelance Drupal developer since 2006.
- Maintainer of the Colorbox, Modal forms, Markdown and Markdown editor modules.
- Recently started Drupalsnack.se podcast.





[drupalsnack.se](http://drupalsnack.se)  
[@drupalsnack](https://twitter.com/drupalsnack)  
RSS & iTunes

Av Drupalfolk för Drupalfolk på svenska



# Git



What works for you are good.

This works for me...




branch

branch

branch



master  
prod stage  
sprint-1





rebase

vs

merge




sprint-1

feature-1

# What now?

```
git commit
git add
git commit
git add
git commit
git add
git commit
git add
git init
```



```
git commit
git add
git commit
git add
git commit
git add
git branch
```




merge



sprint-1


H

feature-1





sprint-1 sprint-2 feature-1





- Commits for a feature are spread out in the log.
- Pesky merge commits everywhere.
- Big merges to main branch are conflict prone.
- Do many merges to feature branch to resolve conflicts there instead and you get even more pesky merge commits.



rebase



sprint-1

feature-1





- Commits for a feature are shown together in the log.
- Any merge conflicts are resolved in the feature branch where only you work.
- No messy merge commits.



# ~/ .gitconfig

```
# Push only current branch, not all, to the remote  
# branch with the same name.
```

```
$ git config --global push.default tracking
```

```
# Setup rebase for every tracking branch
```

```
$ git config --global branch.autosetuprebase always
```

```
# On OS X ctime can give Git the impression that  
# files have changed when they have not.
```

```
$ git config --global core.trustctime false
```



```
# Git stuff
alias g='git'
alias ga='git add -u .'
alias gaa='git add --all .'
alias gci='git commit -a -m'
alias gcm='git commit -m'
alias gcam='git commit --amend -m'
alias gst='git status -sb'
alias gcp='git cherry-pick'
alias gbr='git branch'
alias gfo='git fetch origin'
alias gp='git push'
alias gpo='git push -u origin'
alias gl='git pull'
alias glnr='git pull --no-rebase'
alias grm='git rebase origin/master'
alias gde='git diff --patch-with-stat | bbedit --clean --view-top --pipe-title Diff.patch'
alias gdes='git diff --staged --patch-with-stat | bbedit --clean --view-top --pipe-title Diff.patch'
alias glo='git log | bbedit --clean --view-top --pipe-title Log.txt'
```

alias g='git'

alias gst='git status -sb'

alias gci='git commit -a -m'

```
# Git Sprint Rebase
alias grs1='git rebase origin/sprint-1'
alias grs2='git rebase origin/sprint-2'
alias grs3='git rebase origin/sprint-3'
alias grs4='git rebase origin/sprint-4'
alias grs5='git rebase origin/sprint-5'
alias grs6='git rebase origin/sprint-6'
alias grs7='git rebase origin/sprint-7'
alias grs8='git rebase origin/sprint-8'
alias grs9='git rebase origin/sprint-9'
alias grs10='git rebase origin/sprint-10'
alias grs11='git rebase origin/sprint-11'
alias grs12='git rebase origin/sprint-12'
alias grs13='git rebase origin/sprint-13'
alias grs14='git rebase origin/sprint-14'
alias grs15='git rebase origin/sprint-15'
alias grs16='git rebase origin/sprint-16'
alias grs17='git rebase origin/sprint-17'
alias grs18='git rebase origin/sprint-18'
alias grs19='git rebase origin/sprint-19'
alias grs20='git rebase origin/sprint-20'
```



More



- [git-scm.com/book](http://git-scm.com/book)
- [gitref.org](http://gitref.org)
- [gitready.com](http://gitready.com)
- [think-like-a-git.net](http://think-like-a-git.net)
- <http://randyfay.com/topics/git>
- [mislav.uniqpath.com/2010/07/git-tips/](http://mislav.uniqpath.com/2010/07/git-tips/)
- [http://blip.tv/open-source-developers-conference/  
git-for-ages-4-and-up-4460524](http://blip.tv/open-source-developers-conference/git-for-ages-4-and-up-4460524)




Questions

Fredrik Jonsson

[xdeb.net](http://xdeb.net)

[xdeb.org/blog/frjo](http://xdeb.org/blog/frjo)





## Erkännande-Dela Lika 2.5 Sverige

## Du får:



**att Dela** — att kopiera, distribuera och sända verket



**att Remixa** — att skapa bearbetningar

## På följande villkor:



**Erkännande.** Du måste ange upphovsmannen och/eller licensgivaren på det sätt de anger (men inte på ett sätt som antyder att de godkänt eller rekommenderar din användning av verket).



**Dela Lika.** Om du ändrar, bearbetar eller bygger vidare på verket får du endast distribuera resultatet under samma licens eller en liknande licens som denna.

- Vid all återanvändning och distribution måste du informera om licensvillkoren som gäller för verket. Det bästa sättet att göra detta är genom en länk till den här webbsidan.
- Undantag från villkoren ovan kan meddelas av upphovsrättsinnehavaren.
- Ingenting i denna licens begränsar upphovsmannens ideella rätt.

Friskrivning 

Dina lagstadgade rättigheter påverkas inte av denna licens.  
Detta är en lättläst sammanfattning av [licenstexten](#).

Detta är en lättläst sammanfattning av [licenstexten](#).  
Dina lagstadgade rättigheter påverkas inte av denna licens.



The end