Frame AI
+ Social Manager

Complete step-by-step setup guide
Written for beginners. No coding needed.

What will you have at the end?

A system that **makes videos automatically** with AI, saves them in **your own Google Drive**, and then **posts them** to YouTube, Facebook, Instagram and TikTok on a schedule. After setup, it runs by itself every few hours.

How it is built (3 parts)

Part	What it does	What you do
1. Frontend (website)	The control panel you click on. You log in with Google, add keys, plan videos.	Only log in and click buttons.
2. Frame AI (backend)	The robot that creates the videos and uploads them to your Google Drive.	Copy it to your GitHub, add 3 secrets, run it.
3. Social Manager (backend)	The robot that takes finished videos and posts them to social media.	Copy it to your GitHub, add 3 secrets, run it.

Before you start - what you need

- A **Google account** (Gmail). The videos will be saved in this account's Google Drive.
- A **GitHub account** - free, sign up at **github.com**.
- The **link of the frontend website** and the **Google Client Secret**. Both are given to you by the person who shared this guide with you.
- A computer with Chrome (a laptop/desktop is much easier than a phone).
- About **45 to 60 minutes** the first time.

> **Keep secrets secret**
> This guide uses a few secret codes (keys and tokens). Never post them in public, in WhatsApp groups, or in screenshots. Anyone who has your refresh token can reach your Google Drive.

STEP A - Get your free Gemini keys

Gemini is Google's AI. Frame AI uses it to write scripts and plan scenes. The keys are **free**, but each key has a daily limit, so we make a few keys to get more room.

1. Open **aistudio.google.com** and sign in with your Google account.
2. Click **Get API key** (left menu), then **Create API key**. Choose **Create API key in new project**.
3. A long text starting with **AIza...** appears. Click the copy icon and paste it into a Notepad file. This is Key 1.
4. **Repeat steps 2-3 two more times** so you have 2 or 3 keys, each from a **different project**. More projects = more free daily quota.

Prefer to watch a video? This one shows how to get a free Gemini key: **youtu.be/Uyn-P2nRvDA**

> **Why 2-3 keys?**
> Each Google project has its own free limit. The system rotates between your keys, so it does not stop when one key is used up.

STEP B - Log in to the frontend and add the keys

1. Open the **frontend link** you were given.
2. Click the Google login button and sign in with the same Google account. Allow the permissions it asks for (Google Drive and Sheets). The app will create a folder named **Frame AI** in your Drive by itself.
3. Open the **Control room** section.
4. Paste **Gemini key 1** and press **Enter**. Paste key 2 and press Enter. Paste key 3 and press Enter.
5. Click the **Save** button. Done - your keys are saved.

> **Check**
> After saving, the keys should be listed on the screen. If the list is empty, repeat the step and make sure you pressed Enter after each key.

STEP C - Create your Refresh Token

The refresh token is a special password that lets the GitHub robots use **your** Google Drive on your behalf. You make it with one click.

1. In the frontend, go to **Control room**.
2. Find **Connect backend** and click it (this is the "generate refresh token" button).
3. Click **Copy token**. The token is a long text that starts with **1//**.
4. Paste it into your Notepad file and label it **REFRESH TOKEN**. You will need it in Step E.

> **Do not share this token**
> It gives access to your Drive. Every person must create their own token with their own Google account. If you ever shared it by mistake, click Connect backend again to make a new one and replace the old one in GitHub.

STEP D - Copy the two robot projects to your GitHub

You need your own copy of both projects. You must do these steps **two times**: once for Frame AI and once for Social Manager.

Project	Original link
Frame AI (makes videos)	github.com/salalshabbir472/Frame-Ai
Social Manager (posts videos)	github.com/salalshabbir472/Social-Manager

Method 1 - Import (easiest, and you can make it private)

1. Log in to GitHub. Open **github.com/new/import**.
2. In **Your old repository's clone URL** paste the original link from the table above (add **https://** in front).
3. Under **Repository name** type a name, for example **Frame-Ai** (second time: **Social-Manager**).
4. Choose **Private** or **Public** (see the note below), then click **Begin import**. Wait until it says it is finished.

Method 2 - Fork (also easy)

Open the original link, click the **Fork** button (top right), then **Create fork**. A fork of a public project is always public.

> **Private or Public?**
> **Private** keeps your video titles and logs hidden, but GitHub's free plan gives only about 2,000 Actions minutes per month for private projects, and Frame AI can use a lot of them. **Public** has free unlimited minutes but anyone can read the logs (never your secrets, those stay hidden). If you are not sure, start with Public, or lower the schedule later (see Troubleshooting).

STEP E - Add the 3 secrets to each project

Secrets are where GitHub safely stores your keys. Do this for **Frame-Ai** first, then do the exact same thing for **Social-Manager**.

1. Open your copy of the project on GitHub (for example **github.com/YOUR-NAME/Frame-Ai**).
2. Click **Settings** (top tab row).
3. On the left: **Secrets and variables**, then click **Actions**.
4. Make sure the **Secrets** tab is open, then click the green **New repository secret** button.
5. Type the **Name**, paste the **Secret** (value), click **Add secret**. Repeat for each row in the table below.

Name (type exactly)	Value (what to paste)	Needed in
`GOOGLE_REFRESH_TOKEN`	The token you copied in Step C. Starts with 1//	Both projects
`GOOGLE_CLIENT_SECRET`	The Google Client Secret given to you by the person who shared this guide. Starts with GOCSPX-	Both projects
`GOOGLE_CLIENT_ID`	`889548932794-omd87pjp862sei42pe9evfibttmnqnl7.apps.googleusercontent.com` (This one is public, not a secret.)	Social Manager (add it in Frame AI too, it does no harm)

Spelling matters
The names must be typed exactly, in capital letters, with underscores and no spaces. Copy and paste the value carefully: no extra space at the start or end.

Tip
After adding all secrets you should see 3 names listed under "Repository secrets". GitHub never shows the values again, which is normal. To change one, click the pencil icon and paste a new value.

STEP F - Turn on and test the robots

Do this in **both** projects.

1. Open the project and click the **Actions** tab.
2. If you see a green button **I understand my workflows, go ahead and enable them**, click it. (GitHub switches copied projects off by default.)
3. On the left, click the workflow: **Frame AI - build waiting videos** (or **Frame AI - Social upload**).
4. Click **Run workflow** (right side), then the green **Run workflow** button in the small box.
5. Wait a few seconds and refresh the page. A new line appears with a yellow circle (running). Click it to watch.
6. A **green tick** means success. A **red cross** means a problem - see Troubleshooting on the last page.

> **Social Manager - first test**
> For the very first Social Manager run, tick the **dry_run** box if you see it. This only **shows what is due without posting** anything, so you can check that everything is connected.

STEP G - Make your first video

1. Open the frontend and plan a video (add a topic or a script). The frontend writes the plan into the **Frame AI** folder in your Google Drive.
2. Wait for the Frame AI robot to run. It runs **automatically every 6 hours**, or you can start it now with **Run workflow** (Step F).
3. When it finishes, open your Google Drive > **Frame AI** folder. The finished video is in the **Output** folder.

STEP H - Connect social media and post

1. In the frontend open **Social > Accounts**.
2. Click **Connect YouTube** and allow access. If the frontend shows an older connection, connect again so subtitles can be added.
3. For Facebook, Instagram and TikTok the system uses **Buffer**. Follow the full guide on the next page (STEP I).
4. Plan your posts for **today** in the Social section. The Social robot only posts items planned for today's date. It runs about every 2 hours and spreads posts between **10:00 and 22:00**.
5. To test right away: GitHub > **Social-Manager** > Actions > **Run workflow**.

> **YouTube limits**
> YouTube allows about 10,000 quota units per day: roughly 6 video uploads daily. Also, new Google Cloud projects may be forced to keep API uploads **Private** until Google approves the app (an "audit"). If your videos always appear as Private, this is the reason.

Final checklist

- [ ] 2-3 Gemini keys saved in the Control room
- [ ] Refresh token created and copied (Step C)
- [ ] Frame-Ai copied to my GitHub and 3 secrets added
- [ ] Social-Manager copied to my GitHub and 3 secrets added
- [ ] Workflows enabled in the Actions tab and one test run is green
- [ ] YouTube connected, and Buffer key + channel IDs saved in Social > Accounts
- [ ] First video appears in Google Drive > Frame AI > Output

STEP I - Connect Buffer (Facebook, Instagram, TikTok)

YouTube connects with one click. Facebook, Instagram and TikTok are posted through **Buffer**. Free plan works, but Buffer allows only about **10 scheduled posts per channel** at one time.

1. Create a free account at **buffer.com** and connect your Facebook Page, Instagram and TikTok accounts inside Buffer.
2. Open **publish.buffer.com/settings/api** and create an **API key**. Copy it. (The frontend also has an **Open Buffer API settings** button.)
3. In the frontend go to **Social > Accounts**. Open the **Facebook (Buffer)** block and paste the key in **Buffer API key**. If all channels are in the same Buffer account, paste the **same key** in the Instagram and TikTok blocks too.
4. Click **Find my channels**. If it works you will see "Found N channels". Choose your channel from the dropdown, then click **Save**. Repeat for Instagram and TikTok. **You are done - skip the manual method below.**

If "Find my channels" fails - get the Channel ID by hand

Sometimes the browser blocks the lookup and shows: *"Buffer did not answer from the browser... Type the channel IDs by hand below."* This is normal. Do this:

1. Open **developers.buffer.com/explorer.html** (Buffer API Explorer) in a new tab and enter your **Buffer API key** when it asks for authentication.
2. Paste this query into the Explorer and run it. It shows your **organization ID**. Copy the **id** value.

```
query GetOrganizations {
  account { organizations { id name } }
}
```

3. Now paste this second query. Replace **your_org_id** with the id you just copied (keep the quotation marks), then run it.

```
query GetChannels {
  channels(input: { organizationId: "your_org_id" }) { id name service }
}
```

4. The result is a list of your channels. Each has an **id**, a **name** and a **service** (facebook, instagram, tiktok). Find the right channel by its name/service and copy its **id**.
5. Back in the frontend, **Social > Accounts**: paste that id in the box called **Facebook Page ID** (or **Instagram channel ID** / **TikTok channel ID**). Click **Save**. Repeat for each platform.

> **Check and keep it private**
> A platform is ready when its channel name or ID shows next to its title. If the backend later says "No Buffer channel chosen" or "No Buffer API key", a banner in the frontend tells you what is missing. Never share your Buffer API key in screenshots or chats; if it leaks, delete it in Buffer settings and make a new one.

Troubleshooting - if something goes wrong

Problem	What to do
Run shows a red cross	Click the failed run, then the red step, and read the last lines. Most of the time it is a typo in a secret name or value.
"Google refused the refresh token"	Go to the frontend > Control room > Connect backend, copy a new token, and replace **`GOOGLE_REFRESH_TOKEN`** in GitHub.
"Folder 'Frame AI' not visible"	The token belongs to a different Google account than the one you logged into the frontend with. Log in again with the right account and make a new token.
Token stops working after about 7 days	The Google app is in "Testing" mode. The person who runs the frontend must **Publish** the OAuth consent screen in Google Cloud. Then make a new token.
Nothing runs by itself	In the Actions tab, click the green enable button (Step F, point 2). Also GitHub pauses scheduled runs on projects with no activity for 60 days: run it manually once to wake it.
"Quota exceeded" / Gemini errors	Your free Gemini keys are used up for today. Add more keys from new projects (Step A). The robot continues next day or when new keys are added.
Out of Actions minutes (private repo)	Make the project Public, or change the schedule line `cron: "0 */6 * * *"` in the workflow file to run less often (for example once a day: `"0 3 * * *"`).
Social posts do not go out	Only items planned for **today** are posted, and only after their time slot. Check the frontend banner for messages such as an expired token or a missing Buffer channel.
Videos upload to YouTube as Private	Google audit rule for new API projects (see Step H warning).

Words explained simply

Word	Meaning
GitHub	A website that stores code and can run it for free on a schedule.
Repository (repo)	One project folder on GitHub.
Actions / Workflow	The built-in robot of GitHub that runs the project on its servers. You do not need your own computer on.
Secret	A hidden value (password or key) stored safely in GitHub.
API key	A password that lets a program use a service, like Gemini.
Refresh token	A password that lets the robots use your Google Drive.
Fork / Import	Making your own copy of someone else's project.

> **Need help?**
> Take a screenshot of the red error, **hide any keys or tokens in it**, and send it to the person who gave you this guide.