

CYBER THREAT INTELLIGENCE REPORT

**PROJECT TITLE: OSINT-BASED THREAT INTELLIGENCE
ASSESSMENT**

TARGET ORGANIZATION: KLARNA [KLARNA.COM]

INDUSTRY SECTOR: FINANCIAL TECHNOLOGY COMPANY

ANALYST: ABEEB SALAUDEEN

Date: 17/08/2026

Confidentiality Notice:

This report contains defensive cyber threat intelligence derived exclusively from publicly available open-source information (OSINT). It is prepared strictly for educational and analytical purposes and does not include exploitation, intrusion, or unauthorised access activities.

Contents

1.0. Executive Summary	4
2.0. Organisation Profile	5
2.1. Organisation Overview	5
2.2. Digital Footprint Summary	5
3.0. Intelligence Requirements and Scope	6
3.1. Intelligence Objectives	6
3.2. Scope and Limitations	6
4.0. Methodology and Tools Used	6
4.1. OSINT Methodology	6
4.2. Tools Utilised	7
5.0. OSINT Collection Summary	7
6.0. Key Findings and Exposures	8
6.1. Phishing and Brand Impersonation	8
6.2. Infrastructure Exposure	8
6.3. Data Leakage Indicators	9
7.0. Threat Analysis and Risk Assessment	9
7.1. Threat Actor Perspective	9
7.2. Business Risk Impact	10
8.0. Evidence Log	11
8.1. Screenshots (Labelled and Timestamped)	11
8.2. URLs (Verified and Categorised)	20
8.3. IP Addresses (With Reputation Context)	20
9.0. Mitigation and Recommendation	21
10. Conclusion	23
11. Ethical Considerations and Disclaimer	23
12. References	24

1.0. Executive Summary

This Cyber Threat Intelligence (CTI) report provides an overview of Klarna's publicly exposed digital footprint and the potential risks identified through ethical OSINT investigation. Klarna is a global financial technology company offering payment solutions to millions of users worldwide. Because of its large user base and trusted brand, Klarna is a common target for phishing, impersonation, and fraud attempts.

During the investigation, several Klarna subdomains, IP addresses, and publicly available documents were identified. These findings show that Klarna has a wide digital presence across multiple regions and cloud providers. No direct vulnerabilities were found, but the large footprint increases the chances of attackers creating fake pages or impersonating Klarna services.

Phishing and email analysis were also conducted. A legitimate Klarna email was compared with a suspicious email reported by users. The original Klarna email passed all authentication checks (SPF, DKIM, DMARC), confirming it was genuine. The suspicious email failed all authentication checks and was sent from an IP address previously reported for phishing, spam, hacking, and brute-force activity. This confirms that attackers are actively trying to impersonate Klarna to target users.

Overall, Klarna's risk level is **Medium**, mainly due to brand impersonation and phishing attempts rather than weaknesses in Klarna's own systems. The main business impacts include potential financial fraud, reputational damage, and loss of customer trust.

Key Recommendations

- Strengthen brand monitoring to detect fake Klarna pages and impersonation attempts.
- Encourage users to verify email authenticity using SPF/DKIM/DMARC indicators.
- Improve user awareness about phishing risks and suspicious email signs.
- Maintain continuous OSINT monitoring to identify new look-alike domains or malicious IP activity.

2.0. Organisation Profile

2.1. Organisation Overview

Klarna is a global financial technology company that provides online payment solutions, including “Buy Now, Pay Later” services, instalment payments, and merchant checkout systems. Klarna operates globally across Europe, the United Kingdom, and the United States, serving millions of customers and thousands of merchants through its mobile app, customer portal, and merchant checkout systems. Because Klarna handles financial transactions and sensitive customer information, it is a high-value target for cybercriminals, especially those who use phishing, impersonation, and fraud techniques.

Klarna’s services rely heavily on web-based platforms, mobile applications, and cloud-hosted infrastructure. This makes Klarna’s digital footprint large and widely distributed across multiple countries and hosting providers.

2.2. Digital Footprint Summary

Klarna’s digital footprint includes its primary domain (klarna.com) and numerous service-specific and regional subdomains supporting customer accounts, merchant onboarding, checkout flows, and API integrations. Key subdomains include app.klarna.com, checkout.klarna.com, merchant.klarna.com, and api.klarna.com

Klarna uses cloud hosting and content delivery networks such as AWS, Cloudflare, DigitalOcean, etc., to support global availability. Public DNS records show SPF, DKIM, and DMARC configurations for email security. Klarna maintains active social media profiles on Twitter/X, Instagram, Facebook, and LinkedIn, which are frequently targeted for impersonation.

3.0. Intelligence Requirements and Scope

3.1. Intelligence Objectives

The main objective of this investigation is to understand whether Klarna is being targeted by phishing, impersonation, or fraud activities. This includes identifying any suspicious emails, spoofed domains, or malicious infrastructure pretending to be Klarna. Another objective is to determine whether Klarna has any exposed public-facing assets that attackers could misuse, such as subdomains, documents, or archived pages. The investigation also aims to confirm whether Klarna's brand, communication style, or digital footprint is being abused by attackers to deceive users. Overall, the goal is to assess Klarna's exposure to external threats without interacting with or testing Klarna's internal systems.

3.2. Scope and Limitations

This investigation was conducted using passive OSINT methods only. No scanning, probing, exploitation, or interaction with Klarna's systems was performed. All data was collected from publicly available sources such as Google Dorks, theHarvester, Shodan, MXToolbox, AbuseIPDB, VirusTotal, WHOIS, and the Wayback Machine. The analysis is limited to what is visible on the open internet and does not include internal Klarna systems, private networks, or confidential data. All tools were used ethically and within legal boundaries, focusing strictly on observation and analysis of publicly accessible information.

4.0. Methodology and Tools Used

4.1. OSINT Methodology

This investigation followed a standard Cyber Threat Intelligence (CTI) workflow. The **Planning and Direction** phase focused on identifying what needed to be understood, including Klarna's digital footprint, possible phishing threats, and any impersonation activity. During the **Collection** phase, publicly available information was gathered from open sources such as search engines, OSINT tools, reputation databases, and archived web content. In the **Processing** phase, the collected data was organised, filtered, and prepared for analysis, including separating legitimate Klarna infrastructure

from suspicious or malicious indicators. The **Analysis** phase involved reviewing email headers, IP reputation, domain ownership, and Klarna's public-facing assets to identify phishing attempts, impersonation risks, and malicious infrastructure. Finally, the **Dissemination** phase involved compiling the findings into a clear CTI report that can be easily understood by non-technical stakeholders.

4.2. Tools Utilised

Several OSINT tools were used to gather information ethically and passively. **Google Dorks** were used to discover exposed Klarna-related files, documents, and indexed pages. **theHarvester** was used to enumerate Klarna subdomains, IP addresses, and email-related information visible on the internet. **VirusTotal** was used to check the reputation of IP addresses involved in both legitimate and phishing emails. **Shodan** was used to observe publicly exposed Klarna-related services and identify any impersonation attempts without performing any exploitation. **AbuseIPDB** was used to analyse the reputation and abuse history of suspicious IP addresses. **Wayback Machine** was used to review historical versions of Klarna's website that attackers could potentially clone. **MXToolbox** was used to analyse email headers and verify SPF, DKIM, and DMARC results for both legitimate and phishing emails. **MITRE ATT&CK Framework** was used to map attacker behaviours to known techniques such as phishing, infrastructure acquisition, staging malicious content, and credential harvesting. This helped classify the threat activity in a structured and industry-recognised format.

5.0. OSINT Collection Summary

The OSINT investigation collected information related to Klarna's public-facing digital footprint and any external activity targeting the organisation. Several Klarna domains and subdomains were identified, along with older archived versions of Klarna's website that attackers could potentially clone. Look-alike or suspicious domains were also observed through email header analysis and IP reputation checks. Publicly accessible Klarna documents were found, including fraud policies, merchant rules, and security guidelines, which could be used by attackers to craft convincing phishing messages.

Email-related information was collected from both legitimate Klarna communication and a suspicious phishing email reported by users. This included sender domains, IP addresses, authentication results (SPF, DKIM, DMARC), and hosting providers. IP reputation data was gathered to determine whether the infrastructure used in the suspicious email had a history of abuse. URLs and hostnames associated with phishing or impersonation attempts were also collected, helping to distinguish between genuine Klarna infrastructure and attacker-controlled systems.

Overall, the collected data focused on Klarna's online presence, external threats, and malicious indicators relevant to phishing and impersonation activity.

6.0. Key Findings and Exposures

6.1. Phishing and Brand Impersonation

The investigation confirmed active phishing attempts targeting Klarna users. A suspicious email reported by users failed all authentication checks (SPF, DKIM, DMARC), proving it did not originate from Klarna's legitimate email system. The sender IP address (109.202.24.52) has a history of phishing, spam, hacking, and brute-force activity. The domain (avantel.ru) and hostname (54upr.rosreestr.ru) used in the email are not associated with Klarna, indicating attackers are impersonating Klarna using foreign infrastructure. Archived versions of Klarna's website show how attackers could clone older Klarna pages to create fake login screens or payment portals.

Why this matters: Phishing and impersonation can lead to credential theft, financial fraud, and loss of customer trust. Attackers can easily deceive users by copying Klarna's branding and communication style.

6.2. Infrastructure Exposure

The OSINT investigation identified several publicly visible Klarna subdomains, cloud-hosted services, and global hosting patterns. Klarna's services appear across providers such as AWS, Cloudflare, DigitalOcean, Hetzner, and Bird.com. While these services are legitimate, their wide distribution increases Klarna's online exposure. Attackers were also found hosting Klarna-themed

content on unrelated infrastructure, including servers in Russia and other foreign regions. This shows that Klarna's brand can be abused on external hosting platforms without Klarna's involvement.

Why this matters: A large digital footprint gives attackers more opportunities to imitate Klarna's services. Public-facing assets can be copied, spoofed, or used to create convincing phishing pages.

6.3. Data Leakage Indicators

Several Klarna-related documents were found publicly online, including fraud policies, merchant rules, security guidelines, and risk management reports. These documents contain operational details that attackers could use to craft more realistic phishing messages. Email addresses linked to Klarna also appeared in public breach databases, although no passwords or sensitive credentials were found. This increases the risk of targeted phishing or social engineering attacks against Klarna employees or merchants. **Why this matters:** Public documents and leaked email addresses help attackers create more convincing scams. Even without passwords, exposed emails can be used for spear-phishing, impersonation, or fraud attempts.

7.0. Threat Analysis and Risk Assessment

7.1. Threat Actor Perspective

From an attacker's point of view, Klarna's large digital footprint and strong global brand make it an attractive target for phishing and impersonation. Attackers can exploit publicly visible Klarna subdomains, archived website pages, and exposed documents to create convincing fake login pages or payment portals. The phishing email you analysed shows a common attack path: sending spoofed Klarna messages from malicious IP addresses to trick users into clicking fraudulent links or entering their credentials. The use of foreign hosting providers and look-alike domains aligns with known attacker behaviours, where cybercriminals rely on cheap or unregulated infrastructure to hide their identity.

These activities match several MITRE ATT&CK techniques, including T1566.002 (Phishing via email), T1583.001 (Acquiring malicious domains), T1608 (Staging malicious content), and T1056

(Credential harvesting). Together, these techniques show how attackers can impersonate Klarna, steal user information, and redirect victims to fake Klarna pages.

7.2. Business Risk Impact


The findings indicate several business risks for Klarna. Phishing and impersonation attempts can lead to financial losses if customers are tricked into making payments or sharing sensitive information. Reputational damage is also a major concern, as repeated impersonation attacks can make users distrust Klarna's communication channels. Customer trust may decline if users receive frequent fake Klarna emails or encounter cloned Klarna pages online. Regulatory exposure is another risk, especially for a financial services company operating under strict compliance requirements. If customers are harmed through impersonation attacks, Klarna may face scrutiny from regulators or be required to improve its security controls and user protection measures.

Financial Risk: Medium; phishing could lead to fraudulent transactions or customer losses.

Reputational Damage: Medium; brand impersonation can reduce trust in Klarna's communication and services.

Customer Trust Impact: Medium; users may become cautious or confused when receiving Klarna-related emails.


Regulatory Exposure: Low to Medium; no internal breach was found, but repeated impersonation attempts could attract regulatory attention.




iii. **Wayback Machine:** Shows Klarna’s 2021 website version that attackers could clone for phishing and the latest Klarna website.

Timestamp: 12/08/2026 16:03 UTC

2021 website version





2026 website version





iv. Google Dorks: Shows the queries used to search for Klarna's login, files and security information available or exposed using Google.

Timestamp: 12/08/2026 02:13 UTC


‘inurl: target login’ query



'site:target.com' query



filetype: pdf"security" query



v. theHarvester: Shows the available subdomains and IP addresses associated with Klarna, which could be either original/real subdomains and IPs or impersonating subdomains and IPs.

Timestamp: 12/08/2026 03;16 UTC

‘theHarvester -d target.com -b all’ command

```
ablink-m.klarna.com:ablink-production.eu1.crm-studio.klarna.net
ablink.nonprod.klarna.com
ablink.staging-e.klarna.com
ablinka.staging-e.klarna.com
abmail.staging-e.klarna.com
abmaila.staging-e.klarna.com
about.klarna.com
abundante.nonprod.klarna.com
academicso.playground.klarna.com
acclaim.klarna.com
acmteste.o-em-gee.jenkins.nonprod.klarna.com
acxiom.klarna.com
adequacyo.klarna.com
adterm.klarna.com
adm.klarna.com
admin.creator.klarna.com
administrator.klarna.com
advertiseda.nonprod.klarna.com
aff.klarna.com
affiliates.klarna.com
affiliations.playground.klarna.com
afin.klarna.com
alchemy9.klarna.com
algae.klarna.com
algeriaa.playground.klarna.com
alicante.klarna.com
allegations.nonprod.klarna.com
aloham.klarna.com
alteringo.klarna.com
amazingly.klarna.com
amos.nonprod.klarna.com
analysek.nonprod.klarna.com
andorraa.playground.klarna.com
angela.playground.klarna.com
ansekka.playground.klarna.com
```

```
API error: [100] 内部エラー
Failed to parse Fofa response:
Missing API key for Fofa API (Invalid credentials).
Searching Fofa.
Searching hackettarget.
2025-11-22T13:07:26.0 - theHarvester.discovery.hudsonrocksearch - INFO - Starting Hudson Rock processing for: klarna.com
2025-11-22T13:07:26.0 - theHarvester.discovery.hudsonrocksearch - INFO - Starting Hudson Rock search for: klarna.com
2025-11-22T13:11:56.0 - theHarvester.discovery.hudsonrocksearch - INFO - Domain statistics: 6135 total compromised, 1 employees, 618 users
2025-11-22T13:11:56.0 - theHarvester.discovery.hudsonrocksearch - INFO - Extracted 1 hosts from employee URLs
2025-11-22T13:11:57.0 - theHarvester.discovery.hudsonrocksearch - INFO - Hudson Rock search completed. Found 1 hosts, 0 IPs, 0 emails
2025-11-22T13:11:57.0 - theHarvester.discovery.hudsonrocksearch - INFO - Hudson Rock processing completed successfully: 1 hosts, 0 IPs, 0 emails, 0 users
Searching Hudsonrock.
api-keys.yaml from /etc/theHarvester/api-keys.yaml
Searching GitLab.
Searching Leaklookup.
API API requires authentication: "Incorrect API Key"
Searching Gex.
Searching Commoncrawl.
Searching Lexip.
Searching Rapidns.
Searching Subdomaincenter.
Searching Thc.
response from ThreatCrowd API for: klarna.com
Searching Threatcrowd.
Searching Subnet.
Searching Uriscan.
Windvane API key not found. Using limited unauthenticated access.
Searching Subdomainfinder09.
API unavailable, using fallback subdomain pattern search...
Found 18 subdomains using DNS fallback
Searching Windvane.
Searching Yahoo.
Searching Waybackarchive.
DNS found: 4
```

```
klarna.com
185-133-68-0.v4.byoiip.klarna.com:185.133.68.0
185-133-68-1.v4.byoiip.klarna.com:185.133.68.1
185-133-68-10.v4.byoiip.klarna.com:185.133.68.10
185-133-68-100.v4.byoiip.klarna.com:185.133.68.100
185-133-68-101.v4.byoiip.klarna.com:185.133.68.101
185-133-68-102.v4.byoiip.klarna.com:185.133.68.102
185-133-68-103.v4.byoiip.klarna.com:185.133.68.103
185-133-68-104.v4.byoiip.klarna.com:185.133.68.104
185-133-68-105.v4.byoiip.klarna.com:185.133.68.105
185-133-68-106.v4.byoiip.klarna.com:185.133.68.106
185-133-68-107.v4.byoiip.klarna.com:185.133.68.107
185-133-68-108.v4.byoiip.klarna.com:185.133.68.108
185-133-68-109.v4.byoiip.klarna.com:185.133.68.109
185-133-68-11.v4.byoiip.klarna.com:185.133.68.11
185-133-68-110.v4.byoiip.klarna.com:185.133.68.110
185-133-68-111.v4.byoiip.klarna.com:185.133.68.111
185-133-68-112.v4.byoiip.klarna.com:185.133.68.112
185-133-68-113.v4.byoiip.klarna.com:185.133.68.113
185-133-68-114.v4.byoiip.klarna.com:185.133.68.114
185-133-68-115.v4.byoiip.klarna.com:185.133.68.115
185-133-68-116.v4.byoiip.klarna.com:185.133.68.116
185-133-68-117.v4.byoiip.klarna.com:185.133.68.117
185-133-68-118.v4.byoiip.klarna.com:185.133.68.118
185-133-68-119.v4.byoiip.klarna.com:185.133.68.119
185-133-68-12.v4.byoiip.klarna.com:185.133.68.12
185-133-68-120.v4.byoiip.klarna.com:185.133.68.120
185-133-68-121.v4.byoiip.klarna.com:185.133.68.121
185-133-68-122.v4.byoiip.klarna.com:185.133.68.122
185-133-68-123.v4.byoiip.klarna.com:185.133.68.123
185-133-68-124.v4.byoiip.klarna.com:185.133.68.124
185-133-68-125.v4.byoiip.klarna.com:185.133.68.125
185-133-68-126.v4.byoiip.klarna.com:185.133.68.126
185-133-68-127.v4.byoiip.klarna.com:185.133.68.127
185-133-68-128.v4.byoiip.klarna.com:185.133.68.128
185-133-68-129.v4.byoiip.klarna.com:185.133.68.129
185-133-68-13.v4.byoiip.klarna.com:185.133.68.13
185-133-68-130.v4.byoiip.klarna.com:185.133.68.130
185-133-68-131.v4.byoiip.klarna.com:185.133.68.131
185-133-68-132.v4.byoiip.klarna.com:185.133.68.132
185-133-68-133.v4.byoiip.klarna.com:185.133.68.133
```

‘theHarvester -d target.com -b brave, yahoo’ command

```

$ theHarvester -d klarna.com -b brave,yahoo
Read proxies.yaml from /etc/theHarvester/proxies.yaml
*****
theHarvester
theHarvester 4.10.1
Coded by Christian Martorella
Edge-Security Research
cmartorella@edge-security.com
*****





[*] Target: klarna.com
Read api-keys.yaml from /etc/theHarvester/api-keys.yaml
Failed to process brave search for word: 'klarna.com'
Error Message:
[!] Missing API key for Brave Search.
[*] Searching Yahoo.
[*] No IPs found.
[*] No emails found.
[*] No people found.
[*] Hosts found: 6
app.klarna.com
brand.klarna.com
cdn.klarna.com
investors.klarna.com
portal.klarna.com
status.klarna.com
klarna Merchant Schema Data Version 1.0, December 2019
klarna Merchant Schema Data Version 1.0, December 2019
klarna Merchant Schema Data Version 1.0, December 2019
(kali@kali)~$


```

vi. Shodan.io: Shows exposed services linked to target infrastructure without exploitation or unauthorised access.



Timestamp: 12/08/2026 15:25 UTC


org: "target" and http.title: "target" query shows the available top organisations and web servers associated with Klarna, respectively.





vii. Whois Lookup: Used to confirm domain ownership and legitimacy.
Timestamp: 14/08/26 23:34 UTC





8.2. URLs (Verified and Categorised)

Legitimate Klarna URLs

- i. <https://www.klarna.com>
- ii. <https://app.klarna.com>
- iii. <https://brand.klarna.com>

Purpose: Confirms Klarna's official public-facing services

Suspicious / Phishing-related URLs

- i. <http://54upr.rosreestr.ru>
- ii. <http://avantel.ru>

Purpose: Associated with phishing email infrastructure impersonating Klarna.

Archived Klarna URLs

- i. https://web.archive.org/web/2021*/klarna.com (web.archive.org in Bing)

Purpose: Shows older Klarna pages that can be cloned by attackers.

8.3. IP Addresses (With Reputation Context)

Legitimate Klarna Email IP

i. **199.15.226.148**

Source: Bird.com (SparkPost)

Reputation: Clean (VirusTotal and AbuseIPDB)

Purpose: Confirms authentic Klarna communication.

Malicious Phishing IP

ii. **109.202.24.52**

Source: Russian ISP

Reputation: Multiple reports (phishing, spam, hacking, brute-force)

Purpose: Confirms attacker infrastructure used to impersonate Klarna.

8.4. Hashes: No malicious file hashes were collected during the investigation; this indicates no malware samples were analysed.

9.0. Mitigation and Recommendation

i. Klarna should implement continuous brand monitoring to detect fake Klarna pages, cloned content, and look-alike domains. This includes monitoring for unauthorised use of Klarna's logo, colour scheme, and communication style across hosting providers and social media platforms. When malicious domains or fake Klarna pages are identified, Klarna should initiate takedown requests through hosting providers, CERT teams, and domain registrars.

Mapped to Finding: Phishing & Brand Impersonation (Section 6.1).

ii. Klarna should ensure strict enforcement of SPF, DKIM, and DMARC policies to prevent attackers from spoofing Klarna's email domain. DMARC should be set to "reject" to block unauthorised senders. Klarna should also monitor DMARC reports to identify suspicious sending sources attempting to impersonate Klarna.

Mapped to Finding: Phishing email failing authentication checks (Section 6.1).

iii. Customers and merchants should be educated on how to identify legitimate Klarna emails and recognise phishing attempts. Klarna should publish clear guidance on its official communication channels, including examples of real Klarna emails and warnings about common impersonation tactics. Regular awareness campaigns can reduce the likelihood of users falling for fake Klarna messages.

Mapped to Finding: Fake emails and cloned content targeting users (Section 6.1).

iv. Klarna should maintain ongoing OSINT monitoring to detect new look-alike domains, malicious IPs, suspicious hosting patterns, and exposed documents. This includes monitoring Shodan, VirusTotal, AbuseIPDB, and search engines for newly indexed Klarna-related content. Continuous monitoring helps identify threats early before they escalate.

Mapped to Finding: Publicly visible infrastructure and exposed documents (Section 6.2 & 6.3).

v. Klarna should review publicly accessible documents such as fraud policies, merchant rules, and security guidelines to ensure no sensitive operational details are exposed. If necessary, Klarna should restrict access or watermark documents to reduce misuse by attackers crafting phishing campaigns.

Mapped to Finding: Exposed Klarna documents (Section 6.3).

vi. Since some Klarna-related email addresses appear in breach databases, Klarna should encourage employees and merchants to use multi-factor authentication (MFA) and avoid reusing passwords across services. Monitoring breached email lists helps identify potential spear-phishing targets.

Mapped to Finding: Leaked email addresses (Section 6.3).

vii. Klarna should maintain visibility across its cloud providers (AWS, Cloudflare, DigitalOcean, Hetzner, and Bird.com) to ensure no misconfigured or forgotten assets are publicly exposed. Attackers often exploit abandoned or outdated cloud resources to impersonate legitimate services.

Mapped to Finding: Large digital footprint and cloud exposure (Section 6.2).

10. Conclusion

The OSINT investigation identified active phishing attempts, brand impersonation, and publicly visible Klarna-related assets that attackers could misuse. Klarna's internal systems were not found to be compromised, but external threats targeting customers and merchants remain significant. The organization's overall security posture appears strong, yet its large digital footprint increases exposure to impersonation risks. This assessment reinforces the importance of continuous OSINT monitoring, proactive brand protection, and early detection of malicious infrastructure. Effective threat intelligence helps reduce user harm, strengthen trust, and support Klarna's long-term security resilience.

11. Ethical Considerations and Disclaimer

All information collected during this investigation was obtained from publicly available sources. No active scanning, probing, exploitation, or unauthorised interaction with Klarna systems was performed. The analysis was conducted solely for educational, defensive, and research purposes as part of a cybersecurity learning project. All findings should be interpreted within the context of passive OSINT methodology and responsible cyber intelligence practices.

12. References

OSINT Tools and Platforms

- Google Dorks <https://www.google.com>
- theHarvester <https://github.com/laramies/theHarvester> (github.com in Bing)
- Shodan <https://www.shodan.io>
- MXToolbox <https://mxtoolbox.com>
- VirusTotal <https://www.virustotal.com>
- AbuseIPDB <https://www.abuseipdb.com>
- Wayback Machine <https://web.archive.org>
- WHOIS Lookup <https://who.is>
- MITRE ATT&CK Framework <https://attack.mitre.org>

Public Documentations and Reports

- Klarna Fraud Prevention <https://www.klarna.com>
- Klarna Merchant Rules <https://www.klarna.com/uk/business>
- Klarna Security Information <https://www.klarna.com/international/security> (klarna.com in Bing)

External Intelligence Sources

- CERT-EU <https://cert.europa.eu>
- US-CERT <https://www.cisa.gov/uscert>
- NCSC (UK) <https://www.ncsc.gov.uk>
- FS-ISAC <https://www.fsisac.com>

OSINT Data Sources

- Public DNS Records <https://dnschecker.org>
- Public Breach Databases (email exposure only) <https://haveibeenpwned.com>
- IP Reputation Databases <https://www.abuseipdb.com> / <https://www.virustotal.com>
- Archived Web Content <https://web.archive.org>

