Appendix-B

References

- [1] S. S. Dominy *et al.*, "Porphyromonas gingivalis in Alzheimer's disease brains: Evidence for disease causation and treatment with small-molecule inhibitors," *Sci. Adv.*, vol. 5, no. 1, p. eaau3333, Jan. 2019, doi: 10.1126/sciady.aau3333.
- [2] "2019 Alzheimer's disease facts and figures," Alzheimers Dement., vol. 15, no. 3, pp. 321–387, Mar. 2019, doi: 10.1016/j.jalz.2019.01.010.
- [3] B. Lei et al., "Predicting clinical scores for Alzheimer's disease based on joint and deep learning," Expert Syst. Appl., vol. 187, p. 115966, Jan. 2022, doi: 10.1016/j.eswa.2021.115966.
- [4] R. J. Bateman et al., "Clinical and biomarker changes in dominantly inherited Alzheimer's disease," N. Engl. J. Med., vol. 367, no. 9, pp. 795–804, Aug. 2012, doi: 10.1056/NEJMoa1202753.
- [5] M. Vounou et al., "Sparse reduced-rank regression detects genetic associations with voxel-wise longitudinal phenotypes in Alzheimer's disease," NeuroImage, vol. 60, no. 1, pp. 700–716, Mar. 2012, doi: 10.1016/j.neuroimage.2011.12.029.
- [6] R. Itzhaki, "Herpes simplex virus type 1, apolipoprotein E and Alzheimer' disease," Herpes J. IHMF, vol. 11 Suppl 2, pp. 77A-82A, Jun. 2004.
- [7] H. Braak and E. Braak, "Frequency of stages of Alzheimer-related lesions in different age categories," Neurobiol. Aging, vol. 18, no. 4, pp. 351–357, 1997, doi: 10.1016/s0197-4580(97)00056-0.
- [8] B. Reisberg, S. H. Ferris, M. J. de Leon, and T. Crook, "The Global Deterioration Scale for assessment of primary degenerative dementia," Am. J. Psychiatry, vol. 139, no. 9, pp. 1136–1139, Sep. 1982, doi: 10.1176/ajp.139.9.1136.
- [9] J. C. Morris, "The Clinical Dementia Rating (CDR): current version and scoring rules," *Neurology*, vol. 43, no. 11, pp. 2412–2414, Nov. 1993, doi: 10.1212/wnl.43.11.2412-a.
- [10] M. F. Folstein, S. E. Folstein, and P. R. McHugh, "Mini-mental state'. A practical method for grading the cognitive state of patients for the clinician," *J. Psychiatr. Res.*, vol. 12, no. 3, pp. 189–198, Nov. 1975, doi: 10.1016/0022-3956(75)90026-6.
- [11] F. J. Martinez-Murcia, A. Ortiz, J.-M. Gorriz, J. Ramirez, and D. Castillo-Barnes, "Studying the Manifold Structure of Alzheimer's Disease: A Deep Learning Approach Using Convolutional Autoencoders," *IEEE J. Biomed. Health Inform.*, vol. 24, no. 1, pp. 17–26, Jan. 2020, doi: 10.1109/JBHI.2019.2914970.
- [12] M. A. Ebrahimighahnavieh, S. Luo, and R. Chiong, "Deep learning to detect Alzheimer's disease from neuroimaging: A systematic literature review," *Comput. Methods Programs Biomed.*, vol. 187, p. 105242, Apr. 2020, doi: 10.1016/j.cmpb.2019.105242.
- [13] S. Savas, "Detecting the Stages of Alzheimer's Disease with Pre-trained Deep Learning Architectures," Arab. J. Sci. Eng., vol. 47, pp. 2201–2218, Feb. 2022, doi: 10.1007/s13369-021-06131-3.
- [14] M. Amini, M. M. Pedram, A. Moradi, and M. Ouchani, "Diagnosis of Alzheimer's Disease Severity with fMRI Images Using Robust Multitask Feature Extraction Method and Convolutional Neural Network (CNN)," Comput. Math. Methods Med., vol. 2021, p. 5514839, Apr. 2021, doi: 10.1155/2021/5514839.
- [15] P. S. Sisodia, G. K. Ameta, Y. Kumar, and N. Chaplot, "A Review of Deep Transfer Learning Approaches for Class-Wise Prediction of Alzheimer's Disease Using MRI Images," Arch. Comput. Methods Eng., vol. 30, no. 4, pp. 2409–2429, May 2023, doi: 10.1007/s11831-022-09870-0.
- [16] M. M. Rana et al., "A robust and clinically applicable deep learning model for early detection of Alzheimer's," IET Image Process., vol. 17, no. 14, pp. 3959–3975, 2023, doi: 10.1049/ipr2.12910.
- [17] S. A. Kumar and S. Sasikala, "Enhanced Alzheimer's Disease Classification Using Multilayer Deep Convolutional Neural Network-Based Experimentations," *Iran. J. Sci. Technol. Trans. Electr. Eng.*, vol. 47, no. 4, pp. 1595–1621, Dec. 2023, doi: 10.1007/s40998-023-00622-9.
- [18] N. A. Baghdadi, A. Malki, H. M. Balaha, M. Badawy, and M. Elhosseini, "A3C-TL-GTO: Alzheimer Automatic Accurate Classification Using Transfer Learning and Artificial Gorilla Troops Optimizer," Sensors, vol. 22, no. 11, Art. no. 11, Jan. 2022, doi: 10.3390/s22114250.
- [19] S. DUBEY, "Alzheimer's Dataset (4 class of Images) Images of MRI Segementation." 2020.
- [20] T. Pan, J. Zhao, W. Wu, and J. Yang, "Learning imbalanced datasets based on SMOTE and Gaussian distribution," Inf. Sci., vol. 512, pp. 1214–1233, Feb. 2020, doi: 10.1016/j.ins.2019.10.048.
- [21] S. Murugan et al., "DEMNET: A Deep Learning Model for Early Diagnosis of Alzheimer Diseases and Dementia From MR Images," IEEE Access, vol. 9, pp. 90319–90329, 2021, doi: 10.1109/ACCESS.2021.3090474.

- S. Bringas, S. Salomón, R. Duque, C. Lage, and J. L. Montaña, "Alzheimer's Disease stage identification using deep learning models," J. Biomed. Inform., vol. 109, p. 103514, Sep. 2020, doi: 10.1016/j.jbi.2020.103514.
- Y. Jiang, "Application of Deep Learning and Brain Images in Diagnosis of Alzheimer's Patients," Trait. [23]
- Signal, vol. 38, no. 5, pp. 1431–1438, Oct. 2021, doi: 10.18280/ts.380518.

 J. Islam and Y. Zhang, "Early Diagnosis of Alzheimer's Disease: A Neuroimaging Study with Deep Learning Architectures," in 2018 IEEE/CVF Conference on Computer Vision and Pattern Recognition [24] Workshops (CVPRW), Jun. 2018, pp. 1962–19622. doi: 10.1109/CVPRW.2018.00247.
- [25] A. Puente-Castro, E. Fernandez-Blanco, A. Pazos, and C. R. Munteanu, "Automatic assessment of Alzheimer's disease diagnosis based on deep learning techniques," Comput. Biol. Med., vol. 120, p. 103764, May 2020, doi: 10.1016/j.compbiomed.2020.103764.
- [26] M. H. Myers, A. Padmanabha, G. Hossain, A. L. de Jongh Curry, and C. D. Blaha, "Seizure Prediction and Detection via Phase and Amplitude Lock Values," Front. Hum. Neurosci., vol. 10, Mar. 2016, doi: 10.3389/fnhum.2016.00080.