

Q. No. 1

Question:

Choose the correct HTML tag for the largest heading

Answer Choices

A: <h6> B: <heading> C: <head> **D: <h1>**

Q. No. 2

Question:

What is the correct HTML tag for inserting a line break?

Answer Choices

**A:
** B: <break /> C: <lb /> D: </ br>

Q. No. 3

Question:

Which of the following tags below are used for a multi-line text input control?

Answer Choices

A: Textml tag B: Test tag
C: Textarea tag D: Both b and c

Q. No. 4

Question:

What is the correct HTML for creating a hyperlink?

Answer Choices

A: A
B: <a>B
C: example
D: example

Q. No. 5

Question:

```
<script language="javascript">  
Var qpt="ADVANCED COMPUTING";  
alert (qpt.charAt(qpt.length-1));  
</script>
```

Answer Choices

A: P

B: G

C: E

D: Error

Q. No. 6

Question:

Scripting language are

Answer Choices

A: High Level Programming language

B: Assembly Level Programming language

C: Machine Level Programming language

D: None of above

Q. No. 7

Question:

```
<script type="text/javascript" language="javascript">  
var qpt = "Diploma in Advanced Computing";  
var result = qpt.split(" ");  
document.write (result);  
</script>
```

Answer Choices

A: Diploma

B: D,i,p,l,o,m,a,i,n,A,d,v,a,n,c,e,d,C,o,m,p,u,t,i,n,g

C: Diploma,in,Advanced,Computing

D: Diploma in Advanced Computing

Q. No. 8

Question:

```
<script language="javascript">
function x()
{
var s= "Good 100%";
var pattern = /\D/g;
var output= s.match(pattern);
document.write(output);
}
</script>
```

Answer Choices

A: Good %

B: 1,0,0

C: G,o,o,d,%

D: Error

Q. No. 9

Question:

In JavaScript, What does isNaN function do ?

Answer Choices

A: Return true if the argument is not a number.

B: Return false if the argument is not a number.

C: Return true if the argument is a number.

D: None of the above

Q. No. 10

Question:

How to assign a function to a variable with the JavaScript Function constructor?

Answer Choices

A: `var f=Function("x","y","return x+y");`

B: `var f=Function(x,y){ return x+y;}`

C: `var f= new Function("x", "y", "return x + y");`

D: None of above

Q. No. 11

Question:

Which sign does jquery use as a shortcut for jquery?

Answer Choices

A: * sign

B: % sign

C: ? sign

D: \$ sign

Q. No. 12

Question:

`$("span").` What does it select

Answer Choices

A: The first span element

B: All span elements

C: All of the above

D: None of above

Q. No. 13

Question:

Jquery code to set the background color of all span elements to blue?

Answer Choices

A: `$("span").style("background-color","blue");`

B: `$("span").manipulate("background-color","blue");`

C: `$("span").CSS("background-color","blue");`

D: `$("span").layout("background-color","blue");`

Q. No. 14

Question:

Which jQuery function is used to prevent code from running, before the document is finished loading?

Answer Choices

A: \$(document).load()

B: \$(body).onload()

C: \$(document).onload()

D: \$(document).ready()

Q. No. 15

Question:

Which jQuery method is used to switch between adding/removing one or more classes (for CSS) from selected elements?

Answer Choices

A: switchClass()

B: toggleClass()

C: altClass()

D: switch()

Q. No. 16

Question:

Which jQuery statement is true?

Answer Choices

A: To use jQuery, you must buy the jQuery library at www.jquery.com

B: To use jQuery, you do not have to do anything. Most browsers have the jQuery library built in the browser.

C: To use jQuery, you can refer to a hosted jQuery library at Google

D: All of the above

Q. No. 17

Question:

Consider the following Class

Class Insurance

```
{  
function clsName()  
{  
    Echo get_class($this);  
}  
}  
8. $cl=new Insurance();  
9. $cl->clsName();  
10. Insurance::clsName();
```

Which of the following lines should be commented to print the class name without errors?

Answer Choices

A: Line 8 and 9

B: Line 10

C: Line 9 and 10

D: All the three lines 8,9 and 10 should be left as it is.

Q. No. 18

Question:

The inbuilt function to get the number of parameters passed is:

Answer Choices

A: func_num_args()

B: func_args_count()

C: arg_num()

D: None of the above

Q. No. 19

Question:

How would you start a session?

Answer Choices

A: Session(start());

B: Session();

C: Session_start();

D: Begin_session();

Q. No. 20

Question:

microtime() returns _____.

Answer Choices

A: Current Unix timestamp with seconds.

B: Current Unix timestamp with nanoseconds.

C: Current Unix timestamp with microseconds

D: None of above

Q. No. 21

Question:

The updated MySQL extension released with PHP 5 is typically referred to as

Answer Choices

A: MySQL

B: Mysqli

C: Mysql

D: Mysqly

Q. No. 22

Question:

Which one of the following methods can be used to diagnose and display information about a MySQL connection error?

Answer Choices

A: connect_errno()

B: connect_error()

C: mysqli_connect_error()

D: mysqli_connect_errno()

Q. No. 23

Question:

Assume that your php file 'index.php' in location c:/apache/htdocs/phptutor/index.php. If you used basename(\$_SERVER['PHP_SELF']) function in your page, then what is the return value of this function ?

Answer Choices

A: index.php

B: /index.php

C: phptutor

D: phptutor/index.php

Q. No. 24

Question:

```
<? php
$x=array("aaa","", "ccc", "ddd", "");
$y=array_unique($x);
echo count($x) . " . Count ($y);
?>
```

Answer Choices

A: 3,1

B: 3,3

C: 5,5

D: 5,4

Q. No. 25

Question:

Well formed XML document means

Answer Choices

A: It contains a root element

B: It contain an element

C: It contains one or more elements

D: Must contain one or more elements and root element must contain all other element

Q. No. 26

Question:

Which of the following XML fragments are well-formed?

Answer Choices

A: <? xml?>

B: <? xml version="A.0"?>

C: <? xml encoding="JIS"?>

D: <? xml encoding="JIS" version ="A.0" ?>

Q. No. 27

Question:

What does DTD stand for?

Answer Choices

A: Document Type Definition

B: Direct Type Definition

C: Do The Dance

D: Dynamic Type Definition

Q. No. 28

Question:

DTD includes the specifications about the markup that can be used within the document, the specifications consists of all EXCEPT

Answer Choices

A: Entity declarations

B: The size of element name

C: The browser name

D: Element declarations

Q. No. 29

Question:

The XML DOM object is

Answer Choices

A: Entity

B: Entity Reference

C: Comment Reference

D: Comment Data

Q. No. 30

Question:

To bind the HTML element <INPUT> Type in text with the data source "dsoCustomer" we use

Answer Choices

A: <INPUT TYPE="TEXT" DATAFIELD="#dsoCustomer">

B: <INPUT TYPE="TEXT" DATASRC=" dsoCustomer">

C: <INPUT TYPE="TEXT" DATAFSRC="#dsoCustomer">

D: <INPUT TYPE="TEXT" DATAFLD="#dsoCustomer">

Q. No. 31

Question:

What is oDATA?

Answer Choices

A: Web protocol Use or insertion

B: Web protocol for querying and updating data

C: It is a OSI model protocol

D: None of above

Q. No. 32

Question:

What is NCName

Answer Choices

A: A Non-Common Name

B: A Non-Conforming Name

C: A Non-Colonized Name

D: None of the above

Q. No. 33

Question:

Ajax stands for

Answer Choices

A: Asynchronous JavaScript and XML

B: Abstract JSON and XML

C: Another Java Abstraction for X-Windows

D: Another Java and XML Library

Q. No. 34

Question:

What does the XMLHttpRequest object accomplish in Ajax?

Answer Choices

A: It's a programming language used to develop Ajax application

B: It provides a means of exchanging structured data between the Web server and client

C: It provides the ability to mark up and style the display of Web-page text.

D: It provides the ability to asynchronously exchange data between Web browsers and a web server

Q. No. 35

Question:

Which one of the technologies is NOT used in AJAX?

Answer Choices

A: Flash

B: CSS

C: DOM

D: DHTML

Q. No. 36

Question:

AJAX made popular by

Answer Choices

A: Microsoft

B: IBM

C: Sun Microsystems

D: Google

Q. No. 37

Question:

Which one of these legendary Greek mythical figures or places is the code name for Microsoft's version of AJAX?

Answer Choices

A: Oracle

B: Hercules

C: Atlas

D: Delphi

Q. No. 38

Question: The tag used to define navigation links is

Answer Choices

A:<dialog> B:<header> C:<meter> D:<nav>

Correct Answer : D

Q. No. 39

Question: The tag to specify illustration, diagram, photo is

A:<mark> B:<figure> C:<aside> D:<details>

Correct Answer : B

Q. No. 40

Question: The <!DOCTYPE> declaration in HTML5 is

A:<!DOCTYPE html!> B:<!DOCTYPE html;>
C:<!DOCTYPE html D:<!DOCTYPE html:>

Correct Answer :C

Q. No. 41

Question: The selector in css is

A:javascript tag B:HTML element
C:css tag D:css element

Correct Answer : B

Q. No. 42

Question: The declaration in css consists

A:Property B:Value C:Attribute D:a and b

Correct Answer : D

Q. No. 43

Question: The Statement is call as _____ Statement.

A:Globalization B:Instantization
C:Declaration D:Initialization

Correct Answer :C

Q. No. 44

Question: Integer Variable is declared using following syntax in javascript

- A: Interger num; B: var Num;
C: integer num; D: int num;

Correct Answer : B

Q. No. 45

Question: What is an ISP?

- A: Internet System Protocol B: Internal System Program
C: Internet Service Provider D: None of the above

Correct Answer :C

Q. No. 46

Question: <SCRIPT> ... </SCRIPT> tag can be placed within _____

- A: Header B: Body C: both A and B D: none of the above

Correct Answer :A

Q. No. 47

Question: Which tag is used to display the large font size?

- A: <LARGE></LARGE> B: <BIG></BIG> C: < SIZE ></SIZE> D:

Correct Answer :B

Q. No. 48

Question: Which attribute is used to name an element uniquely?

- A: class B: d C: dot D: all of above

Correct Answer :B

Q. No. 49

Question: Which of the following is not a valid alignment attribute?

- A: Left B: Right C: Top D: All of above

Correct Answer :D

Q. No. 50

Question: Which of the following are the background properties in CSS?

- i) background-color
- ii) background-image
- iii) background-repeat
- iv) background-position
- v) background

A: i, ii, iii and iv only

B: i, ii, iii and v only

C: i, ii, iv and v only

D: All i, ii, iii, iv and v

Correct Answer :D

Q. No. 51

Question: Internet Explorer uses _____ property to create transparent images.

A: -moz-opacity:x

B: filter: alpha(opacity=x)

C: Both of the above

D: None of the above

Correct Answer :B

Q. No. 52

Question: The _____ property indicates whether a cell without any content should have a border displayed.

A: blank-cells

B: empty-cells

C: nocontent-cells

D: noborder-cells

Correct Answer :B

Q. No. 53

Question: Why so JavaScript and Java have similar name?

A: JavaScript is a stripped-down version of Java

B: JavaScript's syntax is loosely based on Java's

C: They both originated on the island of Java

D: None of the above

Correct Answer :B

Q. No. 54

Question: Which of the following attribute can hold the JavaScript version?

A: LANGUAGE B: SCRIPT C: VERSION D: None of the above

Correct Answer :A

Q. No. 55

Question: JavaScript is _____ Side Scripting Language.

A:server B:ISP C:browser D:none of these

Correct Answer :C

Q. No. 56

Question: Which of the following is used to capture all click events in a window?

A>window.captureEvents(Event.CLICK);
B>window.routeEvents(Event.CLICK);
C>window.handleEvents(Event.CLICK);
D>window.raiseEvents(Event.CLICK);

Correct Answer :A

Q. No. 57

Question: Which of the following method is used to evaluate a string of JavaScript in the context of specified object?

A: Eval B:ParseDoule C:ParseObject D:Efloat

Correct Answer :A

Q. No. 58

Question: Which attribute need to be changed to make elements invisible?

A:visible B:visibilty C:invisibility D:invisible

Correct Answer :B

Q. No. 59

Question: If para1 is the DOM object for a paragraph, what is the correct syntax to change the text within the paragraph?

A: "New Text"?

B: para1.value="New Text";

C: para1.firstChild.nodeValue= "New Text";

D: para1.nodeValue="New Text";

Correct Answer :B

Q. No. 60

Question: Which of the following is not the scope variable in php?

A:local

B:global

C:static

D:extern

Correct Answer :D

Q. No. 61

Question: Where setcookie() function must appear in php?

A:before tag

B:After tag

C:In tag

D:anywhere

Correct Answer :B

Q. No. 62

Question: Data for a cookie stored in _____ in php?

A: in ISP computer

B: In users computer

C:In server computer

D:in depends on php coding

Correct Answer :B

Q. No. 63

Question: In PHP language PEAR stands for

A: PHP Enhancement and Application reduce

B: PHP Event and Application Repository

C: PHP Extension and Application Repository
D: None of these above

Correct Answer :C

Q. No. 64

Question: PHP configuration settings are maintained in

A: pws-php5cgi.reg B: php.ini
C: httpd.conf D: httpd-info.conf

Correct Answer :B

Q. No. 65

Question: Which class name is reserved in PHP ?

A: stdClass B: nameClass C: newClass D: None of these

Correct Answer :A

Q. No. 66

Question: Which one of the following functions is used to determine object type?

A:obj_type() B:type() C:is_a() D:is_obj()

Correct Answer : C

Q. No. 67

Question: What is the correct syntax of the declaration which defines the XML version?

A: <xml version="A:0" /> B: <?xml version="A:0"?>
C: <?xml version="A:0" /> D:None of the above

Correct Answer :B

Q. No. 68

Question: Kind of Parsers are

A: well-formed B: well-documented
C: non-validating and validating D: none of the above

Correct Answer : C

Q. No. 69

Question: In XML

- A: the internal DTD subset is read before the external DTD
- B: the external DTD subset is read before the internal DTD
- C: there is no external type of DTD
- D: there is no internal type of DTD

Correct Answer :A

Q. No. 70

Question: XML is case sensitive?

- A: Yes
- B: No

Correct Answer : A

Q. No. 71

Question: Attribute of the document interface in DOM is/are

- i) doctype
- ii) implementation
- iii) documentElement

Which are read only attributes?

- A: (i) only
- B: (ii) only
- C: (ii),(iii) only
- D: all

Correct Answer : D

Q. No. 72

Question: What is the function of the XML parser?

- A: Converts XML document to XML DOM object
- B: Converts XML DOM object to XML document
- C: Converts XML DOM object to a comment
- D: None of the mentioned

Correct Answer :A

Q. No. 73

Question: What is the purpose of the method ActiveXObject()?

- A: Used to call automation object
- B: Used to reference automation object
- C: Used to instantiate automation object
- D: All of the mention

Correct Answer :C

Q. No. 74

Question: What makes Ajax unique?

- A: it works as a stand-alone web development tool.
- B: it work the same with all web browser
- C: it uses c++ as its programming language
- D: it makes data requested asynchronously

Correct Answer :D

Q. No. 75

Question: What does the XMLHttpRequest object accomplish in ajax?

- A: its the programming language used to develop ajax application
- B: it provide a means of exchanging structured data between the web server or client
- C: it provide the ability to asynchronously exchange data between web server and web browser.
- D: it provide the ability to mark up and style the display of web-page text

Correct Answer :C

Q. No. 76

Question: ActiveX can be disabled via browser settings.

- A: true
- B: false

Correct Answer : B

Q. No. 77

Question: ajax based on

A:javascript and XML

B:javascript and java

C:vbscript and XML

D:javascript and HTTP requests

Correct Answer :A

Q. No. 78

Question: Which of the following is used for parsing JSON text?

A: jQuery.each()

B: jQuery.parseJSON()

C: jQuery.noConflict()

D: None of the mentioned

Correct Answer :B

Q. No. 79

Question: Which selector use for selects all elements in the document.

A:\$("p > *")

B:\$("p > *")

C:\$('*')

D:\$("p A:specialClass")

Correct Answer :C

Q. No. 80

Question: Is jquery a W3C standard?

A:Yes

B:No

Correct Answer : B

Q. No. 81

Question: \$('#temp').action()

What type of selector is used in the above jQuery syntax?

A: id selector

B: class selector

C: name selector

D: value selector

Correct Answer :A

Q. No. 82

Question: What is the purpose of the url json?

- A: Belongs to JSON object
- B: Reference JSON formatted data
- C: Both a and b
- D: None of the mentioned

Correct Answer :B

Q. No. 83

Question: The basic Web Services platform is combination of _____ and _____.

- A:CSS + JAVA
- B:XML + HTTP
- C: XML + HTML
- D:CSS + HTTP

Correct Answer : B

Q. No. 84

Question: What will the function session_id() return is no parameter is passed?

- A: Current Session Identification Number
- B: Previous Session Identification Number
- C: Last Session Identification Number
- D: Error

Correct Answer : A

Q. No. 85

Question: What will be the output of the following PHP code? Say your previous session username was nachi

1. Unset(\$_SESSION['username']);
2. Printf("username now set to:%s",\$_SESSION['username']);

- A: Username now set to: System
- B: Username now set to: nachi
- C: Username now set to:
- D: Error

Correct Answer :C

Q. No. 86

Question: How php files can be accessed?

- A:Through web browser
- B:Through HTML files
- C:Through web server
- D:All of above

Correct Answer :C

Q. No. 87

Question: Which of the functions is used to sort an array in descending order?

- A: sort()
- B: asort()
- C: rsort()
- D: dsort()

Correct Answer : C

Q. No. 88

Question: What will be the output of the following PHP code ?

```
<?php
```

```
Function colour()
```

```
{ $colors=array("red", "green", "blue", "yellow";
```

```
Foreach($colors as $value)
```

```
{
```

```
Echo "$value<br>";
```

```
}
```

```
}
```

```
Colour();?>
```

A:red
green
blue
yellow
B:green
blue
yellow
red
C:red
blue
yellow
green
D:red
green
yellow
blue

Correct Answer :A

Q. No. 89

Question: Which statement is true?

- A: An XML document can have one root element
- B: An XML document can have one child element
- C: XML elements have to be in lower case
- D: All of above

Correct Answer :A

Q. No. 90

Question: Choose the correct HTML code to create an email link?

- A: ``
- B: ``
- C: `<mail> ganesh@ghumti.com </mail>`
- D: ``

Correct Answer :B

Q. No. 91

Question: FTP is an acronym for

- A: File Transaction Protocol
- B: File Transfer Protocol
- C: File Translation Protocol
- D: File Transmission Protocol

Correct Answer :B

Q. No. 92

Question: What does the .com domain represents?

- A: Education domain
- B: Commercial domain
- C: Network
- D: None of the above

Correct Answer : B

Q. No. 93

Question: What does the XMLHttpRequest object accomplish in Ajax?

- A:its the programming language used to develop Ajax application
- B:it provide a means of exchanging structured data between the web server or client
- C:it provide the ability to asynchronously exchange data between web server and web broser.
- D:it provide the ability to mark up and style the display of web-page text

Correct Answer : A

Q. No. 94

Question: Ajax comes in

- A:2003
- B:2005
- C:2004
- D:2006

Correct Answer :B

Q. No. 95

Question: Which of the following is the most commonly used HTTP methods?

- A PRE and POST B GET and SET
C:ASK and REPLY D:GET and POST

Correct Answer : D

Q. No. 96

Question: What is empty element in HTML?

- A:An element with no tag
B:An element with no type
C: An element with no content
D:An element with no comment

Correct Answer : C

Q. No. 97

Question: A _____ is a symbolic name a network administrator assigns to a machine.

- A: URL B: DNS C: IP address D: Host name

Correct Answer : C

Q. No. 98

Question:

The list of predefined option for input control can be given by using _____ tag?

Answer Choices

- A:<embed>
B:<datalist>
C:<dataSet>
D:<anchor>

Difficulty Level: Easy

Correct Answer: B

Q. No. 99

Question:

Which of the following tags will be included in <head> section?

Answer Choices

A:<meta>

B:<link>

C:<style>

D:All of the above.

Difficulty Level: Easy

Correct Answer: D

Q. No. 100

Question:

You can apply a style to many selectors if you like. Just separate the selectors with a _____?

Answer Choices

A: Comma

B:Hash

C:Colon

D:Question mark

Difficulty Level: Easy

Correct Answer: A

Q. No. 101

Question:

If we want to select all HTML tags on which a common CSS is to be apply, then which of the following selectors will be used?

Answer Choices

A: *

B: :all

C:element

D::each

Difficulty Level: Intermediate

Correct Answer: A

Q. No. 102

Question:

If the following javascript code is executed then what will be the output?

```
<script type="text/javascript">
```

```
var x;
```

```
    x = 1000/0;
```

```
    alert(x);
```

```
</script>
```

Answer Choices

A:zero divide error

B:undefined

C:Infinity

D:NaN

Difficulty Level: Intermediate

Correct Answer: C

Q. No. 103

Question:

Which of the following method of an Array object adds and/or removes elements from an array?

Answer Choices

A:Reverse

B:Shift

C:Slice

D:Splice

Difficulty Level: Difficult

Correct Answer: D

Q. No. 104

Question:

In JavaScript, we declare a variable by using the keyword var and until a value is assigned to it, the value of the variable will be implicitly set to _____?

Answer Choices

A:NULL

B:NaN

C:undefined

D:notdefined

Difficulty Level: Intermediate

Correct Answer: C

Q. No. 105

Question:

If the following javascript code is executed, what will be the output?

```
<script type="text/javascript">
```

```
var F1 = function() {  
  return ("Hello World!");  
}
```

```
alert(F1);
```

```
</script>
```

Answer Choices

A:Hello World!

B: F1

```
C: var F1 = function() {  
  return ("Hello World!");  
}
```

D:compilation error

Difficulty Level: Difficult

Correct Answer: C

Q. No. 106

Question:

_____ method of JavaScript you will use to redirect to another web page.

Answer Choices

A:window.reload

B:window.location

C:window.page

D:page.location

Difficulty Level: Intermediate

Correct Answer: B

Q. No. 107

Question:

```
var x="1";  
alert(Number ("1")==x);
```

What will be the result?

Answer Choices

A:true

B:false

C:TypeError

D:None of the above

Difficulty Level: Intermediate

Correct Answer: B

Q. No. 108

Question:

```
var aList = ["Apple", "Banana", "Grapes"];  
aList.length=0;  
aList.push("Orange");  
alert (aList);
```

What will be the result?

Answer Choices

A:Orange, Apple, Banana, Grapes

B:Orange, Apple

C: Orange

D: ERROR

Difficulty Level: Intermediate

Correct Answer: C

Q. No. 109

Question:

Which of the following syntax is used to apply in-line style sheet in AngularJS?

Answer Choices

A:ng-style="(background-color: blue)"

B:ng-style="{ 'background-color': 'blue' }"

C:ng-style="[background-color: blue]"

D:None of the above.

Difficulty Level: Easy

Correct Answer: B

Q. No. 110

Question:

Which of the following syntax will be used to set background image for a command button in AngularJS?

Answer Choices

A:ng-style="{ 'background' : 'url(images.jpg)' }"

B:ng-style="{ 'background-image' : 'url(images.jpg) }'"

C:ng-style="{ 'background-image' = 'images.jpg' }'"

D:Both A and B

Difficulty Level:

Correct Answer: D

Q. No. 111

Question:

_____ act as glue between controller and view.

Answer Choices

A:&scope

B:\$scope

C: _scope

D: %scope

Difficulty Level: Easy

Correct Answer: B

Q. No. 112

Question:

The _____ attribute tells Angular to replace the text content of the specified HTML element with the value of a given expression, and to update the text content when the value of that expression changes.

Answer Choices

A:ngBind

B:ngConnect

C:ngBinding

D:Both A and C

Difficulty Level: Intermediate

Correct Answer: A

Q. No. 113

Question:

Consider the following AngularJS script.

```
varmyApp = angular.module ("myApp", []);  
myApp.controller ("controller3", function ($scope) {  
    $scope.cnt = 0;  
    $scope.fruits = ['Orange', 'Apple', 'Mango', 'Grapes', 'Banana', 'Cherry'];  
    $scope.F1 = function () {  
        /* Place code here. */  
    };  
});
```

Which of the following code is place in function F1 to print the values of fruits array?

Answer Choices

- A:for (var i in \$scope.fruits){
 alert (\$scope.fruits[i]);}
- B:for (var i = 0; i <fruits.length; i++) {
 alert(\$scope.fruits[i]);}
- C:while (cnt< \$scope.fruits.length) {
 alert(\$scope.fruits[cnt]);
 cnt += 1;}
- D:for (var i = 0; i <fruits.length; i++) {
 alert (fruits[i]);}

Difficulty Level: Difficult

Correct Answer: A

Q. No. 114

Question:

What is the correct jQuery code to set the background color of all div elements to red?

Answer Choices

- A: \$("div").layout ("background-color","red");
- B: \$("div").manipulate ("background-color","red");
- C: \$("div").css ("background-color","red");
- D: \$("div").style ("background-color","red");

Difficulty Level: Easy

Correct Answer: C

Q. No. 115

Question:

With jQuery, look at the following selector: \$("div.firstClass"). What does it select?

Answer Choices

- A: The first div element with class="firstClass"
- B: The first div element with id="firstClass"
- C: All div elements with class="firstClass"
- D: All div elements with id="firstClass"

Difficulty Level: Easy

Correct Answer: C

Q. No. 116

Question:

Which jQuery method is used to hide selected elements?

Answer Choices

- A: hidden()
- B: hide()
- C: visible(false)
- D: display(none)

Difficulty Level: Easy

Correct Answer: B

Q. No. 117

Question:

What are the :odd and :even filters?

Answer Choices

A:They allow you to determine if a number is odd or even.

B:They allow you to determine if a specific element is in an odd or even position.

C::odd and :event are invalid filter.

D:None of the above.

Difficulty Level: Intermediate

Correct Answer: B

Q. No. 118

Question:

What are the various speed options?

Answer Choices

A:The words "slow" and "fast" as well as integers for the milliseconds

B:Only the words "slow", "fast", and "medium"

C:All of the above

D:None of the above

Difficulty Level: Intermediate

Correct Answer: A

Q. No. 119

Question:

The speed options can be applied to which jQuery functions?

Answer Choices

A:css and Ajax

B:show and fadeIn

C:toggleCss

D:All of the above

Difficulty Level: Easy

Correct Answer: B

Q. No. 120

Question:

There are three different kinds of arrays:

Answer Choices

A:Numeric array, String array, Multidimensional array

B: Date array, Numeric array, Multidimensional array

C:Numeric array, Associative array, Multidimensional array

D:Const array, Associative array, Multidimensional array

Difficulty Level: Easy

Correct Answer: C

Q. No. 121

Question:

Which of the following will be used to access cookies in PHP?

Answer Choices

A: \$COOKIE

B: \$_COOKIE

C: \$HTTP_COOKIE_VARS

D: Both B and C

Difficulty Level: Intermediate

Correct Answer: D

Q. No. 122

Question:

The _____ function checks if the "end-of-file" (EOF) has been reached.

Answer Choices

A:feof()

B:fileEnd()

C:file_eof()

D:_EOF()

Difficulty Level: Easy

Correct Answer: A

Q. No. 123

Question:

What will be the output of the following PHP code?

```
<?php
    $Fruits = array ("Orange", "Apple", "Mango");
    echo "My favorite fruit is : {$Fruits[0]}";
?>
```

Answer Choices

A:My favorite fruit is : {\$Fruits[0]}

B:My favorite fruit is : {Orange}

C:My favorite fruit is : Orange

D:The code has an error.

Difficulty Level: Intermediate

Correct Answer: C

Q. No. 124

Question:

Which types restriction can be used with String data types in XML schema (xs:string)?

Answer Choices

A:pattern

B:maxValue

C:strLength

D:All of the above.

Difficulty Level: Intermediate

Correct Answer: A

Q. No. 125

Question:

Which of the following statement will be used to fixed value is "red" in xml schema:

Answer Choices

A:<xs:element name="color" type="xs:string" fixed="red"/>

B:<xs:element name="color" type="xs:string" fix="red"/>

C:<xs:element name="color" type="xs:string" static="red"/>

D:<xs:element name="color" type="xs:string" const="red"/>

Difficulty Level: Intermediate

Correct Answer: A

Q. No. 126

Question:

Which of the following is XML Schema built-in data type?

Answer Choices

A:xs:int

B:xs:decimal

C:xs:integer

D:All of the above

Difficulty Level: Easy

Correct Answer: D

Q. No. 127

Question:

Which of the following restrictions can be given on XML elements?

Answer Choices

A:totalDigits

B:minExclusive

C:length

D:All of the above.

Difficulty Level: Intermediate

Correct Answer: D

Q. No. 128

Question:

Which object is the top of the hierarchy?

Answer Choices

A:Window Object

B:Document Object

C:Form Object

D:Form Control Elements

Difficulty Level: Intermediate

Correct Answer: A

Q. No. 129

Question:

What is the output of following code?

```
window.onload = function () {  
for (var i = 0; i < document.getElementsByTagName("*").length; i++) {  
alert(document.getElementsByTagName("*").item(i).tagName);  
}  
}
```

Answer Choices

A:The code will display all the TAG names.

B>Error because function name is missing.

C>Error because TagName is missing.

D>Error because invalid event.

Difficulty Level: Difficult

Correct Answer: A

Q. No. 130

Question:

What is the purpose of the Attr object in the HTML DOM?

Answer Choices

A:Redirect to another HTML page

B:HTML Attribute

C:Used to arrange elements

D:None of the mentioned

Difficulty Level:Intermediate

Correct Answer: B

Q. No. 131

Question:

Examine the following code snippet.

```
<script type="text/javascript">  
var squareOfNumber = (function (out) { return out*out; }(7));  
alert(squareOfNumber);  
</script>
```

The output for the above statement would be.

Answer Choices

A:0

B:49

C:NULL

D:Compilation error

Difficulty Level: Difficult

Correct Answer: B

Q. No. 132

Question:

In the following list, which states are valid? XMLHttpRequest.readyState.

Answer Choices

A:2: request received

B:3: processing request

C:4: request finished and response is ready

D:All of the above.

Difficulty Level: Intermediate

Correct Answer: D

Q. No. 133

Question:

What is the correct way to have the function checkState called after 10 seconds?

Answer Choices

A:window.setTimeout(checkState, 10);

B:window.setTimeout(checkState, 10000);

C:window.setTimeout(checkState(), 10);

D:None of the above

Difficulty Level: Intermediate

Correct Answer: B

Q. No. 134

Question:

Which type of server technology is used by Joomla?

Answer Choices

A:Joomla

B:Apache

C:PHP

D:All of the above

Difficulty Level: Easy

Correct Answer: B

Q. No. 135

Question:

Given below is a list of toolbars. Which are toolbars available in Joomla

Answer Choices

A:Article Manager Toolbar

B:Menu Manager Toolbar

C:Module Manager Toolbar

D:All of the above.

Difficulty Level: Easy

Correct Answer: D

Q. No. 136

Question:

Examine the following code snippet.

```
<script type="text/javascript">  
var x = parseInt("1001ABC");  
alert(x);  
</script>
```

The output for the above statement would be.

Answer Choices

A:undefined

B:NaN

C:1001

D>Error

Difficulty Level: Intermediate

Correct Answer: C

Q. No. 137

Question:

Which Joomla file provides the central logic of the template including any module and component display?

Answer Choices

A:index.php

B:template.css

C:TemplateDetails.xml

D: banner.dtd

Difficulty Level: Easy

Correct Answer: A