
Find Bugs While Sleeping? Get Phone Notifications When A Bug Is Found

Hello Everyone!



In the last blog I posted about the free VPS setup and got amazing response.

So in this Blog I am going to show you how to get notifications on your phone while your scripts are running on the VPS, so you don't miss any updates.

For Example:

Suppose you have a script like this:

```
#!/bin/bash

# Notify when the task starts
echo "Task Starting" | notify --silent

# Define variables and perform calculations
a=4
b=6
c=$((a * b))

# Notify the result
printf "Total sum of a + b = $c\n" | notify --silent


# Notify when the task finishes
echo "Finished the task" | notify --silent
```

Now we run this script on the VPS

./task1.sh

Task Starting Total sum of a + b = 24 Finished the task

Now you will receive a notification on your discord as per your script as you can see:



Finished the tas

Now we are going to learn how to do this


So Lets Get Started!!




First Create a discord server:




Click on Create My Own




Now add a text channel to your server and make it a private channel




Now Click on Edit channel



Go to Integrations and Click on Create webhook




Now You Can Edit The Bot As Per Your Preferences



Now copy the webhook URL and click on save changes


aithub.com



Notify is a Go-based assistance package that enables you to stream the output of several tools (or read from a file) and publish it to a variety of supported platforms.

 $Command: go\ install\ github.com/project discovery/notify/cmd/notify@latest$

In the Tool Description they have provided with a config file




Which can be created at \$HOME/.config/notify/provider-config.yaml

You can comment out everything except the discord part

```
#slack:
 # - id: "slack"
 # slack_channel: "recon"
 # - id: "vulns"
  # slack_channel: "vulns"
   # slack_username: "test"
#slack_format: "{{data}}"
   # slack_webhook_url: "https://hooks.slack.com/services/XXXXXX"
   - id: "crawl"
     discord channel: "crawl"
     discord_username: "test"
discord_format: "{{data}}"
     discord_webhook_url: "https://discord.com/api/webhooks/XXXXXXXXX"
 # - id: "subs"
   # discord_channel: "subs"
# discord_username: "test"
# discord_format: "{{data}}"
 #s discord_webhook_url: "https://discord.com/api/webhooks/XXXXXXXXX"
#telegram:
# - id: "tel"
 # telegram_api_key: "XXXXXXXXXXXXX"
# telegram_chat_id: "XXXXXXXXX"
  # telegram_format: "{{data}}"
# telegram_parsemode: "Markdown" # None/Markdown/MarkdownV2/HTML (https://co
re.telegram.org/bots/api#formatting-options)
#pushover:
   #- id: "push"
  #- id: "push"
# pushover_user_key: "XXXX"
# pushover_api_token: "YYYY"
# pushover_format: "{{data}}"
# pushover_devices:
#smtp:
  #- id: email
 # smtp server: mail.example.com
  # smtp_username: test@example.com
  # smtp_password: password
# from_address: from@email.com
  # smtp_cc:
# - to@email.com
  # smtp_format: "{{data}}"
   # subject: "Email subject"
# smtp_html: false
     #smtp_disable_starttls: false
#googlechat:
 # - id: "gc"
# key: "XXXXXXXX"
    token: "XXXXXX"
    space: "XXXXXX"
google_chat_format: "{{data}}"
#teams:
# - id: "recon"
# teams_webhook_url: "https://<domain>.webhook.office.com/webhookb2/xx@xx/IncomingWebhook/xx"
     teams_format: "{{data}}"
#custom:
 # custom_webhook_url: http://host/api/webhook
# custom_method: GET
    custom_format: '{{data}}'
    custom_headers:
      Content-Type: application/json
       X-Api-Key: XXXXX
# - id: webhookJson
# custom_webhook_url: http://host/api/webhook
  # custom_headers:
  # Content-Type: application/json
# X-Api-Key: XXXXX
#custom:
 # - id: webhook
  # custom_webhook_url: http://host/api/webhook
# custom_method: GET
  # custom_sprig: '{"text":"{{ .url }}"}'
  # custom_headers:
       Content-Type: application/json
    # X-Api-Key: XXXXX
```

Now you can paste your webhook URL here

```
14 discord:
15 - id: "crawl"
16 discord_channel: "crawl"
17 discord_username: "test"
18 discord_format: "{fdata}}"
```



And You're Done!!

make it work you just need to add-:

```
notify --silent
```

For Example-

```
echo "You Found A BUGG" | notify --silent
```


You can see I got the notification



Another Example:

```
subfinder -d hackerone.com | notify
```

On running this command:



We get the results!!

We can also use this tool for many other platforms like

• Slack / Discord / Telegram

- Pushover / Email
- Microsoft Teams / Google Chat


Here are some references for that:

- https://slack.com/intl/en-it/help/articles/115005265063-Incomingwebhooks-for-Slack
- https://core.telegram.org/bots#3-how-do-i-create-a-bot

Thank you for reading till the end

Please Consider following and liking.

You can also support me through:





Written by Om Arora

383 Followers · Writer for InfoSec Write-ups

A 18yo Cyber Security Enthusiast currently pursuing Btech Cse 2nd year. $\underline{\mathsf{linktr.ee/om1603}}$

More from Om Arora and InfoSec Write-ups



Bug Hunting on Autopilot, Free VPS Setup

Are you get tired of having to keep your PC on for hours for running the tools \ref{tools}

4 min read · Aug 19

225 Q 1

5 min read · Jul 15



Instagram Password Hacking

Hii Amigos in todays article we were going to learn how to hack Instagram passwords by...

2 min read · Feb 23

Ω[†]

Ω[†]



How FBI hackers or Forensics Team identify fake Images

Hello learners, I am back with my new and very interesting blog on how the FBI or any...



How I Found My First 3 Bugs Within An Hour

Hey Everyone, Welcome to my Blog, Today I am going to discuss about how I found my fir...

4 min read · Jul 27

[™] 458 Q 4

 \Box



See all from Om Arora

See all from InfoSec Write-ups

Recommended from Medium



FINALLY! whit3ros3 in InfoSec Write-ups

My debut with a Critical Bug: How I found my first bug (API...

Finally, the day arrived when I could share my own findings, rather than just reading other...

4 min read · Sep 7



$How \,I\,Got\,4\,SQLI\,Vulnerabilities\,At$ One Target Manually Using The...

Hi everyone, I'm Yousseff, A Junior Computer Science Student, and Cyber Security...

18 min read · Sep 19



 \Box

Lists



New_Reading_List



The New Chatbots: ChatGPT, Bard, and Beyond

 \Box

13 stories · 142 saves



Medium Publications Accepting Story Submissions

154 stories · 825 saves





How I Discovered Over 40+ Impactful Vulnerabilities Within 1...

Hello, I'm Takshal, aka tojojo. I hope you all are doing well. Today, I'm excited to share my...

3 min read · Aug 13

⊕ 508 ♀ 9

 \Box

\$1,250 worth of Host Header Injection

What is Host Header Injection?

4 min read · Sep 24











Kaan Atmaca	
API Information Disclosure Leading to Admin Account	

Hi everyone! In this project, my primary responsibility was to identify vulnerabilities i...

2 min read · Sep 18

<u>Ö</u> 211 Q 1

 \Box^{\dagger}

⊚ 1.1K Q 8

3 min read · Apr 21

Bypassing 403s like a PRO! (\$2,100): Broken Access control This article highlights my way of dealing with 403s and how I managed to get a P1 in...

 \Box

See more recommendations