

STUDENT REPORT

DETAILS

Name

Saleha B

EXPERIMENT

Title

ADVACED SUB ARRAY PROBLEM

Description

You are competing in a basketball contest. In this contest the score for each successful shot depends on both the distance from the basket and the player's position. The ball is shot N times, successfully. You are given an array A containing the distance of a player from basket for N shots. The index of array represents the position of the player. Score is calculated by multiplying the position with the distance from the basket.

Your task is to find and return an integer value, representing the maximum possible score you can achieve by choosing a contiguous subarray of size K from the given array.

Note:

- * A subarray is a contiguous part of array.
- * Assume 1 based indexing.
- * The array contains both negative and positive values.
- * Assume the player is standing on a cartesian plane.

Input Format

- . 183 382 23 EH83 382 2 EH83 2 EH8 - input1:An integer value N representing the number of shots made by the player
- **input2** : An integer K representing the size of subarray

384

3BR23EE0~

.4083

~23EE

38R2

833°

- input3 : An array of integers

Sample Input

10833BR23ELO5 2

12345

Sample Output

14

3882344083

RESULT

EEO'S.

Roll Number

3BR23EE083

Source Code:

```
goals=int(input())
size=int(input())
l=list(map(int,input().split()))
mx=0
for i in range(0,len(1)):
    sub=l[i:i+size]
    k=1
    s=0
    for j in sub:
        s+=(j*k)
        k+=1
        if s>mx:
            mx=s
print(mx)
```

-BR23EL083 3BR23EL083 3BR23EL083 3BR23EL086

3EEOU

338R23EE08

28234