




PC3



Physical Config Desktop Programming Attributes

Command Prompt

X

Cisco Packet Tracer PC Command Line 1.0

C:\>ping 192.168.20.1

Pinging 192.168.20.1 with 32 bytes of data:

Reply from 192.168.20.1: bytes=32 time<1ms TTL=255

Reply from 192.168.20.1: bytes=32 time<1ms TTL=255

Reply from 192.168.20.1: bytes=32 time<1ms TTL=255

Reply from 192.168.20.1: bytes=32 time<1ms TTL=255

Ping statistics for 192.168.20.1:

Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),


Approximate round trip times in milli-seconds:

Minimum = 0ms, Maximum = 0ms, Average = 0ms

C:\>

☐ Top

```
shutdown
!  
interface GigabitEthernet1/0  
  no ip address  
  duplex auto  
  speed auto  
!  
interface GigabitEthernet1/0.20  
  encapsulation dot1Q 20  
  ip address 192.168.20.1 255.255.255.0  
!  
interface GigabitEthernet2/0  
  no ip address  
  duplex auto  
  speed auto  
!  
interface GigabitEthernet2/0.10  
  encapsulation dot1Q 10  
  ip address 192.168.10.1 255.255.255.0  
!  
interface GigabitEthernet3/0  
  no ip address  
  duplex auto  
  speed auto  
!  
interface GigabitEthernet3/0.40  
  encapsulation dot1Q 40  
  ip address 192.168.40.1 255.255.255.0  
!  
interface GigabitEthernet4/0  
  no ip address  
  duplex auto  
  speed auto  
!  
interface GigabitEthernet4/0.30  
  --More--
```





PC1

Physical Config Desktop Programming Attributes

Command Prompt



```
Ping statistics for 192.168.20.1:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
    Minimum = 0ms, Maximum = 0ms, Average = 0ms
```

```
C:\>
```

```
C:\>
```

```
C:\>ping 192.168.40.254
```

```
Pinging 192.168.40.254 with 32 bytes of data:
```

```
Reply from 192.168.40.254: bytes=32 time<1ms TTL=127
```

```
Reply from 192.168.40.254: bytes=32 time<1ms TTL=127
```

```
Reply from 192.168.40.254: bytes=32 time<1ms TTL=127
```

```
Reply from 192.168.40.254: bytes=32 time<1ms TTL=127
```

```
Ping statistics for 192.168.40.254:
```

```
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
    Minimum = 0ms, Maximum = 0ms, Average = 0ms
```

```
C:\>ping 192.168.20.254
```

```
Pinging 192.168.20.254 with 32 bytes of data:
```

```
Reply from 192.168.20.254: bytes=32 time<1ms TTL=127
```

```
Reply from 192.168.20.254: bytes=32 time<1ms TTL=127
```

```
Reply from 192.168.20.254: bytes=32 time<1ms TTL=127
```

```
Reply from 192.168.20.254: bytes=32 time<1ms TTL=127
```

```
Ping statistics for 192.168.20.254:
```

```
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
    Minimum = 0ms, Maximum = 0ms, Average = 0ms
```

```
C:\>
```

☐ Top



PC1



Physical Config Desktop Programming Attributes

Command Prompt

X

Cisco Packet Tracer PC Command Line 1.0

C:\>ping 192.168.20.1

Pinging 192.168.20.1 with 32 bytes of data:

Reply from 192.168.20.1: bytes=32 time<1ms TTL=255

Reply from 192.168.20.1: bytes=32 time<1ms TTL=255

Reply from 192.168.20.1: bytes=32 time<1ms TTL=255

Reply from 192.168.20.1: bytes=32 time<1ms TTL=255

Ping statistics for 192.168.20.1:

Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),

Approximate round trip times in milli-seconds:

Minimum = 0ms, Maximum = 0ms, Average = 0ms

C:\>|

☐ Top



PC1

Physical Config Desktop Programming Attributes

Command Prompt



Cisco Packet Tracer PC Command Line 1.0

C:\&gt;ping 192.168.20.1

Pinging 192.168.20.1 with 32 bytes of data:

Reply from 192.168.20.1: bytes=32 time&lt;1ms TTL=255

Reply from 192.168.20.1: bytes=32 time&lt;1ms TTL=255

Reply from 192.168.20.1: bytes=32 time&lt;1ms TTL=255

Reply from 192.168.20.1: bytes=32 time&lt;1ms TTL=255

Ping statistics for 192.168.20.1:

Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),

Approximate round trip times in milli-seconds:

Minimum = 0ms, Maximum = 0ms, Average = 0ms

C:\&gt;

C:\&gt;

C:\&gt;ping 192.168.40.254

Pinging 192.168.40.254 with 32 bytes of data:

Reply from 192.168.40.254: bytes=32 time&lt;1ms TTL=127

Reply from 192.168.40.254: bytes=32 time&lt;1ms TTL=127

Reply from 192.168.40.254: bytes=32 time&lt;1ms TTL=127

Reply from 192.168.40.254: bytes=32 time&lt;1ms TTL=127

Ping statistics for 192.168.40.254:

Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),

Approximate round trip times in milli-seconds:

Minimum = 0ms, Maximum = 0ms, Average = 0ms

C:\&gt;



Top



PC2



Physical Config Desktop Programming Attributes

Command Prompt



Cisco Packet Tracer PC Command Line 1.0

C:\>ping 192.168.20.1

Pinging 192.168.20.1 with 32 bytes of data:

Reply from 192.168.20.1: bytes=32 time<1ms TTL=255

Reply from 192.168.20.1: bytes=32 time<1ms TTL=255

Reply from 192.168.20.1: bytes=32 time=1ms TTL=255

Reply from 192.168.20.1: bytes=32 time<1ms TTL=255

Ping statistics for 192.168.20.1:

Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),

Approximate round trip times in milli-seconds:

Minimum = 0ms, Maximum = 1ms, Average = 0ms

C:\>|



Top