

Introduction to HTML and CSS



SoftUni Team
Technical Trainers



SoftUni

Software University
<https://softuni.bg>

sli.do

#html-css

1. What is **HTML**?

- HTML Syntax - **Tags** & **Attributes**
 - Common HTML Tags
 - Common HTML Attributes

2. What is **CSS**?

- CSS Syntax - **Selectors** & **Rules**
- Adding CSS to our HTML Documents
- Basic CSS Selectors






What is HTML?

What is HTML?

- HTML is a **markup language**
- HTML is the basis for **creating web pages** and other information that can be displayed in a **web browser**
- Language for expressing **semantic structure** in textual documents



What is HTML?

- HTML is a **language** for **describing web pages**
- HTML documents contain **HTML tags** and **plain text**
- A markup language is a set of **markup tags**
- The tags describe **document content**

HTML Page Structure

```
<!DOCTYPE html>  ← Tells version of HTML
<html>           ← HTML Root Element

<head>           ← Used to contain page HTML metadata
  <title>Page Title</title> ← Title of HTML page
</head>

<body>           ← Hold content of HTML
  <h2>Heading Content</h2> ← HTML heading tag
  <p>Paragraph Content</p> ← HTML paragraph tag
</body>



</html>
```

What is HTML?

- **HTML** is consumed by **web browsers**
- The purpose of a **web browser** is to read HTML documents and compose them into visible or audible web pages.
- **The browser** does not display the HTML tags, it uses the tags to interpret the content of the page.



- Tags are **keywords** surrounded by **angle brackets**




- HTML tags normally come in **pairs**

```
'<' + 'p' + '>' and '</' + 'p' + '>'
```

- The first tag in a pair is the **start** tag, the second tag is the **end** tag
- The **end** tag is **written like** the **start** tag, with a **forward slash** before the **tag** name
- **Start** and **end** tags are also called **opening tags** and **closing tags**

HTML Tag Pairs - Example




<header></header>

- Represents **introductory content**

```
<header>  
  <h1>Welcome</h1>  
</header>
```

- It may contain:
 - headings
 - logo
 - search form



- Defines a set of **navigation links**

```
<nav id="leftmenu">  
  <ul>  
    <li><a href="/home">Home</a></li>  
    <li><a href="/tasks">Task Board</a></li>  
    <li><a href="/create">Create</a></li>  
    <li><a href="/search">Search</a></li>  
  </ul>  
</nav>
```

<nav>



<main></main>

- **<main>** holds the main content of a document
 - Helps crawlers
 - There must not be more than one **<main>** element in a document
 - Wrap the most important information in the body



- Defines a sidebar (**left / right navigation**)

```
<aside>
  <h2>Recent posts</h2>
  <ul>
    <li><a href="#">Our Response</a></li>
    <li><a href="#">Her Story</a></li>
    <li><a href="#">Greatest Challenges</a></li>
  </ul>
</aside>
```

<aside>

Creative Commons > What We Do

What We Do

Creative Commons is a nonprofit organization that helps overcome legal obstacles to the sharing of knowledge and creativity to address the world's pressing challenges.

Recent Posts


- ▶ [Our Response To Canada's Copyright Term Extension Consultation](#)
- ▶ [Her Story: Facing Our Greatest Challenges](#)

- A document / section footer

```
<footer>
  <p>Posted by: Hege Refsnes</p>
  <p>&copy;copyright</p>
  <p>2021 Task Board</p>
</footer>
```

- A footer typically contains:
 - Navigation links
 - Copyright data

<footer>



<section></section>

- Represents a standalone section
 - Typically followed by a heading

```
<section>  
  <h2>Heading</h2>  
</section>
```


- Sections may have header, several articles, and footer




<article></article>

- Represents a **self-contained composition** in a document, page, application, or site
- Intended to be **independently distributable** or **reusable**
- Examples:
 - Forum post
 - Magazine
 - Newspaper article
 - Blog entry

```
<article>  
  <h2>Tips</h2>  
  <p>Tip #1 ...</p>  
</article>
```



Sections and Articles – Example



The screenshot shows the CSS-Tricks website with several HTML annotations:

- <header>**: Points to the top navigation bar and the main header area.
- <h1>**: Points to the main title "Just Starting Out with CSS & HTML".
- <section>**: Points to the entire content area below the header.
- <h1>**: Points to the title of the first article, "#58: HTML & CSS - The VERY Basics".
- <h1>**: Points to the title of the second article, "Beginner Concepts: How CSS Selectors Work".
- <h1>**: Points to the title of the third article, "The Difference Between ID and Class".
- <article>**: Points to the entire content area of the third article.

The website content includes the following text:

CSS-TRICKS

Our Guide To

Just Starting Out with CSS & HTML

Just getting started as a front end developer? Awesome. CSS & HTML are the foundation of building all websites. We have some stuff here that might be useful to you. These are our recommendations.

#58: HTML & CSS - The VERY Basics

MARCH 24, 2009 BY CHRIS COYIER

This video is the VERY basics of what HTML and CSS is, for the absolute beginner. HTML and CSS files are, quite literally, just text files. You don't need any special software to create

Beginner Concepts: How CSS Selectors Work

AUGUST 9, 2014 BY CHRIS COYIER

Are you new to CSS? This article is for you! Perhaps the biggest key to understanding CSS is understanding

The Difference Between ID and Class

JULY 9, 2008 BY CHRIS COYIER

We need ways to describe content in an HTML/XHTML document. The basic elements like `h1`, `p`, and `ul` will often do the job, but our basic set of tags doesn't cover every possible

<figure></figure>

- Represents self-contained content
- Frequently with a caption "**figcaption**"
- Typically referenced as a single unit

```
<figure>
  
  <figcaption>
    Fig.1 Trulli, Puglia, Italy.
  </figcaption>
</figure>
```

<figure>

Places to Visit

Puglia's most famous sight is the unique conical houses (Trulli) found in the area around Alberobello, a declared UNESCO World Heritage Site.



Fig.1 - Trulli, Puglia, Italy.

<details> + <summary>

- **<details>** – additional details that the user can view or hide
- **<summary>** – defines a visible heading for the **<details>**

<details>

<details>

<summary>Some details</summary>

<p>More info about the details.</p>

</details>



<details>

<time> + <address>

- **<time>** – a human-readable time
 - Search engines can produce smarter results

```
<p>We open at <time>10:00</time>  
every morning.</p>
```

- **<address>** – contact information for site author / owner

```
<address>  
  <a href="mailto:tony@gmail.com">  
    tony@gmail.com</a>  
</address>
```




5744 S. Harlan St
Littleton, CO 80123
United States (US)
Phone: (303) 501-4944
Email: webmaster@contentmarketingspot.com

<address>

| | |
|-----------|-------------------|
| Monday | 8:00 AM - 8:00 PM |
| Tuesday | 8:00 AM - 8:00 PM |
| Wednesday | 8:00 AM - 8:00 PM |
| Thursday | 8:00 AM - 8:00 PM |
| Friday | 8:00 AM - 8:00 PM |
| Saturday | 8:00 AM - 8:00 PM |
| Sunday | Closed |

<time>

Your First HTML Document



- Time passes, people think of new ways to entertain themselves
 - So **new** versions of HTML have been created
- How do we differentiate between the **different versions**?

HTML Version History

- 1992 The first version of HTML
- 1995 HTML 2.0
- 1996 HTML 3.0 & 3.2
- 1997 HTML 4.0
- 1999 HTML 4.01
- 2008 HTML 5

THE <!DOCTYPE> DECLARATION

- There are many different documents on the web, and a browser can only display an HTML page **100% correctly** if it knows the **HTML type** and **version** used





Common HTML Tags

Headings and Paragraphs

- Headings: `<h1>` to `<h6>`

```
<h1>This is Heading 1 (Biggest)</h1>
<h2>This is Heading 2 (Smaller)</h2>
<h3>This is Heading 3 (More Smaller)</h3>
<h4>This is Heading 4 (Smallest)</h4>
```

This is Heading 1 (Biggest)

This is Heading 2 (Smaller)

This is Heading 3 (More Smaller)

This is Heading 4 (Smallest)

- Paragraphs: `<p>``</p>`

```
<p>First paragraph</p>
<p>Second paragraph</p>
<br /> <!-- empty line -->
<p>Third paragraph</p>
```

Comment

First paragraph

Second paragraph

Third paragraph

- External hyperlink

Specify the URL

```
<a href="https://softuni.bg">SoftUni</a>
```

SoftUni

- Local hyperlink

```
<h1 id="exercises">Exercises</h1>
```

...

```
See the <a href="#exercises" target="_blank">exercises</a>
```

Exercises

See the exercises

- Relative hyperlink

```
<a href="../../../2.%20HTML5-Overview.pptx">presentation</a>
```

presentation

- Images are **external files**, inserted through the **** tag

```

```



- Embedded image (**data URI**) 

```

```

- Example: <https://codepen.io/snakov/pen/poNxXry>

Ordered Lists: Tag

- Create an **O**rdered **L**ist
- Use ****
 - Each holding ****

```
<ol type="1">  
  <li>One</li>  
  <li>Two</li>  
  <li>Three</li>  
</ol>
```

1. One
2. Two
3. Three

- Attribute values for **type** are **1**, **A**, **a**, **I**, or **i**

1. One
2. Two
3. Three

A. One
B. Two
C. Three

a. One
b. Two
c. Three

I. One
II. Two
III. Three

i. One
ii. Two
iii. Three

Unordered Lists: Tag

- Create an **U**nordered **L**ist using ****:

```
<ul type="disc">  
  <li>First item</li>  
  <li>Second item</li>  
  <li>Third item</li>  
</ul>
```

- First item
- Second item
- Third item

- Attribute values for **type** are: **disc**, **circle**, **square** and **none**

- First item
- Second item
- Third item

- First item
- Second item
- Third item


- First item
- Second item
- Third item

First item
Second item
Third item

Definition Lists: <dl> Tag

- Create definition lists using **<dl>**
 - Holds **terms (<dt>)** with their **definitions (<dd>)**

```
<dl>
  <dt>HTML</dt>
  <dd>A markup language ...</dd>
  <dt>CSS</dt>
  <dd>Language used to ...</dd>
</dl>
```






Common HTML Attributes

HTML Tag Attributes

- **Attributes** provide **additional** information about HTML elements
- Tags elements can have **attributes**



- Attributes provide **additional** information about an **element**
- Attributes are **always** specified in the **start tag**
- Attributes come in **name/value pairs** like - **name="value"**



Attribute Value

↓

`<p class="my_paragraph" >`

↑

Attribute Name

The diagram shows an HTML start tag `<p class="my_paragraph" >` inside a white box. Above the box, the text "Attribute Value" has a downward arrow pointing to the value `"my_paragraph"` in the tag. Below the box, the text "Attribute Name" has an upward arrow pointing to the attribute name `class` in the tag.

HTML Tag Attributes

- **href** – gives the tag the location information for the link

Opening tag

Closing tag

```
<a href="#register" target="_self">Registration</a>
```

attributes



- **src** – tells the tag where to look for the image file


attribute value

attribute name

multiple attributes separated by space

```

```



- Some tips
 - Always **Quote Attribute Values**. Attribute values should always be **enclosed** in quotes
 - **Double style quotes** are the **most common**, but **single style quotes** are also allowed
 - Be careful when **combining single** and **double** quotes, make sure you use **only one type**
 - [Reference Documentation](#)

- The following tags can be added to the head section:
 - <title>, <style>, <meta>, <link>, <script>, <noscript>
- Reference Documentation

```
<head>
  <meta charset="UTF-8">
  <title>Page Title</title>
  <base href="https://www.tutorialstonight">
  <link rel="stylesheet" href="style.css">
  <style>
    /* CSS properties */
  </style>
  <script src="script.js"></script>
  <script>
    // Javascript code
  </script>
</head>
<body>
```

meta element



The diagram shows the HTML code `<meta name="robots" content="noindex,follow"/>` with different parts highlighted in colors. Arrows point from these highlights to labels below:

- `<meta` (yellow highlight) points to "actual tag"
- `name="robots"` (purple highlight) points to "attribute 'name'"
- `content="noindex,follow"` (green highlight) points to "value for 'name'"
- `content="noindex,follow"` (pink highlight) points to "attribute 'content'"
- `/>` (blue highlight) points to "value for 'content'"

■ Title

```
<head>  
  <title>HTML Document title</title>  
</head>
```

■ Link

- The **<link>** tag defines the relationship between a document and an external resource

```
<head>  
  <link rel="stylesheet" type="text/css" href="mystyle.css">  
</head>
```

■ Meta


```
<head>
  <!-- Define keywords for search engines: -->
  <meta name="keywords" content="HTML, CSS, XML, XHTML,
JavaScript">

  <!--Define a description of your web page:-->
  <meta name="description" content="Courses on HTML and CSS">

  <!--Define the author of a page:-->
  <meta name="author" content="Koko">
</head>
```

Indentation & Code formatting

- We will be using tabs that are 4 spaces long
- **Indentation is extremely important**
 - It helps with navigating the code
 - It helps to find mistakes faster
 - It makes debugging issues faster
- Bad indentation is shameful – when sharing





What is CSS?

Cascading Style Sheets

What is CSS?

- CSS stands for **Cascading Style Sheets**
- Styles define the visual presentation of HTML elements
- CSS solved a problem
- HTML was never intended to contain tags for formatting a document.
- With CSS the separation between semantic content and visual presentation can be achieved again.




What is CSS?

- **CSS** defines **styling** of the HTML elements
 - Specifies fonts, colors, margins, sizes, positioning, floating, ...
 - CSS **rules** format: **selector { prop1:val1; prop2:val2; ... }**
- **CSS** rule example:



Combining HTML and CSS Files (External Style)





CSS Syntax – Selectors and Rules

- In CSS, selectors are used to target the HTML elements on our web pages that we want to style
- There are a wide variety of CSS selectors available, allowing for fine-grained precision when selecting elements to style. A CSS selector is the first part of a CSS Rule
- [Reference Documentation](#)

- Select elements by **name**

```
<h1>Page Title</h1>
```



```
h1 { color: blue; }
```

- Select by **class** name

```
<p class="odd">Text</p>
```



```
.odd { font-size: 10px; }
```

- Select by element **id**

```
<span id="login">Go</span>
```



```
#login { width: 150px; }
```

- Select **element** with certain **class**

```
<a class="login">Login</a>
```



```
a.login { width: 80px; }
```

- **Type selectors**

- The CSS type selector matches elements by node name. In other words, it selects all elements of the given type within a document

- Reference Documentation

```
[tag-name] {  
    [declaration]  
    [declaration]  
}
```

```
h1 {  
    color: red;  
    font-weight: bold;  
}
```


- **Class selectors**

- The CSS class selector matches elements based on the contents of their class attribute

- Reference Documentation

```
.[tag-name] {  
    [declaration]  
    [declaration]  
}
```

```
.[class-name] {  
    color: red;  
    font-weight: bold;  
}
```

- **ID selectors**

- The CSS ID selector matches an element based on the value of the element's id attribute. For the element to be selected, its id attribute must match exactly the value given in the selector.

- Reference Documentation

```
#[tag-name] {  
    [declaration]  
    [declaration]  
}
```

```
#[id-name] {  
    color: red;  
    font-weight: bold;  
}
```

- **Attribute selectors**

- The CSS attribute selector matches elements based on the element having a given attribute explicitly set, with options for defining an attribute value or substring value match

- Reference Documentation

```
[attribute="value"] {  
    [declaration]  
    [declaration]  
}
```

```
[href="https://softuni.bg"] {  
    color: red;  
    font-weight: bold;  
}
```

- **Universal selector**

- The CSS universal selector (*) matches elements of any type.
- [Reference Documentation](#)

```
* {  
  [declaration]  
  [declaration]  
}
```

```
* {  
  color: red;  
  font-weight: bold;  
}
```

Combined CSS Selectors

```
<section id="news">
  <h1>Hot News</h1>
  <article>
    <h1>New Release!</h1>
    <p>Today we released
      <b class="red">ver. 7</b>
      of our unique software ...
    </p>
  </article>
  <p>Published: <span
class="date">1/1/2021</span></p>
</section>
```

#news > h1

#news article > h1

#news article p

#news p > b.red

#news span.date

article>p, section>p

- **Descendant combinator**

- The descendant combinator — typically represented by a single space (" ") character — combines two selectors such that elements matched by the second selector are selected if they have an ancestor (parent, parent's parent, parent's parent's parent, etc.) element matching the first selector

- Reference Documentation

```
header p {  
    color: red;  
    font-weight: bold;  
}
```

- **Selector list**

- The CSS selector list (,) selects all the matching nodes. A selector list is a comma-separated list of selectors

- Reference Documentation

```
header, p, div {  
    color: red;  
    font-weight: bold;  
}
```

- **Child combinator**

- The child combinator (>) is placed between two CSS selectors. It matches only those elements matched by the second selector that are the direct children of elements matched by the first

- Reference Documentation

```
header > p {  
    color: red;  
    font-weight: bold;  
}
```




Adding CSS to our HTML Document

Adding CSS to our HTML documents

- There are three ways of inserting a style sheet:
 - External style sheet
 - Internal style sheet
 - Inline style



- **External Style Sheet**

- An external style sheet is ideal when the style is applied to many pages. With an external style sheet, you can change the look of an entire Web site by changing one file. Each page must link to the style sheet using the tag
- The tag goes inside the head section:

```
<head>  
    <link rel="stylesheet" type="text/css" href="mystyle.css">  
</head>
```

- **Internal Style Sheet**

- An internal style sheet should be used when a single document has a unique style. You define internal styles in the head section of an HTML page, by using the style tag

```
<head>  
  <style>  
    body {  
      ...  
    }  
  </style>  
</head>
```

■ Inline Styles

- An inline style loses many of the advantages of style sheets by mixing content with presentation
- Do not use this method unless you have no other choice!
- *To use inline styles, you use the style attribute in the relevant tag. The style attribute can contain any CSS property*

```
<div style="color: red;">
```

```
...
```

```
</div>
```

- The **style** attribute defines **inline CSS**

Attribute "style"

```
<h1 style="color:blue">This is a blue ...  
</h1>
```

Property

Value

```
<h2 style="color:red; font-size:2.1em">  
  This is a red ...  
</h2>
```

Multiple CSS
declarations

This is a blue
Heading

This is a red
Heading



Basic CSS Selectors

- **font-size** – defines the text size
 - **px** / **pt** values (e. g. **18px** / **24pt**)
 - $1\text{px} == 0.75\text{pt} == 1/96 \text{ inch}$
 - **em** values – relative to the original size, multiplied by a **scale** factor
- **rem** values – relative to the HTML root size (the **<html>** element)

```
font-size: 1.2em;
```

```
font-size: 1.5rem;
```

Parent container: **18px**

Font-size: 1.2em = **21.6px**

Font-size: 1.2em =
25.92px

Font-size:
1.2em =
31.104px

font-size: 16px

font-size: 1.5rem == 24px

Font Weight: Thin / Normal / Bold

- **font-weight** defines how weight is the font
 - Thin, normal, **bold**, or value [100 ... 900]

| Value | Name |
|-------|--------|
| 100 | thin |
| 300 | light |
| 400 | normal |
| 700 | bold |

```
font-weight: thin;
```

```
font-weight: 300;
```

```
font-weight: 400;
```

```
font-weight: bold;
```

Thin 100

Thin

Light 300

Light

Regular 400

Normal

Medium 500

Medium

Bold 700

Bold

Black 900

Black

Normal **Bold**

- **font-style** – defines how much the text is *slanted*

- **normal** – the text is not slanted

```
font-style: normal;
```

Normal font style

- **italic** – the letters are slightly slanted

```
font-style: italic;
```

Italic font style

- **oblique** – the letters are more slanted than italic

```
font-style: oblique;
```

Oblique font style

Text Align: Left / Right / Center / Justify

- **text-align**

- Defines the **horizontal alignment**

```
text-align: left;
```

Lorem ipsum

Lorem ipsum is meaningless text used to demonstrate the graphic elements of a document.

```
text-align: right;
```

Lorem ipsum

Lorem ipsum is meaningless text used to demonstrate the graphic elements of a document.

```
text-align: center;
```

Lorem ipsum

Lorem ipsum is meaningless text used to demonstrate the graphic elements of a document.

```
text-align: justify;
```

Lorem ipsum

Lorem ipsum is meaningless text used to demonstrate the graphic elements of a document.


- **line-height** – defines the **height** of a single line of text
 - Measures: **unitless** / **pt** / **px** / **em** / **rem**

```
<article>
  <h1>Lorem ipsum</h1>
  <p> Lorem ipsum is
meaningless text used to
demonstrate the graphic
elements of a document.</p>
</article>
```

```
p { line-height: 2.1; }
```


Lorem ipsum

Lorem ipsum is meaningless text
used to demonstrate the graphic
elements of a document




- **letter-spacing** - defines the spacing between the characters of a block of text
 - **normal** - the spacing between the characters is normal

```
letter-spacing: normal;
```



- Using **pixels**

```
letter-spacing: 2px;
```



- **text-decoration** - defines how the text content of the element is decorated: **overline**, **underline**, **line-through**
 - **none** - removes any text decoration

```
text-decoration: none;
```

- **line-through** - draws a line across the text

```
text-decoration: line-through;
```

~~text~~


- **text-indent** - defines the indentation of the element's first line of text

- The text is not indented


```
text-indent: 0;
```

- The text is indented

```
text-indent: 40px;
```




Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam semper diam at erat pulvinar, at pulvinar felis blandit. Vestibulum volutpat tellus diam, consequat gravida libero rhoncus ut. Maecenas imperdiet felis nisi, fringilla luctus felis hendrerit sit amet.



Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam semper diam at erat pulvinar, at pulvinar felis blandit. Vestibulum volutpat tellus diam, consequat gravida libero rhoncus ut. Maecenas imperdiet felis nisi, fringilla luctus felis hendrerit sit amet.

- **text-overflow** - defines how the hidden text content behaves if it's overflowing
 - **ellipsis** - the overflowing content is replaced by . . .

```
text-overflow: clip;
```



- **text-transform** - specifies how to capitalize text
 - **capitalize** - turns the **first letter** of each word into a capital letter

```
text-transform: capitalize;
```

It Is A Long Established
Fact That A Reader Will Be
Distracted.

- **uppercase** - turns all characters to uppercase

```
text-transform: uppercase;
```

IT IS A LONG
ESTABLISHED FACT
THAT A READER WILL
BE DISTRACTED.

- **lowercase** - turns all characters to lowercase


```
text-transform: lowercase;
```

it is a long established fact that a
reader will be distracted.

- **word-break** - defines how words should break when reaching the end of line

- **normal** - words with no space will **NOT** break


```
word-break: normal;
```



Thequickbrownfoxjumpsoverthelazydog

- **break-all** - words with no space will **break** as soon as they reach the end of a line


```
word-break: break-all;
```



Thequickbrownfoxjumpsoverthe
lazydog


- **Text-shadow** - defines the shadow of the text content
 - None - the text content has **no shadow**

```
p {  
    text-shadow: none;  
}
```



- Text-shadow: **<horizontal> <vertical> <blur> <color>**

```
p {  
    text-shadow: 2px 4px 10px red;  
}
```



- 140+ predefined color names (e. g. green, red, blue, coral, ...)

```
color: red;
```

Lorem ipsum

- Hexadecimal color code in format #RGB or #RRGGBB:

```
color: #05ffb0;
```

Lorem ipsum

- Decimal rgb() color codes (red, green, blue values):

```
color: rgb(125, 125, 255);
```

Lorem ipsum

- Decimal rgba() color codes (red, green, blue, alpha opacity):

```
color: rgba(255, 0, 0, 0.5);
```

Lorem ipsum

- **background-color** - defines the color of the background

- **transparent**

```
background-color: transparent;
```

- Specify the background color with:


- HEX
- RGB/RGBA
- Named color

```
background-color: navy;
```

- Sets the **mouse cursor** when hovering the element:


```
cursor: pointer;
```

some text



```
cursor: move;
```

move




```
cursor: none;
```

no cursor


```
cursor: col-resize;
```

| | A | B |
|---|---|---|
| 1 | | |
| 2 | | |



- Outline-width - defines the **width** of the element's outlines
- Outline-style - defines the **style** of the element's outlines
- Outline-color - defines the **color** of the element's outlines

```
p {  
    outline: 4px dotted red;  
}
```



- https://en.wikipedia.org/wiki/Markup_language
- https://developer.mozilla.org/en-US/docs/Learn/Getting_started_with_the_web/How_the_Web_works
- <https://developer.mozilla.org/en-US/docs/Web/HTML>
- https://developer.mozilla.org/en-US/docs/Learn/Getting_started_with_the_web/HTML_basics
- <https://developer.mozilla.org/en-US/docs/Web/CSS>
- https://developer.mozilla.org/en-US/docs/Learn/Getting_started_with_the_web/CSS_basics

■ What is HTML?

```
<!DOCTYPE html>
<html>
  <head>
    <meta charset="UTF-8">
    <title>HTML Example</title>
  </head>
  <body>
    <h1>Hello HTML!</h1>
    <p>HTML describes formatted text using <strong>tags</strong>. Visit the
      <a href="https://softuni.bg/trainings/courses">SoftUni HTML course to
      learn more.</a></p>
  </body>
</html>
```


■ CSS styles may be: **external, inline, embedded**

```
.my-list p { text-align: center; }
```

Questions?



SoftUni



SoftUni Diamond Partners



- This course (slides, examples, demos, exercises, homework, documents, videos and other assets) is **copyrighted content**
- Unauthorized copy, reproduction or use is illegal
- © SoftUni – <https://about.softuni.bg/>
- © Software University – <https://softuni.bg>



- Software University – High-Quality Education, Profession and Job for Software Developers
 - softuni.bg, about.softuni.bg
- Software University Foundation
 - softuni.foundation
- Software University @ Facebook
 - facebook.com/SoftwareUniversity

