

消融实验全量结果汇总

完整原始表格见 ablation_results_all.csv。

一、总体统计

指标	数值
非 smoke 实验总数	451
single	52
expert	199
cascade	200
平均验证集准确率	90.90%
平均验证集 Macro F1	0.9117
平均测试集准确率	85.61%
平均测试集 Macro F1	0.8577
最佳实验	cascade_pair_ad_sq_v3.2_pretrained_focal_ls_cosine_cutmix_b4
最佳测试集准确率	94.60%
最佳测试集 Macro F1	0.9439

二、按模式统计

模式	数量	平均验证 Acc	平均验证 Macro F1	平均测试 Acc	平均测试 Macro F1	最佳实验
single	52	89.13%	0.8976	84.94%	0.8597	v3.2_pretrained_focal_ls_cosine_cutmix_b4
expert	199	92.16%	0.9203	84.27%	0.8351	expert_pair_lc_sq_v2.2_pretrained_ce_ls_b3
cascade	200	90.11%	0.9068	87.11%	0.8796	cascade_pair_ad_sq_v3.2_pretrained_focal_ls_cosine_cutmix_b4

三、按分支统计

分支	数量	平均测试 Acc	平均测试 Macro F1	最佳实验
single	52	84.94%	0.8597	v3.2_pretrained_focal_ls_cosine_cutmix_b4
expert_tumor3	49	80.50%	0.8010	expert_tumor3_v3.1_pretrained_focal_ls_cosine_mixup_b3
expert_pair_ad_lc	50	81.02%	0.7956	expert_pair_ad_lc_v2.0_pretrained_ce_b3
expert_pair_ad_sq	50	84.81%	0.8431	expert_pair_ad_sq_v2.1_pretrained_ce_cosine_b1
expert_pair_lc_sq	50	90.70%	0.9002	expert_pair_lc_sq_v2.2_pretrained_ce_ls_b3
cascade_tumor3	50	87.45%	0.8821	cascade_v3.2_pretrained_focal_ls_cosine_cutmix_b2
cascade_pair_ad_lc	50	86.86%	0.8776	cascade_pair_ad_lc_v3.2_pretrained_focal_ls_cosine_cutmix_b4

cascade_pair_ad_sq	50	87.26%	0.8806	cascade_pair_ad_sq_v3.2_pretrained_focal_ls_cosine_cutmix_b4
cascade_pair_lc_sq	50	86.89%	0.8779	cascade_pair_lc_sq_v3.2_pretrained_focal_ls_cosine_cutmix_b4

四、按骨干统计

骨干	数量	平均测试 Acc	平均测试 Macro F1	最佳实验
efficientnet_b0	91	76.04%	0.7630	expert_pair_lc_sq_v2.1_pretrained_ce_cosine
efficientnet_b1	90	86.75%	0.8686	expert_pair_lc_sq_v3.3_pretrained_focal_ls_cosine_se_b1
efficientnet_b2	90	85.65%	0.8613	expert_pair_lc_sq_v2.3_pretrained_ce_ls_cosine_b2
efficientnet_b3	90	89.87%	0.8986	expert_pair_lc_sq_v2.2_pretrained_ce_ls_b3
efficientnet_b4	90	89.85%	0.8979	expert_pair_lc_sq_v2.2_pretrained_ce_ls_b4

五、Top 10 (仅 single / cascade)

仅对四分类完整任务的 single 与 cascade 结果进行排名，expert 子集实验不参与混排。

排名	实验	模式	分支	验证 Acc	测试 Acc	测试 Macro F1
1	cascade_pair_ad_sq_v3.2_pretrained_focal_ls_cosine_cutmix_b4	cascade	cascade_pair_ad_sq	87.50%	94.60%	0.9439
2	cascade_pair_ad_sq_v3.2_pretrained_focal_ls_cosine_cutmix_b2	cascade	cascade_pair_ad_sq	91.67%	94.29%	0.9481
3	cascade_pair_ad_lc_v3.2_pretrained_focal_ls_cosine_cutmix_b4	cascade	cascade_pair_ad_lc	87.50%	94.29%	0.9427
4	cascade_pair_lc_sq_v3.2_pretrained_focal_ls_cosine_cutmix_b4	cascade	cascade_pair_lc_sq	87.50%	94.29%	0.9423
5	v3.2_pretrained_focal_ls_cosine_cutmix_b4	single	single	87.50%	94.29%	0.9415
6	cascade_v3.2_pretrained_focal_ls_cosine_cutmix_b2	cascade	cascade_tumor3	91.67%	93.97%	0.9457
7	cascade_v3.2_pretrained_focal_ls_cosine_cutmix_b4	cascade	cascade_tumor3	88.89%	93.97%	0.9383
8	cascade_pair_ad_sq_v2.4_pretrained_ce_ls_cosine_weightedce_b3	cascade	cascade_pair_ad_sq	90.28%	93.97%	0.9380
9	cascade_pair_ad_lc_v3.2_pretrained_focal_ls_cosine_cutmix_b2	cascade	cascade_pair_ad_lc	91.67%	93.65%	0.9433
10	v3.2_pretrained_focal_ls_cosine_cutmix_b2	single	single	91.67%	93.65%	0.9433

六、single 全量结果

实验	分支	家族	骨干	验证 Acc	测试 Acc	测试 Macro F1	主最佳轮次
v1.0_scratch_ce_cpu	single	v1.0_scratch_ce_cpu	efficientnet_b0	62.50%	39.68%	0.4427	15
v1.1_scratch_ce_cuda	single	v1.1_scratch_ce_cuda	efficientnet_b0	69.44%	40.63%	0.4488	23
v2.0_pretrained_ce	single	v2.0_pretrained_ce	efficientnet_b0	91.67%	76.19%	0.7721	23
v2.0_pretrained_ce_b1	single	v2.0_pretrained_ce	efficientnet_b1	84.72%	86.67%	0.8771	18
v2.0_pretrained_ce_b2	single	v2.0_pretrained_ce	efficientnet_b2	91.67%	88.89%	0.9000	23
v2.0_pretrained_ce_b3	single	v2.0_pretrained_ce	efficientnet_b3	94.44%	91.43%	0.9237	4
v2.0_pretrained_ce_b4	single	v2.0_pretrained_ce	efficientnet_b4	86.11%	82.54%	0.8484	18
v2.1_pretrained_ce_cosine	single	v2.1_pretrained_ce_cosine	efficientnet_b0	90.28%	77.14%	0.7957	9
v2.1_pretrained_ce_cosine_b1	single	v2.1_pretrained_ce_cosine	efficientnet_b1	87.50%	92.06%	0.9226	21
v2.1_pretrained_ce_cosine_b2	single	v2.1_pretrained_ce_cosine	efficientnet_b2	90.28%	88.89%	0.9045	12
v2.1_pretrained_ce_cosine_b3	single	v2.1_pretrained_ce_cosine	efficientnet_b3	91.67%	88.25%	0.8938	22
v2.1_pretrained_ce_cosine_b4	single	v2.1_pretrained_ce_cosine	efficientnet_b4	86.11%	92.70%	0.9272	19
v2.2_pretrained_ce_ls	single	v2.2_pretrained_ce_ls	efficientnet_b0	97.22%	83.81%	0.8416	21
v2.2_pretrained_ce_ls_b1	single	v2.2_pretrained_ce_ls	efficientnet_b1	87.50%	89.52%	0.8996	23
v2.2_pretrained_ce_ls_b2	single	v2.2_pretrained_ce_ls	efficientnet_b2	91.67%	91.43%	0.9184	15
v2.2_pretrained_ce_ls_b3	single	v2.2_pretrained_ce_ls	efficientnet_b3	95.83%	91.75%	0.9247	25
v2.2_pretrained_ce_ls_b4	single	v2.2_pretrained_ce_ls	efficientnet_b4	87.50%	89.21%	0.8969	4
v2.3_pretrained_ce_ls_cosine	single	v2.3_pretrained_ce_ls_cosine	efficientnet_b0	90.28%	77.46%	0.7894	23
v2.3_pretrained_ce_ls_cosine_b1	single	v2.3_pretrained_ce_ls_cosine	efficientnet_b1	91.67%	89.21%	0.8948	18
v2.3_pretrained_ce_ls_cosine_b2	single	v2.3_pretrained_ce_ls_cosine	efficientnet_b2	91.67%	91.43%	0.9223	14
v2.3_pretrained_ce_ls_cosine_b3	single	v2.3_pretrained_ce_ls_cosine	efficientnet_b3	91.67%	89.84%	0.9053	21
v2.3_pretrained_ce_ls_cosine_b4	single	v2.3_pretrained_ce_ls_cosine	efficientnet_b4	86.11%	90.79%	0.9151	12
v2.4_pretrained_ce_ls_cosine_weightedce	single	v2.4_pretrained_ce_ls_cosine_weightedce	efficientnet_b0	87.50%	73.33%	0.7547	17
v2.4_pretrained_ce_ls_cosine_weightedce_b1	single	v2.4_pretrained_ce_ls_cosine_weightedce	efficientnet_b1	91.67%	91.43%	0.9213	21
v2.4_pretrained_ce_ls_cosine_weightedce_b2	single	v2.4_pretrained_ce_ls_cosine_weightedce	efficientnet_b2	93.06%	84.13%	0.8533	14
v2.4_pretrained_ce_ls_cosine_weightedce_b3	single	v2.4_pretrained_ce_ls_cosine_weightedce	efficientnet_b3	90.28%	93.65%	0.9356	18
v2.4_pretrained_ce_ls_cosine_weightedce_b4	single	v2.4_pretrained_ce_ls_cosine_weightedce	efficientnet_b4	86.11%	85.40%	0.8669	4
v3.0_pretrained_focal_ls_cosine	single	v3.0_pretrained_focal_ls_cosine	efficientnet_b0	90.28%	79.37%	0.7988	14
v3.0_pretrained_focal_ls_cosine_b1	single	v3.0_pretrained_focal_ls_cosine	efficientnet_b1	91.67%	85.08%	0.8634	19
v3.0_pretrained_focal_ls_cosine_b2	single	v3.0_pretrained_focal_ls_cosine	efficientnet_b2	90.28%	91.75%	0.9225	13

v3.0_pretrained_focal_ls_cosine_b3	single	v3.0_pretrained_focal_ls_cosine	efficientnet_b3	91.67%	92.06%	0.9249	6
v3.0_pretrained_focal_ls_cosine_b4	single	v3.0_pretrained_focal_ls_cosine	efficientnet_b4	86.11%	89.52%	0.9002	7
v3.1_pretrained_focal_ls_cosine_mixup	single	v3.1_pretrained_focal_ls_cosine_mixup	efficientnet_b0	86.11%	71.75%	0.7320	18
v3.1_pretrained_focal_ls_cosine_mixup_b1	single	v3.1_pretrained_focal_ls_cosine_mixup	efficientnet_b1	88.89%	86.03%	0.8761	15
v3.1_pretrained_focal_ls_cosine_mixup_b2	single	v3.1_pretrained_focal_ls_cosine_mixup	efficientnet_b2	87.50%	88.25%	0.8857	4
v3.1_pretrained_focal_ls_cosine_mixup_b3	single	v3.1_pretrained_focal_ls_cosine_mixup	efficientnet_b3	94.44%	89.21%	0.8952	21
v3.1_pretrained_focal_ls_cosine_mixup_b4	single	v3.1_pretrained_focal_ls_cosine_mixup	efficientnet_b4	88.89%	88.57%	0.8872	16
v3.2_pretrained_focal_ls_cosine_cutmix	single	v3.2_pretrained_focal_ls_cosine_cutmix	efficientnet_b0	91.67%	73.97%	0.7546	19
v3.2_pretrained_focal_ls_cosine_cutmix_b1	single	v3.2_pretrained_focal_ls_cosine_cutmix	efficientnet_b1	95.83%	90.16%	0.9073	22
v3.2_pretrained_focal_ls_cosine_cutmix_b2	single	v3.2_pretrained_focal_ls_cosine_cutmix	efficientnet_b2	91.67%	93.65%	0.9433	18
v3.2_pretrained_focal_ls_cosine_cutmix_b3	single	v3.2_pretrained_focal_ls_cosine_cutmix	efficientnet_b3	93.06%	80.00%	0.8196	4
v3.2_pretrained_focal_ls_cosine_cutmix_b4	single	v3.2_pretrained_focal_ls_cosine_cutmix	efficientnet_b4	87.50%	94.29%	0.9415	15
v3.3_pretrained_focal_ls_cosine_se	single	v3.3_pretrained_focal_ls_cosine_se	efficientnet_b0	93.06%	77.14%	0.7884	11
v3.3_pretrained_focal_ls_cosine_se_b1	single	v3.3_pretrained_focal_ls_cosine_se	efficientnet_b1	88.89%	92.70%	0.9317	15
v3.3_pretrained_focal_ls_cosine_se_b2	single	v3.3_pretrained_focal_ls_cosine_se	efficientnet_b2	88.89%	85.08%	0.8617	10
v3.3_pretrained_focal_ls_cosine_se_b3	single	v3.3_pretrained_focal_ls_cosine_se	efficientnet_b3	87.50%	92.06%	0.9247	19
v3.3_pretrained_focal_ls_cosine_se_b4	single	v3.3_pretrained_focal_ls_cosine_se	efficientnet_b4	84.72%	88.57%	0.8909	10
v3.4_pretrained_focal_ls_cosine_cbam	single	v3.4_pretrained_focal_ls_cosine_cbam	efficientnet_b0	93.06%	86.35%	0.8646	17
v3.4_pretrained_focal_ls_cosine_cbam_b1	single	v3.4_pretrained_focal_ls_cosine_cbam	efficientnet_b1	93.06%	89.21%	0.9008	9
v3.4_pretrained_focal_ls_cosine_cbam_b2	single	v3.4_pretrained_focal_ls_cosine_cbam	efficientnet_b2	87.50%	73.33%	0.7725	4
v3.4_pretrained_focal_ls_cosine_cbam_b3	single	v3.4_pretrained_focal_ls_cosine_cbam	efficientnet_b3	87.50%	91.11%	0.9174	10
v3.4_pretrained_focal_ls_cosine_cbam_b4	single	v3.4_pretrained_focal_ls_cosine_cbam	efficientnet_b4	88.89%	90.16%	0.9051	11

七、expert 全量结果

实验	分支	家族	骨干	验证 Acc	测试 Acc	测试 Macro F1	主最佳轮次
expert_tumor3_v2.0_pretrained_ce_b1	expert_tumor3	v2.0_pretrained_ce	efficientnet_b1	86.44%	37.16%	0.3680	19
expert_tumor3_v2.0_pretrained_ce_b2	expert_tumor3	v2.0_pretrained_ce	efficientnet_b2	91.53%	88.51%	0.8865	21
expert_tumor3_v2.0_pretrained_ce_b3	expert_tumor3	v2.0_pretrained_ce	efficientnet_b3	93.22%	83.91%	0.8227	16
expert_tumor3_v2.0_pretrained_ce_b4	expert_tumor3	v2.0_pretrained_ce	efficientnet_b4	89.83%	90.80%	0.9067	14
expert_pair_ad_lc_v2.0_pretrained_ce	expert_pair_ad_lc	v2.0_pretrained_ce	efficientnet_b0	93.18%	45.61%	0.4452	22
expert_pair_ad_lc_v2.0_pretrained_ce_b1	expert_pair_ad_lc	v2.0_pretrained_ce	efficientnet_b1	86.36%	92.40%	0.9065	6
expert_pair_ad_lc_v2.0_pretrained_ce_b2	expert_pair_ad_lc	v2.0_pretrained_ce	efficientnet_b2	93.18%	90.64%	0.8947	24
expert_pair_ad_lc_v2.0_pretrained_ce_b3	expert_pair_ad_lc	v2.0_pretrained_ce	efficientnet_b3	90.91%	95.32%	0.9447	14
expert_pair_ad_lc_v2.0_pretrained_ce_b4	expert_pair_ad_lc	v2.0_pretrained_ce	efficientnet_b4	86.36%	88.30%	0.8618	3
expert_pair_ad_sq_v2.0_pretrained_ce	expert_pair_ad_sq	v2.0_pretrained_ce	efficientnet_b0	100.00%	88.10%	0.8779	13
expert_pair_ad_sq_v2.0_pretrained_ce_b1	expert_pair_ad_sq	v2.0_pretrained_ce	efficientnet_b1	100.00%	84.29%	0.8406	19
expert_pair_ad_sq_v2.0_pretrained_ce_b2	expert_pair_ad_sq	v2.0_pretrained_ce	efficientnet_b2	100.00%	91.90%	0.9181	6
expert_pair_ad_sq_v2.0_pretrained_ce_b3	expert_pair_ad_sq	v2.0_pretrained_ce	efficientnet_b3	97.37%	89.52%	0.8948	10
expert_pair_ad_sq_v2.0_pretrained_ce_b4	expert_pair_ad_sq	v2.0_pretrained_ce	efficientnet_b4	100.00%	91.43%	0.9137	9
expert_pair_lc_sq_v2.0_pretrained_ce	expert_pair_lc_sq	v2.0_pretrained_ce	efficientnet_b0	100.00%	87.94%	0.8636	8
expert_pair_lc_sq_v2.0_pretrained_ce_b1	expert_pair_lc_sq	v2.0_pretrained_ce	efficientnet_b1	100.00%	73.76%	0.7375	15
expert_pair_lc_sq_v2.0_pretrained_ce_b2	expert_pair_lc_sq	v2.0_pretrained_ce	efficientnet_b2	94.44%	97.16%	0.9690	12
expert_pair_lc_sq_v2.0_pretrained_ce_b3	expert_pair_lc_sq	v2.0_pretrained_ce	efficientnet_b3	97.22%	93.62%	0.9322	22
expert_pair_lc_sq_v2.0_pretrained_ce_b4	expert_pair_lc_sq	v2.0_pretrained_ce	efficientnet_b4	91.67%	86.52%	0.8421	7
expert_tumor3_v2.1_pretrained_ce_cosine	expert_tumor3	v2.1_pretrained_ce_cosine	efficientnet_b0	88.14%	57.09%	0.5760	13
expert_tumor3_v2.1_pretrained_ce_cosine_b1	expert_tumor3	v2.1_pretrained_ce_cosine	efficientnet_b1	89.83%	84.29%	0.8303	16
expert_tumor3_v2.1_pretrained_ce_cosine_b2	expert_tumor3	v2.1_pretrained_ce_cosine	efficientnet_b2	91.53%	77.39%	0.7697	10
expert_tumor3_v2.1_pretrained_ce_cosine_b3	expert_tumor3	v2.1_pretrained_ce_cosine	efficientnet_b3	91.53%	88.12%	0.8740	22
expert_tumor3_v2.1_pretrained_ce_cosine_b4	expert_tumor3	v2.1_pretrained_ce_cosine	efficientnet_b4	86.44%	91.19%	0.9071	24
expert_pair_ad_lc_v2.1_pretrained_ce_cosine	expert_pair_ad_lc	v2.1_pretrained_ce_cosine	efficientnet_b0	88.64%	71.35%	0.7017	18
expert_pair_ad_lc_v2.1_pretrained_ce_cosine_b1	expert_pair_ad_lc	v2.1_pretrained_ce_cosine	efficientnet_b1	93.18%	90.06%	0.8866	7
expert_pair_ad_lc_v2.1_pretrained_ce_cosine_b2	expert_pair_ad_lc	v2.1_pretrained_ce_cosine	efficientnet_b2	90.91%	72.51%	0.7196	5
expert_pair_ad_lc_v2.1_pretrained_ce_cosine_b3	expert_pair_ad_lc	v2.1_pretrained_ce_cosine	efficientnet_b3	93.18%	90.64%	0.8928	10
expert_pair_ad_lc_v2.1_pretrained_ce_cosine_b4	expert_pair_ad_lc	v2.1_pretrained_ce_cosine	efficientnet_b4	88.64%	91.81%	0.9011	14
expert_pair_ad_sq_v2.1_pretrained_ce_cosine	expert_pair_ad_sq	v2.1_pretrained_ce_cosine	efficientnet_b0	97.37%	86.19%	0.8614	10

expert_pair_ad_sq_v2.1_pretrained_ce_cosine_b1	expert_pair_ad_sq	v2.1_pretrained_ce_cosine	efficientnet_b1	100.00%	93.81%	0.9363	21
expert_pair_ad_sq_v2.1_pretrained_ce_cosine_b2	expert_pair_ad_sq	v2.1_pretrained_ce_cosine	efficientnet_b2	100.00%	90.95%	0.9084	6
expert_pair_ad_sq_v2.1_pretrained_ce_cosine_b3	expert_pair_ad_sq	v2.1_pretrained_ce_cosine	efficientnet_b3	97.37%	89.52%	0.8948	10
expert_pair_ad_sq_v2.1_pretrained_ce_cosine_b4	expert_pair_ad_sq	v2.1_pretrained_ce_cosine	efficientnet_b4	97.37%	90.48%	0.9037	5
expert_pair_lc_sq_v2.1_pretrained_ce_cosine	expert_pair_lc_sq	v2.1_pretrained_ce_cosine	efficientnet_b0	91.67%	93.62%	0.9331	22
expert_pair_lc_sq_v2.1_pretrained_ce_cosine_b1	expert_pair_lc_sq	v2.1_pretrained_ce_cosine	efficientnet_b1	88.89%	83.69%	0.7978	4
expert_pair_lc_sq_v2.1_pretrained_ce_cosine_b2	expert_pair_lc_sq	v2.1_pretrained_ce_cosine	efficientnet_b2	91.67%	96.45%	0.9621	4
expert_pair_lc_sq_v2.1_pretrained_ce_cosine_b3	expert_pair_lc_sq	v2.1_pretrained_ce_cosine	efficientnet_b3	91.67%	95.74%	0.9531	8
expert_pair_lc_sq_v2.1_pretrained_ce_cosine_b4	expert_pair_lc_sq	v2.1_pretrained_ce_cosine	efficientnet_b4	88.89%	92.20%	0.9165	8
expert_tumor3_v2.2_pretrained_ce_ls	expert_tumor3	v2.2_pretrained_ce_ls	efficientnet_b0	86.44%	78.54%	0.7844	17
expert_tumor3_v2.2_pretrained_ce_ls_b1	expert_tumor3	v2.2_pretrained_ce_ls	efficientnet_b1	89.83%	85.44%	0.8455	11
expert_tumor3_v2.2_pretrained_ce_ls_b2	expert_tumor3	v2.2_pretrained_ce_ls	efficientnet_b2	91.53%	81.23%	0.8034	18
expert_tumor3_v2.2_pretrained_ce_ls_b3	expert_tumor3	v2.2_pretrained_ce_ls	efficientnet_b3	93.22%	75.48%	0.7516	15
expert_tumor3_v2.2_pretrained_ce_ls_b4	expert_tumor3	v2.2_pretrained_ce_ls	efficientnet_b4	86.44%	90.42%	0.8961	13
expert_pair_ad_lc_v2.2_pretrained_ce_ls	expert_pair_ad_lc	v2.2_pretrained_ce_ls	efficientnet_b0	93.18%	85.96%	0.8164	16
expert_pair_ad_lc_v2.2_pretrained_ce_ls_b1	expert_pair_ad_lc	v2.2_pretrained_ce_ls	efficientnet_b1	93.18%	83.63%	0.8263	17
expert_pair_ad_lc_v2.2_pretrained_ce_ls_b2	expert_pair_ad_lc	v2.2_pretrained_ce_ls	efficientnet_b2	90.91%	72.51%	0.7196	10
expert_pair_ad_lc_v2.2_pretrained_ce_ls_b3	expert_pair_ad_lc	v2.2_pretrained_ce_ls	efficientnet_b3	88.64%	83.04%	0.8007	2
expert_pair_ad_lc_v2.2_pretrained_ce_ls_b4	expert_pair_ad_lc	v2.2_pretrained_ce_ls	efficientnet_b4	88.64%	91.23%	0.8958	14
expert_pair_ad_sq_v2.2_pretrained_ce_ls	expert_pair_ad_sq	v2.2_pretrained_ce_ls	efficientnet_b0	94.74%	66.19%	0.6471	18
expert_pair_ad_sq_v2.2_pretrained_ce_ls_b1	expert_pair_ad_sq	v2.2_pretrained_ce_ls	efficientnet_b1	97.37%	80.95%	0.8095	9
expert_pair_ad_sq_v2.2_pretrained_ce_ls_b2	expert_pair_ad_sq	v2.2_pretrained_ce_ls	efficientnet_b2	100.00%	87.14%	0.8711	5
expert_pair_ad_sq_v2.2_pretrained_ce_ls_b3	expert_pair_ad_sq	v2.2_pretrained_ce_ls	efficientnet_b3	100.00%	87.14%	0.8714	14
expert_pair_ad_sq_v2.2_pretrained_ce_ls_b4	expert_pair_ad_sq	v2.2_pretrained_ce_ls	efficientnet_b4	100.00%	90.00%	0.8960	12
expert_pair_lc_sq_v2.2_pretrained_ce_ls	expert_pair_lc_sq	v2.2_pretrained_ce_ls	efficientnet_b0	91.67%	84.40%	0.8360	8
expert_pair_lc_sq_v2.2_pretrained_ce_ls_b1	expert_pair_lc_sq	v2.2_pretrained_ce_ls	efficientnet_b1	91.67%	91.49%	0.9117	6
expert_pair_lc_sq_v2.2_pretrained_ce_ls_b2	expert_pair_lc_sq	v2.2_pretrained_ce_ls	efficientnet_b2	91.67%	98.58%	0.9845	13
expert_pair_lc_sq_v2.2_pretrained_ce_ls_b3	expert_pair_lc_sq	v2.2_pretrained_ce_ls	efficientnet_b3	94.44%	99.29%	0.9924	13
expert_pair_lc_sq_v2.2_pretrained_ce_ls_b4	expert_pair_lc_sq	v2.2_pretrained_ce_ls	efficientnet_b4	88.89%	99.29%	0.9923	25
expert_tumor3_v2.3_pretrained_ce_ls_cosine	expert_tumor3	v2.3_pretrained_ce_ls_cosine	efficientnet_b0	79.66%	61.30%	0.6133	14
expert_tumor3_v2.3_pretrained_ce_ls_cosine_b1	expert_tumor3	v2.3_pretrained_ce_ls_cosine	efficientnet_b1	91.53%	79.31%	0.7840	15
expert_tumor3_v2.3_pretrained_ce_ls_cosine_b2	expert_tumor3	v2.3_pretrained_ce_ls_cosine	efficientnet_b2	89.83%	74.71%	0.7463	10
expert_tumor3_v2.3_pretrained_ce_ls_cosine_b3	expert_tumor3	v2.3_pretrained_ce_ls_cosine	efficientnet_b3	94.92%	88.89%	0.8760	20
expert_tumor3_v2.3_pretrained_ce_ls_cosine_b4	expert_tumor3	v2.3_pretrained_ce_ls_cosine	efficientnet_b4	91.53%	91.19%	0.9063	25

expert_pair_ad_lc_v2.3_pretrained_ce_ls_cosine	expert_pair_ad_lc	v2.3_pretrained_ce_ls_cosine	efficientnet_b0	95.45%	88.89%	0.8694	9
expert_pair_ad_lc_v2.3_pretrained_ce_ls_cosine_b1	expert_pair_ad_lc	v2.3_pretrained_ce_ls_cosine	efficientnet_b1	90.91%	74.85%	0.7394	9
expert_pair_ad_lc_v2.3_pretrained_ce_ls_cosine_b2	expert_pair_ad_lc	v2.3_pretrained_ce_ls_cosine	efficientnet_b2	90.91%	67.84%	0.6755	10
expert_pair_ad_lc_v2.3_pretrained_ce_ls_cosine_b3	expert_pair_ad_lc	v2.3_pretrained_ce_ls_cosine	efficientnet_b3	84.09%	65.50%	0.6492	2
expert_pair_ad_lc_v2.3_pretrained_ce_ls_cosine_b4	expert_pair_ad_lc	v2.3_pretrained_ce_ls_cosine	efficientnet_b4	88.64%	91.23%	0.8969	14
expert_pair_ad_sq_v2.3_pretrained_ce_ls_cosine	expert_pair_ad_sq	v2.3_pretrained_ce_ls_cosine	efficientnet_b0	92.11%	66.19%	0.6619	8
expert_pair_ad_sq_v2.3_pretrained_ce_ls_cosine_b1	expert_pair_ad_sq	v2.3_pretrained_ce_ls_cosine	efficientnet_b1	100.00%	86.67%	0.8622	11
expert_pair_ad_sq_v2.3_pretrained_ce_ls_cosine_b2	expert_pair_ad_sq	v2.3_pretrained_ce_ls_cosine	efficientnet_b2	100.00%	88.10%	0.8805	5
expert_pair_ad_sq_v2.3_pretrained_ce_ls_cosine_b3	expert_pair_ad_sq	v2.3_pretrained_ce_ls_cosine	efficientnet_b3	97.37%	87.62%	0.8759	10
expert_pair_ad_sq_v2.3_pretrained_ce_ls_cosine_b4	expert_pair_ad_sq	v2.3_pretrained_ce_ls_cosine	efficientnet_b4	100.00%	89.52%	0.8939	6
expert_pair_lc_sq_v2.3_pretrained_ce_ls_cosine	expert_pair_lc_sq	v2.3_pretrained_ce_ls_cosine	efficientnet_b0	88.89%	74.47%	0.7425	8
expert_pair_lc_sq_v2.3_pretrained_ce_ls_cosine_b1	expert_pair_lc_sq	v2.3_pretrained_ce_ls_cosine	efficientnet_b1	88.89%	84.40%	0.8417	8
expert_pair_lc_sq_v2.3_pretrained_ce_ls_cosine_b2	expert_pair_lc_sq	v2.3_pretrained_ce_ls_cosine	efficientnet_b2	91.67%	99.29%	0.9924	13
expert_pair_lc_sq_v2.3_pretrained_ce_ls_cosine_b3	expert_pair_lc_sq	v2.3_pretrained_ce_ls_cosine	efficientnet_b3	94.44%	97.87%	0.9771	17
expert_pair_lc_sq_v2.3_pretrained_ce_ls_cosine_b4	expert_pair_lc_sq	v2.3_pretrained_ce_ls_cosine	efficientnet_b4	83.33%	94.33%	0.9368	8
expert_tumor3_v2.4_pretrained_ce_ls_cosine_weightedce	expert_tumor3	v2.4_pretrained_ce_ls_cosine_weightedce	efficientnet_b0	81.36%	61.69%	0.6134	19
expert_tumor3_v2.4_pretrained_ce_ls_cosine_weightedce_b1	expert_tumor3	v2.4_pretrained_ce_ls_cosine_weightedce	efficientnet_b1	91.53%	82.76%	0.8175	16
expert_tumor3_v2.4_pretrained_ce_ls_cosine_weightedce_b2	expert_tumor3	v2.4_pretrained_ce_ls_cosine_weightedce	efficientnet_b2	89.83%	70.50%	0.7040	5
expert_tumor3_v2.4_pretrained_ce_ls_cosine_weightedce_b3	expert_tumor3	v2.4_pretrained_ce_ls_cosine_weightedce	efficientnet_b3	93.22%	90.42%	0.8942	13
expert_tumor3_v2.4_pretrained_ce_ls_cosine_weightedce_b4	expert_tumor3	v2.4_pretrained_ce_ls_cosine_weightedce	efficientnet_b4	89.83%	87.36%	0.8648	9
expert_pair_ad_lc_v2.4_pretrained_ce_ls_cosine_weightedce	expert_pair_ad_lc	v2.4_pretrained_ce_ls_cosine_weightedce	efficientnet_b0	97.73%	66.67%	0.6611	12
expert_pair_ad_lc_v2.4_pretrained_ce_ls_cosine_weightedce_b1	expert_pair_ad_lc	v2.4_pretrained_ce_ls_cosine_weightedce	efficientnet_b1	90.91%	77.78%	0.7669	15
expert_pair_ad_lc_v2.4_pretrained_ce_ls_cosine_weightedce_b2	expert_pair_ad_lc	v2.4_pretrained_ce_ls_cosine_weightedce	efficientnet_b2	90.91%	57.89%	0.5789	5
expert_pair_ad_lc_v2.4_pretrained_ce_ls_cosine_weightedce_b3	expert_pair_ad_lc	v2.4_pretrained_ce_ls_cosine_weightedce	efficientnet_b3	88.64%	93.57%	0.9218	11
expert_pair_ad_lc_v2.4_pretrained_ce_ls_cosine_weightedce_b4	expert_pair_ad_lc	v2.4_pretrained_ce_ls_cosine_weightedce	efficientnet_b4	86.36%	87.72%	0.8557	5
expert_pair_ad_sq_v2.4_pretrained_ce_ls_cosine_weightedce	expert_pair_ad_sq	v2.4_pretrained_ce_ls_cosine_weightedce	efficientnet_b0	94.74%	77.62%	0.7761	10
expert_pair_ad_sq_v2.4_pretrained_ce_ls_cosine_weightedce_b1	expert_pair_ad_sq	v2.4_pretrained_ce_ls_cosine_weightedce	efficientnet_b1	97.37%	90.95%	0.9075	11
expert_pair_ad_sq_v2.4_pretrained_ce_ls_cosine_weightedce_b2	expert_pair_ad_sq	v2.4_pretrained_ce_ls_cosine_weightedce	efficientnet_b2	100.00%	83.81%	0.8381	5
expert_pair_ad_sq_v2.4_pretrained_ce_ls_cosine_weightedce_b3	expert_pair_ad_sq	v2.4_pretrained_ce_ls_cosine_weightedce	efficientnet_b3	97.37%	93.33%	0.9326	17
expert_pair_ad_sq_v2.4_pretrained_ce_ls_cosine_weightedce_b4	expert_pair_ad_sq	v2.4_pretrained_ce_ls_cosine_weightedce	efficientnet_b4	100.00%	86.67%	0.8626	6
expert_pair_lc_sq_v2.4_pretrained_ce_ls_cosine_weightedce	expert_pair_lc_sq	v2.4_pretrained_ce_ls_cosine_weightedce	efficientnet_b0	91.67%	79.43%	0.7698	12
expert_pair_lc_sq_v2.4_pretrained_ce_ls_cosine_weightedce_b1	expert_pair_lc_sq	v2.4_pretrained_ce_ls_cosine_weightedce	efficientnet_b1	94.44%	85.82%	0.8549	4
expert_pair_lc_sq_v2.4_pretrained_ce_ls_cosine_weightedce_b2	expert_pair_lc_sq	v2.4_pretrained_ce_ls_cosine_weightedce	efficientnet_b2	91.67%	85.11%	0.8486	13
expert_pair_lc_sq_v2.4_pretrained_ce_ls_cosine_weightedce_b3	expert_pair_lc_sq	v2.4_pretrained_ce_ls_cosine_weightedce	efficientnet_b3	91.67%	95.74%	0.9543	7

expert_pair_lc_sq_v2.4_pretrained_ce_ls_cosine_weightedce_b4	expert_pair_lc_sq	v2.4_pretrained_ce_ls_cosine_weightedce	efficientnet_b4	88.89%	94.33%	0.9362	8
expert_tumor3_v3.0_pretrained_focal_ls_cosine	expert_tumor3	v3.0_pretrained_focal_ls_cosine	efficientnet_b0	86.44%	76.25%	0.7595	9
expert_tumor3_v3.0_pretrained_focal_ls_cosine_b1	expert_tumor3	v3.0_pretrained_focal_ls_cosine	efficientnet_b1	91.53%	80.46%	0.7907	18
expert_tumor3_v3.0_pretrained_focal_ls_cosine_b2	expert_tumor3	v3.0_pretrained_focal_ls_cosine	efficientnet_b2	91.53%	81.61%	0.8123	11
expert_tumor3_v3.0_pretrained_focal_ls_cosine_b3	expert_tumor3	v3.0_pretrained_focal_ls_cosine	efficientnet_b3	93.22%	81.61%	0.8082	24
expert_tumor3_v3.0_pretrained_focal_ls_cosine_b4	expert_tumor3	v3.0_pretrained_focal_ls_cosine	efficientnet_b4	86.44%	87.36%	0.8673	8
expert_pair_ad_lc_v3.0_pretrained_focal_ls_cosine	expert_pair_ad_lc	v3.0_pretrained_focal_ls_cosine	efficientnet_b0	88.64%	80.12%	0.7598	11
expert_pair_ad_lc_v3.0_pretrained_focal_ls_cosine_b1	expert_pair_ad_lc	v3.0_pretrained_focal_ls_cosine	efficientnet_b1	90.91%	81.29%	0.8015	7
expert_pair_ad_lc_v3.0_pretrained_focal_ls_cosine_b2	expert_pair_ad_lc	v3.0_pretrained_focal_ls_cosine	efficientnet_b2	90.91%	64.91%	0.6481	14
expert_pair_ad_lc_v3.0_pretrained_focal_ls_cosine_b3	expert_pair_ad_lc	v3.0_pretrained_focal_ls_cosine	efficientnet_b3	86.36%	92.40%	0.9107	6
expert_pair_ad_lc_v3.0_pretrained_focal_ls_cosine_b4	expert_pair_ad_lc	v3.0_pretrained_focal_ls_cosine	efficientnet_b4	90.91%	89.47%	0.8782	20
expert_pair_ad_sq_v3.0_pretrained_focal_ls_cosine	expert_pair_ad_sq	v3.0_pretrained_focal_ls_cosine	efficientnet_b0	94.74%	78.57%	0.7781	9
expert_pair_ad_sq_v3.0_pretrained_focal_ls_cosine_b1	expert_pair_ad_sq	v3.0_pretrained_focal_ls_cosine	efficientnet_b1	97.37%	82.86%	0.8286	13
expert_pair_ad_sq_v3.0_pretrained_focal_ls_cosine_b2	expert_pair_ad_sq	v3.0_pretrained_focal_ls_cosine	efficientnet_b2	100.00%	92.86%	0.9274	6
expert_pair_ad_sq_v3.0_pretrained_focal_ls_cosine_b3	expert_pair_ad_sq	v3.0_pretrained_focal_ls_cosine	efficientnet_b3	97.37%	68.10%	0.6031	14
expert_pair_ad_sq_v3.0_pretrained_focal_ls_cosine_b4	expert_pair_ad_sq	v3.0_pretrained_focal_ls_cosine	efficientnet_b4	100.00%	89.05%	0.8873	8
expert_pair_lc_sq_v3.0_pretrained_focal_ls_cosine	expert_pair_lc_sq	v3.0_pretrained_focal_ls_cosine	efficientnet_b0	91.67%	78.01%	0.7790	7
expert_pair_lc_sq_v3.0_pretrained_focal_ls_cosine_b1	expert_pair_lc_sq	v3.0_pretrained_focal_ls_cosine	efficientnet_b1	100.00%	66.67%	0.6656	13
expert_pair_lc_sq_v3.0_pretrained_focal_ls_cosine_b2	expert_pair_lc_sq	v3.0_pretrained_focal_ls_cosine	efficientnet_b2	91.67%	89.36%	0.8899	14
expert_pair_lc_sq_v3.0_pretrained_focal_ls_cosine_b3	expert_pair_lc_sq	v3.0_pretrained_focal_ls_cosine	efficientnet_b3	88.89%	93.62%	0.9306	4
expert_pair_lc_sq_v3.0_pretrained_focal_ls_cosine_b4	expert_pair_lc_sq	v3.0_pretrained_focal_ls_cosine	efficientnet_b4	83.33%	90.78%	0.9021	4
expert_tumor3_v3.1_pretrained_focal_ls_cosine_mixup	expert_tumor3	v3.1_pretrained_focal_ls_cosine_mixup	efficientnet_b0	84.75%	71.26%	0.7051	22
expert_tumor3_v3.1_pretrained_focal_ls_cosine_mixup_b1	expert_tumor3	v3.1_pretrained_focal_ls_cosine_mixup	efficientnet_b1	89.83%	86.21%	0.8606	24
expert_tumor3_v3.1_pretrained_focal_ls_cosine_mixup_b2	expert_tumor3	v3.1_pretrained_focal_ls_cosine_mixup	efficientnet_b2	91.53%	88.89%	0.8937	20
expert_tumor3_v3.1_pretrained_focal_ls_cosine_mixup_b3	expert_tumor3	v3.1_pretrained_focal_ls_cosine_mixup	efficientnet_b3	89.83%	93.10%	0.9218	15
expert_tumor3_v3.1_pretrained_focal_ls_cosine_mixup_b4	expert_tumor3	v3.1_pretrained_focal_ls_cosine_mixup	efficientnet_b4	84.75%	89.27%	0.8849	12
expert_pair_ad_lc_v3.1_pretrained_focal_ls_cosine_mixup	expert_pair_ad_lc	v3.1_pretrained_focal_ls_cosine_mixup	efficientnet_b0	93.18%	84.80%	0.8241	6
expert_pair_ad_lc_v3.1_pretrained_focal_ls_cosine_mixup_b1	expert_pair_ad_lc	v3.1_pretrained_focal_ls_cosine_mixup	efficientnet_b1	93.18%	57.89%	0.5788	20
expert_pair_ad_lc_v3.1_pretrained_focal_ls_cosine_mixup_b2	expert_pair_ad_lc	v3.1_pretrained_focal_ls_cosine_mixup	efficientnet_b2	90.91%	87.13%	0.8598	11
expert_pair_ad_lc_v3.1_pretrained_focal_ls_cosine_mixup_b3	expert_pair_ad_lc	v3.1_pretrained_focal_ls_cosine_mixup	efficientnet_b3	90.91%	93.57%	0.9227	8
expert_pair_ad_lc_v3.1_pretrained_focal_ls_cosine_mixup_b4	expert_pair_ad_lc	v3.1_pretrained_focal_ls_cosine_mixup	efficientnet_b4	86.36%	88.89%	0.8615	8
expert_pair_ad_sq_v3.1_pretrained_focal_ls_cosine_mixup	expert_pair_ad_sq	v3.1_pretrained_focal_ls_cosine_mixup	efficientnet_b0	100.00%	75.71%	0.7562	20
expert_pair_ad_sq_v3.1_pretrained_focal_ls_cosine_mixup_b1	expert_pair_ad_sq	v3.1_pretrained_focal_ls_cosine_mixup	efficientnet_b1	97.37%	83.33%	0.8327	13
expert_pair_ad_sq_v3.1_pretrained_focal_ls_cosine_mixup_b2	expert_pair_ad_sq	v3.1_pretrained_focal_ls_cosine_mixup	efficientnet_b2	100.00%	76.19%	0.7619	5

expert_pair_ad_sq_v3.1_pretrained_focal_ls_cosine_mixup_b3	expert_pair_ad_sq	v3.1_pretrained_focal_ls_cosine_mixup	efficientnet_b3	100.00%	91.43%	0.9122	9
expert_pair_ad_sq_v3.1_pretrained_focal_ls_cosine_mixup_b4	expert_pair_ad_sq	v3.1_pretrained_focal_ls_cosine_mixup	efficientnet_b4	100.00%	88.10%	0.8767	8
expert_pair_lc_sq_v3.1_pretrained_focal_ls_cosine_mixup	expert_pair_lc_sq	v3.1_pretrained_focal_ls_cosine_mixup	efficientnet_b0	97.22%	86.52%	0.8400	21
expert_pair_lc_sq_v3.1_pretrained_focal_ls_cosine_mixup_b1	expert_pair_lc_sq	v3.1_pretrained_focal_ls_cosine_mixup	efficientnet_b1	88.89%	85.11%	0.8480	8
expert_pair_lc_sq_v3.1_pretrained_focal_ls_cosine_mixup_b2	expert_pair_lc_sq	v3.1_pretrained_focal_ls_cosine_mixup	efficientnet_b2	94.44%	97.87%	0.9772	15
expert_pair_lc_sq_v3.1_pretrained_focal_ls_cosine_mixup_b3	expert_pair_lc_sq	v3.1_pretrained_focal_ls_cosine_mixup	efficientnet_b3	91.67%	95.04%	0.9460	5
expert_pair_lc_sq_v3.1_pretrained_focal_ls_cosine_mixup_b4	expert_pair_lc_sq	v3.1_pretrained_focal_ls_cosine_mixup	efficientnet_b4	94.44%	94.33%	0.9362	8
expert_tumor3_v3.2_pretrained_focal_ls_cosine_cutmix	expert_tumor3	v3.2_pretrained_focal_ls_cosine_cutmix	efficientnet_b0	84.75%	60.54%	0.6065	12
expert_tumor3_v3.2_pretrained_focal_ls_cosine_cutmix_b1	expert_tumor3	v3.2_pretrained_focal_ls_cosine_cutmix	efficientnet_b1	91.53%	90.04%	0.9012	25
expert_tumor3_v3.2_pretrained_focal_ls_cosine_cutmix_b2	expert_tumor3	v3.2_pretrained_focal_ls_cosine_cutmix	efficientnet_b2	89.83%	69.73%	0.7055	10
expert_tumor3_v3.2_pretrained_focal_ls_cosine_cutmix_b3	expert_tumor3	v3.2_pretrained_focal_ls_cosine_cutmix	efficientnet_b3	89.83%	88.51%	0.8725	22
expert_tumor3_v3.2_pretrained_focal_ls_cosine_cutmix_b4	expert_tumor3	v3.2_pretrained_focal_ls_cosine_cutmix	efficientnet_b4	91.53%	92.34%	0.9149	12
expert_pair_ad_lc_v3.2_pretrained_focal_ls_cosine_cutmix	expert_pair_ad_lc	v3.2_pretrained_focal_ls_cosine_cutmix	efficientnet_b0	88.64%	84.21%	0.7950	9
expert_pair_ad_lc_v3.2_pretrained_focal_ls_cosine_cutmix_b1	expert_pair_ad_lc	v3.2_pretrained_focal_ls_cosine_cutmix	efficientnet_b1	84.09%	92.98%	0.9171	21
expert_pair_ad_lc_v3.2_pretrained_focal_ls_cosine_cutmix_b2	expert_pair_ad_lc	v3.2_pretrained_focal_ls_cosine_cutmix	efficientnet_b2	90.91%	61.40%	0.6137	5
expert_pair_ad_lc_v3.2_pretrained_focal_ls_cosine_cutmix_b3	expert_pair_ad_lc	v3.2_pretrained_focal_ls_cosine_cutmix	efficientnet_b3	84.09%	80.12%	0.7864	18
expert_pair_ad_lc_v3.2_pretrained_focal_ls_cosine_cutmix_b4	expert_pair_ad_lc	v3.2_pretrained_focal_ls_cosine_cutmix	efficientnet_b4	79.55%	87.13%	0.8445	4
expert_pair_ad_sq_v3.2_pretrained_focal_ls_cosine_cutmix	expert_pair_ad_sq	v3.2_pretrained_focal_ls_cosine_cutmix	efficientnet_b0	92.11%	70.95%	0.7060	8
expert_pair_ad_sq_v3.2_pretrained_focal_ls_cosine_cutmix_b1	expert_pair_ad_sq	v3.2_pretrained_focal_ls_cosine_cutmix	efficientnet_b1	97.37%	88.10%	0.8802	21
expert_pair_ad_sq_v3.2_pretrained_focal_ls_cosine_cutmix_b2	expert_pair_ad_sq	v3.2_pretrained_focal_ls_cosine_cutmix	efficientnet_b2	100.00%	82.86%	0.8207	6
expert_pair_ad_sq_v3.2_pretrained_focal_ls_cosine_cutmix_b3	expert_pair_ad_sq	v3.2_pretrained_focal_ls_cosine_cutmix	efficientnet_b3	100.00%	91.43%	0.9133	19
expert_pair_ad_sq_v3.2_pretrained_focal_ls_cosine_cutmix_b4	expert_pair_ad_sq	v3.2_pretrained_focal_ls_cosine_cutmix	efficientnet_b4	100.00%	92.38%	0.9215	10
expert_pair_lc_sq_v3.2_pretrained_focal_ls_cosine_cutmix	expert_pair_lc_sq	v3.2_pretrained_focal_ls_cosine_cutmix	efficientnet_b0	88.89%	80.85%	0.7662	23
expert_pair_lc_sq_v3.2_pretrained_focal_ls_cosine_cutmix_b1	expert_pair_lc_sq	v3.2_pretrained_focal_ls_cosine_cutmix	efficientnet_b1	91.67%	95.04%	0.9444	12
expert_pair_lc_sq_v3.2_pretrained_focal_ls_cosine_cutmix_b2	expert_pair_lc_sq	v3.2_pretrained_focal_ls_cosine_cutmix	efficientnet_b2	91.67%	87.94%	0.8764	8
expert_pair_lc_sq_v3.2_pretrained_focal_ls_cosine_cutmix_b3	expert_pair_lc_sq	v3.2_pretrained_focal_ls_cosine_cutmix	efficientnet_b3	91.67%	98.58%	0.9848	25
expert_pair_lc_sq_v3.2_pretrained_focal_ls_cosine_cutmix_b4	expert_pair_lc_sq	v3.2_pretrained_focal_ls_cosine_cutmix	efficientnet_b4	86.11%	82.27%	0.8143	4
expert_tumor3_v3.3_pretrained_focal_ls_cosine_se	expert_tumor3	v3.3_pretrained_focal_ls_cosine_se	efficientnet_b0	93.22%	71.26%	0.7036	17
expert_tumor3_v3.3_pretrained_focal_ls_cosine_se_b1	expert_tumor3	v3.3_pretrained_focal_ls_cosine_se	efficientnet_b1	91.53%	81.99%	0.8322	10
expert_tumor3_v3.3_pretrained_focal_ls_cosine_se_b2	expert_tumor3	v3.3_pretrained_focal_ls_cosine_se	efficientnet_b2	93.22%	73.18%	0.7275	20
expert_tumor3_v3.3_pretrained_focal_ls_cosine_se_b3	expert_tumor3	v3.3_pretrained_focal_ls_cosine_se	efficientnet_b3	91.53%	86.59%	0.8591	11
expert_tumor3_v3.3_pretrained_focal_ls_cosine_se_b4	expert_tumor3	v3.3_pretrained_focal_ls_cosine_se	efficientnet_b4	86.44%	86.21%	0.8633	12
expert_pair_ad_lc_v3.3_pretrained_focal_ls_cosine_se	expert_pair_ad_lc	v3.3_pretrained_focal_ls_cosine_se	efficientnet_b0	88.64%	64.33%	0.6409	5
expert_pair_ad_lc_v3.3_pretrained_focal_ls_cosine_se_b1	expert_pair_ad_lc	v3.3_pretrained_focal_ls_cosine_se	efficientnet_b1	90.91%	91.81%	0.9043	10

expert_pair_ad_lc_v3.3_pretrained_focal_ls_cosine_se_b2	expert_pair_ad_lc	v3.3_pretrained_focal_ls_cosine_se	efficientnet_b2	86.36%	46.20%	0.4521	3
expert_pair_ad_lc_v3.3_pretrained_focal_ls_cosine_se_b3	expert_pair_ad_lc	v3.3_pretrained_focal_ls_cosine_se	efficientnet_b3	93.18%	85.96%	0.8482	12
expert_pair_ad_lc_v3.3_pretrained_focal_ls_cosine_se_b4	expert_pair_ad_lc	v3.3_pretrained_focal_ls_cosine_se	efficientnet_b4	86.36%	88.30%	0.8533	3
expert_pair_ad_sq_v3.3_pretrained_focal_ls_cosine_se	expert_pair_ad_sq	v3.3_pretrained_focal_ls_cosine_se	efficientnet_b0	100.00%	74.76%	0.7469	12
expert_pair_ad_sq_v3.3_pretrained_focal_ls_cosine_se_b1	expert_pair_ad_sq	v3.3_pretrained_focal_ls_cosine_se	efficientnet_b1	97.37%	85.71%	0.8462	16
expert_pair_ad_sq_v3.3_pretrained_focal_ls_cosine_se_b2	expert_pair_ad_sq	v3.3_pretrained_focal_ls_cosine_se	efficientnet_b2	97.37%	85.24%	0.8471	5
expert_pair_ad_sq_v3.3_pretrained_focal_ls_cosine_se_b3	expert_pair_ad_sq	v3.3_pretrained_focal_ls_cosine_se	efficientnet_b3	97.37%	91.90%	0.9182	4
expert_pair_ad_sq_v3.3_pretrained_focal_ls_cosine_se_b4	expert_pair_ad_sq	v3.3_pretrained_focal_ls_cosine_se	efficientnet_b4	100.00%	90.48%	0.9041	21
expert_pair_lc_sq_v3.3_pretrained_focal_ls_cosine_se	expert_pair_lc_sq	v3.3_pretrained_focal_ls_cosine_se	efficientnet_b0	86.11%	92.20%	0.9118	7
expert_pair_lc_sq_v3.3_pretrained_focal_ls_cosine_se_b1	expert_pair_lc_sq	v3.3_pretrained_focal_ls_cosine_se	efficientnet_b1	91.67%	97.16%	0.9698	17
expert_pair_lc_sq_v3.3_pretrained_focal_ls_cosine_se_b2	expert_pair_lc_sq	v3.3_pretrained_focal_ls_cosine_se	efficientnet_b2	94.44%	97.87%	0.9767	10
expert_pair_lc_sq_v3.3_pretrained_focal_ls_cosine_se_b3	expert_pair_lc_sq	v3.3_pretrained_focal_ls_cosine_se	efficientnet_b3	88.89%	95.04%	0.9465	3
expert_pair_lc_sq_v3.3_pretrained_focal_ls_cosine_se_b4	expert_pair_lc_sq	v3.3_pretrained_focal_ls_cosine_se	efficientnet_b4	86.11%	94.33%	0.9374	10
expert_tumor3_v3.4_pretrained_focal_ls_cosine_cbam	expert_tumor3	v3.4_pretrained_focal_ls_cosine_cbam	efficientnet_b0	89.83%	78.54%	0.7778	12
expert_tumor3_v3.4_pretrained_focal_ls_cosine_cbam_b1	expert_tumor3	v3.4_pretrained_focal_ls_cosine_cbam	efficientnet_b1	89.83%	70.11%	0.7159	13
expert_tumor3_v3.4_pretrained_focal_ls_cosine_cbam_b2	expert_tumor3	v3.4_pretrained_focal_ls_cosine_cbam	efficientnet_b2	86.44%	83.14%	0.8388	10
expert_tumor3_v3.4_pretrained_focal_ls_cosine_cbam_b3	expert_tumor3	v3.4_pretrained_focal_ls_cosine_cbam	efficientnet_b3	88.14%	91.57%	0.9104	18
expert_tumor3_v3.4_pretrained_focal_ls_cosine_cbam_b4	expert_tumor3	v3.4_pretrained_focal_ls_cosine_cbam	efficientnet_b4	88.14%	86.97%	0.8725	10
expert_pair_ad_lc_v3.4_pretrained_focal_ls_cosine_cbam	expert_pair_ad_lc	v3.4_pretrained_focal_ls_cosine_cbam	efficientnet_b0	84.09%	61.40%	0.6118	13
expert_pair_ad_lc_v3.4_pretrained_focal_ls_cosine_cbam_b1	expert_pair_ad_lc	v3.4_pretrained_focal_ls_cosine_cbam	efficientnet_b1	81.82%	92.98%	0.9171	10
expert_pair_ad_lc_v3.4_pretrained_focal_ls_cosine_cbam_b2	expert_pair_ad_lc	v3.4_pretrained_focal_ls_cosine_cbam	efficientnet_b2	86.36%	90.64%	0.8928	7
expert_pair_ad_lc_v3.4_pretrained_focal_ls_cosine_cbam_b3	expert_pair_ad_lc	v3.4_pretrained_focal_ls_cosine_cbam	efficientnet_b3	90.91%	94.74%	0.9375	14
expert_pair_ad_lc_v3.4_pretrained_focal_ls_cosine_cbam_b4	expert_pair_ad_lc	v3.4_pretrained_focal_ls_cosine_cbam	efficientnet_b4	79.55%	91.23%	0.8921	6
expert_pair_ad_sq_v3.4_pretrained_focal_ls_cosine_cbam	expert_pair_ad_sq	v3.4_pretrained_focal_ls_cosine_cbam	efficientnet_b0	97.37%	51.90%	0.4570	5
expert_pair_ad_sq_v3.4_pretrained_focal_ls_cosine_cbam_b1	expert_pair_ad_sq	v3.4_pretrained_focal_ls_cosine_cbam	efficientnet_b1	100.00%	88.10%	0.8757	16
expert_pair_ad_sq_v3.4_pretrained_focal_ls_cosine_cbam_b2	expert_pair_ad_sq	v3.4_pretrained_focal_ls_cosine_cbam	efficientnet_b2	97.37%	84.29%	0.8360	4
expert_pair_ad_sq_v3.4_pretrained_focal_ls_cosine_cbam_b3	expert_pair_ad_sq	v3.4_pretrained_focal_ls_cosine_cbam	efficientnet_b3	97.37%	88.57%	0.8855	7
expert_pair_ad_sq_v3.4_pretrained_focal_ls_cosine_cbam_b4	expert_pair_ad_sq	v3.4_pretrained_focal_ls_cosine_cbam	efficientnet_b4	97.37%	89.52%	0.8941	8
expert_pair_lc_sq_v3.4_pretrained_focal_ls_cosine_cbam	expert_pair_lc_sq	v3.4_pretrained_focal_ls_cosine_cbam	efficientnet_b0	94.44%	92.91%	0.9210	16
expert_pair_lc_sq_v3.4_pretrained_focal_ls_cosine_cbam_b1	expert_pair_lc_sq	v3.4_pretrained_focal_ls_cosine_cbam	efficientnet_b1	88.89%	95.04%	0.9469	19
expert_pair_lc_sq_v3.4_pretrained_focal_ls_cosine_cbam_b2	expert_pair_lc_sq	v3.4_pretrained_focal_ls_cosine_cbam	efficientnet_b2	94.44%	96.45%	0.9621	12
expert_pair_lc_sq_v3.4_pretrained_focal_ls_cosine_cbam_b3	expert_pair_lc_sq	v3.4_pretrained_focal_ls_cosine_cbam	efficientnet_b3	88.89%	92.20%	0.9136	11
expert_pair_lc_sq_v3.4_pretrained_focal_ls_cosine_cbam_b4	expert_pair_lc_sq	v3.4_pretrained_focal_ls_cosine_cbam	efficientnet_b4	88.89%	95.04%	0.9460	8

八、cascade 全量结果

实验	分支	家族	骨干	验证 Acc	测试 Acc	测试 Macro F1	主最佳轮次	专家最佳轮次
cascade_v2.0_pretrained_ce	cascade_tumor3	v2.0_pretrained_ce	efficientnet_b0	91.67%	76.19%	0.7724	23	15
cascade_v2.0_pretrained_ce_b1	cascade_tumor3	v2.0_pretrained_ce	efficientnet_b1	87.50%	85.40%	0.8577	18	19
cascade_v2.0_pretrained_ce_b2	cascade_tumor3	v2.0_pretrained_ce	efficientnet_b2	91.67%	89.52%	0.9032	23	21
cascade_v2.0_pretrained_ce_b3	cascade_tumor3	v2.0_pretrained_ce	efficientnet_b3	93.06%	90.79%	0.9169	4	16
cascade_v2.0_pretrained_ce_b4	cascade_tumor3	v2.0_pretrained_ce	efficientnet_b4	86.11%	82.86%	0.8508	18	14
cascade_pair_ad_lc_v2.0_pretrained_ce	cascade_pair_ad_lc	v2.0_pretrained_ce	efficientnet_b0	91.67%	75.56%	0.7670	23	22
cascade_pair_ad_lc_v2.0_pretrained_ce_b1	cascade_pair_ad_lc	v2.0_pretrained_ce	efficientnet_b1	84.72%	86.35%	0.8735	18	6
cascade_pair_ad_lc_v2.0_pretrained_ce_b2	cascade_pair_ad_lc	v2.0_pretrained_ce	efficientnet_b2	91.67%	88.89%	0.9000	23	24
cascade_pair_ad_lc_v2.0_pretrained_ce_b3	cascade_pair_ad_lc	v2.0_pretrained_ce	efficientnet_b3	93.06%	91.43%	0.9237	4	14
cascade_pair_ad_lc_v2.0_pretrained_ce_b4	cascade_pair_ad_lc	v2.0_pretrained_ce	efficientnet_b4	86.11%	82.54%	0.8484	18	3
cascade_pair_ad_sq_v2.0_pretrained_ce	cascade_pair_ad_sq	v2.0_pretrained_ce	efficientnet_b0	91.67%	77.14%	0.7806	23	13
cascade_pair_ad_sq_v2.0_pretrained_ce_b1	cascade_pair_ad_sq	v2.0_pretrained_ce	efficientnet_b1	86.11%	87.30%	0.8824	18	19
cascade_pair_ad_sq_v2.0_pretrained_ce_b2	cascade_pair_ad_sq	v2.0_pretrained_ce	efficientnet_b2	91.67%	89.52%	0.9047	23	6
cascade_pair_ad_sq_v2.0_pretrained_ce_b3	cascade_pair_ad_sq	v2.0_pretrained_ce	efficientnet_b3	94.44%	91.43%	0.9238	4	10
cascade_pair_ad_sq_v2.0_pretrained_ce_b4	cascade_pair_ad_sq	v2.0_pretrained_ce	efficientnet_b4	86.11%	83.49%	0.8555	18	9
cascade_pair_lc_sq_v2.0_pretrained_ce	cascade_pair_lc_sq	v2.0_pretrained_ce	efficientnet_b0	91.67%	76.51%	0.7753	23	8
cascade_pair_lc_sq_v2.0_pretrained_ce_b1	cascade_pair_lc_sq	v2.0_pretrained_ce	efficientnet_b1	84.72%	86.67%	0.8771	18	15
cascade_pair_lc_sq_v2.0_pretrained_ce_b2	cascade_pair_lc_sq	v2.0_pretrained_ce	efficientnet_b2	91.67%	88.89%	0.9000	23	12
cascade_pair_lc_sq_v2.0_pretrained_ce_b3	cascade_pair_lc_sq	v2.0_pretrained_ce	efficientnet_b3	94.44%	91.43%	0.9227	4	22
cascade_pair_lc_sq_v2.0_pretrained_ce_b4	cascade_pair_lc_sq	v2.0_pretrained_ce	efficientnet_b4	86.11%	82.54%	0.8484	18	7
cascade_v2.1_pretrained_ce_cosine	cascade_tumor3	v2.1_pretrained_ce_cosine	efficientnet_b0	91.67%	77.14%	0.7937	9	13
cascade_v2.1_pretrained_ce_cosine_b1	cascade_tumor3	v2.1_pretrained_ce_cosine	efficientnet_b1	88.89%	92.06%	0.9221	21	16
cascade_v2.1_pretrained_ce_cosine_b2	cascade_tumor3	v2.1_pretrained_ce_cosine	efficientnet_b2	90.28%	88.89%	0.9034	12	10
cascade_v2.1_pretrained_ce_cosine_b3	cascade_tumor3	v2.1_pretrained_ce_cosine	efficientnet_b3	91.67%	89.52%	0.9025	22	22
cascade_v2.1_pretrained_ce_cosine_b4	cascade_tumor3	v2.1_pretrained_ce_cosine	efficientnet_b4	86.11%	92.70%	0.9272	19	24
cascade_pair_ad_lc_v2.1_pretrained_ce_cosine	cascade_pair_ad_lc	v2.1_pretrained_ce_cosine	efficientnet_b0	90.28%	77.46%	0.7990	9	18
cascade_pair_ad_lc_v2.1_pretrained_ce_cosine_b1	cascade_pair_ad_lc	v2.1_pretrained_ce_cosine	efficientnet_b1	87.50%	91.75%	0.9189	21	7
cascade_pair_ad_lc_v2.1_pretrained_ce_cosine_b2	cascade_pair_ad_lc	v2.1_pretrained_ce_cosine	efficientnet_b2	90.28%	89.21%	0.9081	12	5
cascade_pair_ad_lc_v2.1_pretrained_ce_cosine_b3	cascade_pair_ad_lc	v2.1_pretrained_ce_cosine	efficientnet_b3	91.67%	88.25%	0.8935	22	10

cascade_pair_ad_lc_v2.1_pretrained_ce_cosine_b4	cascade_pair_ad_lc	v2.1_pretrained_ce_cosine	efficientnet_b4	86.11%	92.70%	0.9260	19	14
cascade_pair_ad_sq_v2.1_pretrained_ce_cosine	cascade_pair_ad_sq	v2.1_pretrained_ce_cosine	efficientnet_b0	91.67%	77.14%	0.7953	9	10
cascade_pair_ad_sq_v2.1_pretrained_ce_cosine_b1	cascade_pair_ad_sq	v2.1_pretrained_ce_cosine	efficientnet_b1	88.89%	92.38%	0.9254	21	21
cascade_pair_ad_sq_v2.1_pretrained_ce_cosine_b2	cascade_pair_ad_sq	v2.1_pretrained_ce_cosine	efficientnet_b2	90.28%	89.52%	0.9093	12	6
cascade_pair_ad_sq_v2.1_pretrained_ce_cosine_b3	cascade_pair_ad_sq	v2.1_pretrained_ce_cosine	efficientnet_b3	91.67%	88.57%	0.8963	22	10
cascade_pair_ad_sq_v2.1_pretrained_ce_cosine_b4	cascade_pair_ad_sq	v2.1_pretrained_ce_cosine	efficientnet_b4	86.11%	93.02%	0.9296	19	5
cascade_pair_lc_sq_v2.1_pretrained_ce_cosine	cascade_pair_lc_sq	v2.1_pretrained_ce_cosine	efficientnet_b0	90.28%	78.10%	0.8055	9	22
cascade_pair_lc_sq_v2.1_pretrained_ce_cosine_b1	cascade_pair_lc_sq	v2.1_pretrained_ce_cosine	efficientnet_b1	87.50%	92.06%	0.9226	21	4
cascade_pair_lc_sq_v2.1_pretrained_ce_cosine_b2	cascade_pair_lc_sq	v2.1_pretrained_ce_cosine	efficientnet_b2	90.28%	88.89%	0.9057	12	4
cascade_pair_lc_sq_v2.1_pretrained_ce_cosine_b3	cascade_pair_lc_sq	v2.1_pretrained_ce_cosine	efficientnet_b3	91.67%	88.57%	0.8972	22	8
cascade_pair_lc_sq_v2.1_pretrained_ce_cosine_b4	cascade_pair_lc_sq	v2.1_pretrained_ce_cosine	efficientnet_b4	86.11%	92.70%	0.9272	19	8
cascade_v2.2_pretrained_ce_ls	cascade_tumor3	v2.2_pretrained_ce_ls	efficientnet_b0	95.83%	84.44%	0.8481	21	17
cascade_v2.2_pretrained_ce_ls_b1	cascade_tumor3	v2.2_pretrained_ce_ls	efficientnet_b1	87.50%	89.84%	0.9017	23	11
cascade_v2.2_pretrained_ce_ls_b2	cascade_tumor3	v2.2_pretrained_ce_ls	efficientnet_b2	91.67%	91.75%	0.9197	15	18
cascade_v2.2_pretrained_ce_ls_b3	cascade_tumor3	v2.2_pretrained_ce_ls	efficientnet_b3	95.83%	90.48%	0.9091	25	15
cascade_v2.2_pretrained_ce_ls_b4	cascade_tumor3	v2.2_pretrained_ce_ls	efficientnet_b4	87.50%	91.11%	0.9138	4	13
cascade_pair_ad_lc_v2.2_pretrained_ce_ls	cascade_pair_ad_lc	v2.2_pretrained_ce_ls	efficientnet_b0	100.00%	84.13%	0.8429	21	16
cascade_pair_ad_lc_v2.2_pretrained_ce_ls_b1	cascade_pair_ad_lc	v2.2_pretrained_ce_ls	efficientnet_b1	87.50%	90.48%	0.9113	23	17
cascade_pair_ad_lc_v2.2_pretrained_ce_ls_b2	cascade_pair_ad_lc	v2.2_pretrained_ce_ls	efficientnet_b2	91.67%	91.43%	0.9184	15	10
cascade_pair_ad_lc_v2.2_pretrained_ce_ls_b3	cascade_pair_ad_lc	v2.2_pretrained_ce_ls	efficientnet_b3	94.44%	91.75%	0.9244	25	2
cascade_pair_ad_lc_v2.2_pretrained_ce_ls_b4	cascade_pair_ad_lc	v2.2_pretrained_ce_ls	efficientnet_b4	87.50%	89.52%	0.9001	4	14
cascade_pair_ad_sq_v2.2_pretrained_ce_ls	cascade_pair_ad_sq	v2.2_pretrained_ce_ls	efficientnet_b0	97.22%	83.81%	0.8417	21	18
cascade_pair_ad_sq_v2.2_pretrained_ce_ls_b1	cascade_pair_ad_sq	v2.2_pretrained_ce_ls	efficientnet_b1	87.50%	89.84%	0.9020	23	9
cascade_pair_ad_sq_v2.2_pretrained_ce_ls_b2	cascade_pair_ad_sq	v2.2_pretrained_ce_ls	efficientnet_b2	91.67%	92.06%	0.9233	15	5
cascade_pair_ad_sq_v2.2_pretrained_ce_ls_b3	cascade_pair_ad_sq	v2.2_pretrained_ce_ls	efficientnet_b3	95.83%	91.11%	0.9198	25	14
cascade_pair_ad_sq_v2.2_pretrained_ce_ls_b4	cascade_pair_ad_sq	v2.2_pretrained_ce_ls	efficientnet_b4	87.50%	91.11%	0.9112	4	12
cascade_pair_lc_sq_v2.2_pretrained_ce_ls	cascade_pair_lc_sq	v2.2_pretrained_ce_ls	efficientnet_b0	97.22%	84.44%	0.8480	21	8
cascade_pair_lc_sq_v2.2_pretrained_ce_ls_b1	cascade_pair_lc_sq	v2.2_pretrained_ce_ls	efficientnet_b1	87.50%	89.21%	0.8960	23	6
cascade_pair_lc_sq_v2.2_pretrained_ce_ls_b2	cascade_pair_lc_sq	v2.2_pretrained_ce_ls	efficientnet_b2	91.67%	91.43%	0.9184	15	13
cascade_pair_lc_sq_v2.2_pretrained_ce_ls_b3	cascade_pair_lc_sq	v2.2_pretrained_ce_ls	efficientnet_b3	95.83%	91.75%	0.9265	25	13
cascade_pair_lc_sq_v2.2_pretrained_ce_ls_b4	cascade_pair_lc_sq	v2.2_pretrained_ce_ls	efficientnet_b4	87.50%	89.52%	0.9005	4	25
cascade_v2.3_pretrained_ce_ls_cosine	cascade_tumor3	v2.3_pretrained_ce_ls_cosine	efficientnet_b0	87.50%	77.14%	0.7870	23	14
cascade_v2.3_pretrained_ce_ls_cosine_b1	cascade_tumor3	v2.3_pretrained_ce_ls_cosine	efficientnet_b1	91.67%	89.84%	0.8992	18	15
cascade_v2.3_pretrained_ce_ls_cosine_b2	cascade_tumor3	v2.3_pretrained_ce_ls_cosine	efficientnet_b2	91.67%	91.43%	0.9193	14	10

cascade_v2.3_pretrained_ce_ls_cosine_b3	cascade_tumor3	v2.3_pretrained_ce_ls_cosine	efficientnet_b3	93.06%	89.84%	0.9060	21	20
cascade_v2.3_pretrained_ce_ls_cosine_b4	cascade_tumor3	v2.3_pretrained_ce_ls_cosine	efficientnet_b4	86.11%	91.43%	0.9187	12	25
cascade_pair_ad_lc_v2.3_pretrained_ce_ls_cosine	cascade_pair_ad_lc	v2.3_pretrained_ce_ls_cosine	efficientnet_b0	90.28%	78.10%	0.7953	23	9
cascade_pair_ad_lc_v2.3_pretrained_ce_ls_cosine_b1	cascade_pair_ad_lc	v2.3_pretrained_ce_ls_cosine	efficientnet_b1	91.67%	89.21%	0.8948	18	9
cascade_pair_ad_lc_v2.3_pretrained_ce_ls_cosine_b2	cascade_pair_ad_lc	v2.3_pretrained_ce_ls_cosine	efficientnet_b2	91.67%	91.11%	0.9190	14	10
cascade_pair_ad_lc_v2.3_pretrained_ce_ls_cosine_b3	cascade_pair_ad_lc	v2.3_pretrained_ce_ls_cosine	efficientnet_b3	91.67%	89.84%	0.9057	21	2
cascade_pair_ad_lc_v2.3_pretrained_ce_ls_cosine_b4	cascade_pair_ad_lc	v2.3_pretrained_ce_ls_cosine	efficientnet_b4	86.11%	90.79%	0.9151	12	14
cascade_pair_ad_sq_v2.3_pretrained_ce_ls_cosine	cascade_pair_ad_sq	v2.3_pretrained_ce_ls_cosine	efficientnet_b0	90.28%	77.14%	0.7868	23	8
cascade_pair_ad_sq_v2.3_pretrained_ce_ls_cosine_b1	cascade_pair_ad_sq	v2.3_pretrained_ce_ls_cosine	efficientnet_b1	91.67%	89.21%	0.8949	18	11
cascade_pair_ad_sq_v2.3_pretrained_ce_ls_cosine_b2	cascade_pair_ad_sq	v2.3_pretrained_ce_ls_cosine	efficientnet_b2	91.67%	92.38%	0.9297	14	5
cascade_pair_ad_sq_v2.3_pretrained_ce_ls_cosine_b3	cascade_pair_ad_sq	v2.3_pretrained_ce_ls_cosine	efficientnet_b3	91.67%	89.84%	0.9056	21	10
cascade_pair_ad_sq_v2.3_pretrained_ce_ls_cosine_b4	cascade_pair_ad_sq	v2.3_pretrained_ce_ls_cosine	efficientnet_b4	86.11%	91.43%	0.9200	12	6
cascade_pair_lc_sq_v2.3_pretrained_ce_ls_cosine	cascade_pair_lc_sq	v2.3_pretrained_ce_ls_cosine	efficientnet_b0	90.28%	78.10%	0.7969	23	8
cascade_pair_lc_sq_v2.3_pretrained_ce_ls_cosine_b1	cascade_pair_lc_sq	v2.3_pretrained_ce_ls_cosine	efficientnet_b1	91.67%	89.21%	0.8944	18	8
cascade_pair_lc_sq_v2.3_pretrained_ce_ls_cosine_b2	cascade_pair_lc_sq	v2.3_pretrained_ce_ls_cosine	efficientnet_b2	91.67%	91.43%	0.9215	14	13
cascade_pair_lc_sq_v2.3_pretrained_ce_ls_cosine_b3	cascade_pair_lc_sq	v2.3_pretrained_ce_ls_cosine	efficientnet_b3	91.67%	90.16%	0.9088	21	17
cascade_pair_lc_sq_v2.3_pretrained_ce_ls_cosine_b4	cascade_pair_lc_sq	v2.3_pretrained_ce_ls_cosine	efficientnet_b4	86.11%	90.48%	0.9124	12	8
cascade_v2.4_pretrained_ce_ls_cosine_weightedce	cascade_tumor3	v2.4_pretrained_ce_ls_cosine_weightedce	efficientnet_b0	84.72%	74.60%	0.7644	17	19
cascade_v2.4_pretrained_ce_ls_cosine_weightedce_b1	cascade_tumor3	v2.4_pretrained_ce_ls_cosine_weightedce	efficientnet_b1	91.67%	91.11%	0.9179	21	16
cascade_v2.4_pretrained_ce_ls_cosine_weightedce_b2	cascade_tumor3	v2.4_pretrained_ce_ls_cosine_weightedce	efficientnet_b2	91.67%	84.13%	0.8517	14	5
cascade_v2.4_pretrained_ce_ls_cosine_weightedce_b3	cascade_tumor3	v2.4_pretrained_ce_ls_cosine_weightedce	efficientnet_b3	90.28%	93.02%	0.9303	18	13
cascade_v2.4_pretrained_ce_ls_cosine_weightedce_b4	cascade_tumor3	v2.4_pretrained_ce_ls_cosine_weightedce	efficientnet_b4	87.50%	88.89%	0.8970	4	9
cascade_pair_ad_lc_v2.4_pretrained_ce_ls_cosine_weightedce	cascade_pair_ad_lc	v2.4_pretrained_ce_ls_cosine_weightedce	efficientnet_b0	87.50%	74.29%	0.7630	17	12
cascade_pair_ad_lc_v2.4_pretrained_ce_ls_cosine_weightedce_b1	cascade_pair_ad_lc	v2.4_pretrained_ce_ls_cosine_weightedce	efficientnet_b1	91.67%	91.43%	0.9213	21	15
cascade_pair_ad_lc_v2.4_pretrained_ce_ls_cosine_weightedce_b2	cascade_pair_ad_lc	v2.4_pretrained_ce_ls_cosine_weightedce	efficientnet_b2	93.06%	81.90%	0.8314	14	5
cascade_pair_ad_lc_v2.4_pretrained_ce_ls_cosine_weightedce_b3	cascade_pair_ad_lc	v2.4_pretrained_ce_ls_cosine_weightedce	efficientnet_b3	90.28%	93.65%	0.9356	18	11
cascade_pair_ad_lc_v2.4_pretrained_ce_ls_cosine_weightedce_b4	cascade_pair_ad_lc	v2.4_pretrained_ce_ls_cosine_weightedce	efficientnet_b4	87.50%	86.35%	0.8766	4	5
cascade_pair_ad_sq_v2.4_pretrained_ce_ls_cosine_weightedce	cascade_pair_ad_sq	v2.4_pretrained_ce_ls_cosine_weightedce	efficientnet_b0	87.50%	73.33%	0.7547	17	10
cascade_pair_ad_sq_v2.4_pretrained_ce_ls_cosine_weightedce_b1	cascade_pair_ad_sq	v2.4_pretrained_ce_ls_cosine_weightedce	efficientnet_b1	91.67%	91.75%	0.9236	21	11
cascade_pair_ad_sq_v2.4_pretrained_ce_ls_cosine_weightedce_b2	cascade_pair_ad_sq	v2.4_pretrained_ce_ls_cosine_weightedce	efficientnet_b2	93.06%	85.08%	0.8614	14	5
cascade_pair_ad_sq_v2.4_pretrained_ce_ls_cosine_weightedce_b3	cascade_pair_ad_sq	v2.4_pretrained_ce_ls_cosine_weightedce	efficientnet_b3	90.28%	93.97%	0.9380	18	17
cascade_pair_ad_sq_v2.4_pretrained_ce_ls_cosine_weightedce_b4	cascade_pair_ad_sq	v2.4_pretrained_ce_ls_cosine_weightedce	efficientnet_b4	86.11%	86.67%	0.8770	4	6
cascade_pair_lc_sq_v2.4_pretrained_ce_ls_cosine_weightedce	cascade_pair_lc_sq	v2.4_pretrained_ce_ls_cosine_weightedce	efficientnet_b0	87.50%	73.97%	0.7577	17	12
cascade_pair_lc_sq_v2.4_pretrained_ce_ls_cosine_weightedce_b1	cascade_pair_lc_sq	v2.4_pretrained_ce_ls_cosine_weightedce	efficientnet_b1	91.67%	91.43%	0.9213	21	4

cascade_pair_lc_sq_v2.4_pretrained_ce_ls_cosine_weightedce_b2	cascade_pair_lc_sq	v2.4_pretrained_ce_ls_cosine_weightedce	efficientnet_b2	93.06%	84.13%	0.8533	14	13
cascade_pair_lc_sq_v2.4_pretrained_ce_ls_cosine_weightedce_b3	cascade_pair_lc_sq	v2.4_pretrained_ce_ls_cosine_weightedce	efficientnet_b3	90.28%	93.33%	0.9320	18	7
cascade_pair_lc_sq_v2.4_pretrained_ce_ls_cosine_weightedce_b4	cascade_pair_lc_sq	v2.4_pretrained_ce_ls_cosine_weightedce	efficientnet_b4	86.11%	85.71%	0.8717	4	8
cascade_v3.0_pretrained_focal_ls_cosine	cascade_tumor3	v3.0_pretrained_focal_ls_cosine	efficientnet_b0	90.28%	79.68%	0.8014	14	9
cascade_v3.0_pretrained_focal_ls_cosine_b1	cascade_tumor3	v3.0_pretrained_focal_ls_cosine	efficientnet_b1	93.06%	86.67%	0.8752	19	18
cascade_v3.0_pretrained_focal_ls_cosine_b2	cascade_tumor3	v3.0_pretrained_focal_ls_cosine	efficientnet_b2	90.28%	93.65%	0.9382	13	11
cascade_v3.0_pretrained_focal_ls_cosine_b3	cascade_tumor3	v3.0_pretrained_focal_ls_cosine	efficientnet_b3	93.06%	93.02%	0.9344	6	24
cascade_v3.0_pretrained_focal_ls_cosine_b4	cascade_tumor3	v3.0_pretrained_focal_ls_cosine	efficientnet_b4	84.72%	89.84%	0.9025	7	8
cascade_pair_ad_lc_v3.0_pretrained_focal_ls_cosine	cascade_pair_ad_lc	v3.0_pretrained_focal_ls_cosine	efficientnet_b0	90.28%	79.68%	0.8022	14	11
cascade_pair_ad_lc_v3.0_pretrained_focal_ls_cosine_b1	cascade_pair_ad_lc	v3.0_pretrained_focal_ls_cosine	efficientnet_b1	93.06%	84.44%	0.8573	19	7
cascade_pair_ad_lc_v3.0_pretrained_focal_ls_cosine_b2	cascade_pair_ad_lc	v3.0_pretrained_focal_ls_cosine	efficientnet_b2	90.28%	92.06%	0.9262	13	14
cascade_pair_ad_lc_v3.0_pretrained_focal_ls_cosine_b3	cascade_pair_ad_lc	v3.0_pretrained_focal_ls_cosine	efficientnet_b3	91.67%	92.70%	0.9314	6	6
cascade_pair_ad_lc_v3.0_pretrained_focal_ls_cosine_b4	cascade_pair_ad_lc	v3.0_pretrained_focal_ls_cosine	efficientnet_b4	87.50%	89.21%	0.8967	7	20
cascade_pair_ad_sq_v3.0_pretrained_focal_ls_cosine	cascade_pair_ad_sq	v3.0_pretrained_focal_ls_cosine	efficientnet_b0	88.89%	79.37%	0.7988	14	9
cascade_pair_ad_sq_v3.0_pretrained_focal_ls_cosine_b1	cascade_pair_ad_sq	v3.0_pretrained_focal_ls_cosine	efficientnet_b1	91.67%	85.08%	0.8632	19	13
cascade_pair_ad_sq_v3.0_pretrained_focal_ls_cosine_b2	cascade_pair_ad_sq	v3.0_pretrained_focal_ls_cosine	efficientnet_b2	90.28%	93.02%	0.9321	13	6
cascade_pair_ad_sq_v3.0_pretrained_focal_ls_cosine_b3	cascade_pair_ad_sq	v3.0_pretrained_focal_ls_cosine	efficientnet_b3	93.06%	92.06%	0.9249	6	14
cascade_pair_ad_sq_v3.0_pretrained_focal_ls_cosine_b4	cascade_pair_ad_sq	v3.0_pretrained_focal_ls_cosine	efficientnet_b4	86.11%	89.84%	0.9031	7	8
cascade_pair_lc_sq_v3.0_pretrained_focal_ls_cosine	cascade_pair_lc_sq	v3.0_pretrained_focal_ls_cosine	efficientnet_b0	90.28%	79.37%	0.7985	14	7
cascade_pair_lc_sq_v3.0_pretrained_focal_ls_cosine_b1	cascade_pair_lc_sq	v3.0_pretrained_focal_ls_cosine	efficientnet_b1	91.67%	85.08%	0.8625	19	13
cascade_pair_lc_sq_v3.0_pretrained_focal_ls_cosine_b2	cascade_pair_lc_sq	v3.0_pretrained_focal_ls_cosine	efficientnet_b2	90.28%	91.75%	0.9225	13	14
cascade_pair_lc_sq_v3.0_pretrained_focal_ls_cosine_b3	cascade_pair_lc_sq	v3.0_pretrained_focal_ls_cosine	efficientnet_b3	91.67%	92.70%	0.9319	6	4
cascade_pair_lc_sq_v3.0_pretrained_focal_ls_cosine_b4	cascade_pair_lc_sq	v3.0_pretrained_focal_ls_cosine	efficientnet_b4	86.11%	89.84%	0.9038	7	4
cascade_v3.1_pretrained_focal_ls_cosine_mixup	cascade_tumor3	v3.1_pretrained_focal_ls_cosine_mixup	efficientnet_b0	84.72%	73.97%	0.7539	18	22
cascade_v3.1_pretrained_focal_ls_cosine_mixup_b1	cascade_tumor3	v3.1_pretrained_focal_ls_cosine_mixup	efficientnet_b1	88.89%	86.35%	0.8773	15	24
cascade_v3.1_pretrained_focal_ls_cosine_mixup_b2	cascade_tumor3	v3.1_pretrained_focal_ls_cosine_mixup	efficientnet_b2	87.50%	90.48%	0.9028	4	20
cascade_v3.1_pretrained_focal_ls_cosine_mixup_b3	cascade_tumor3	v3.1_pretrained_focal_ls_cosine_mixup	efficientnet_b3	93.06%	90.16%	0.9054	21	15
cascade_v3.1_pretrained_focal_ls_cosine_mixup_b4	cascade_tumor3	v3.1_pretrained_focal_ls_cosine_mixup	efficientnet_b4	87.50%	89.84%	0.8985	16	12
cascade_pair_ad_lc_v3.1_pretrained_focal_ls_cosine_mixup	cascade_pair_ad_lc	v3.1_pretrained_focal_ls_cosine_mixup	efficientnet_b0	87.50%	72.06%	0.7353	18	6
cascade_pair_ad_lc_v3.1_pretrained_focal_ls_cosine_mixup_b1	cascade_pair_ad_lc	v3.1_pretrained_focal_ls_cosine_mixup	efficientnet_b1	88.89%	86.67%	0.8834	15	20
cascade_pair_ad_lc_v3.1_pretrained_focal_ls_cosine_mixup_b2	cascade_pair_ad_lc	v3.1_pretrained_focal_ls_cosine_mixup	efficientnet_b2	87.50%	88.57%	0.8891	4	11
cascade_pair_ad_lc_v3.1_pretrained_focal_ls_cosine_mixup_b3	cascade_pair_ad_lc	v3.1_pretrained_focal_ls_cosine_mixup	efficientnet_b3	94.44%	89.52%	0.8980	21	8
cascade_pair_ad_lc_v3.1_pretrained_focal_ls_cosine_mixup_b4	cascade_pair_ad_lc	v3.1_pretrained_focal_ls_cosine_mixup	efficientnet_b4	87.50%	89.21%	0.8930	16	8
cascade_pair_ad_sq_v3.1_pretrained_focal_ls_cosine_mixup	cascade_pair_ad_sq	v3.1_pretrained_focal_ls_cosine_mixup	efficientnet_b0	87.50%	71.75%	0.7320	18	20

cascade_pair_ad_sq_v3.1_pretrained_focal_ls_cosine_mixup_b1	cascade_pair_ad_sq	v3.1_pretrained_focal_ls_cosine_mixup	efficientnet_b1	88.89%	86.98%	0.8846	15	13
cascade_pair_ad_sq_v3.1_pretrained_focal_ls_cosine_mixup_b2	cascade_pair_ad_sq	v3.1_pretrained_focal_ls_cosine_mixup	efficientnet_b2	87.50%	89.52%	0.8956	4	5
cascade_pair_ad_sq_v3.1_pretrained_focal_ls_cosine_mixup_b3	cascade_pair_ad_sq	v3.1_pretrained_focal_ls_cosine_mixup	efficientnet_b3	94.44%	88.89%	0.8926	21	9
cascade_pair_ad_sq_v3.1_pretrained_focal_ls_cosine_mixup_b4	cascade_pair_ad_sq	v3.1_pretrained_focal_ls_cosine_mixup	efficientnet_b4	90.28%	89.21%	0.8923	16	8
cascade_pair_lc_sq_v3.1_pretrained_focal_ls_cosine_mixup	cascade_pair_lc_sq	v3.1_pretrained_focal_ls_cosine_mixup	efficientnet_b0	86.11%	73.33%	0.7487	18	21
cascade_pair_lc_sq_v3.1_pretrained_focal_ls_cosine_mixup_b1	cascade_pair_lc_sq	v3.1_pretrained_focal_ls_cosine_mixup	efficientnet_b1	88.89%	85.71%	0.8718	15	8
cascade_pair_lc_sq_v3.1_pretrained_focal_ls_cosine_mixup_b2	cascade_pair_lc_sq	v3.1_pretrained_focal_ls_cosine_mixup	efficientnet_b2	87.50%	88.25%	0.8857	4	15
cascade_pair_lc_sq_v3.1_pretrained_focal_ls_cosine_mixup_b3	cascade_pair_lc_sq	v3.1_pretrained_focal_ls_cosine_mixup	efficientnet_b3	94.44%	89.52%	0.8985	21	5
cascade_pair_lc_sq_v3.1_pretrained_focal_ls_cosine_mixup_b4	cascade_pair_lc_sq	v3.1_pretrained_focal_ls_cosine_mixup	efficientnet_b4	88.89%	88.57%	0.8876	16	8
cascade_v3.2_pretrained_focal_ls_cosine_cutmix	cascade_tumor3	v3.2_pretrained_focal_ls_cosine_cutmix	efficientnet_b0	87.50%	76.19%	0.7739	19	12
cascade_v3.2_pretrained_focal_ls_cosine_cutmix_b1	cascade_tumor3	v3.2_pretrained_focal_ls_cosine_cutmix	efficientnet_b1	94.44%	91.75%	0.9204	22	25
cascade_v3.2_pretrained_focal_ls_cosine_cutmix_b2	cascade_tumor3	v3.2_pretrained_focal_ls_cosine_cutmix	efficientnet_b2	91.67%	93.97%	0.9457	18	10
cascade_v3.2_pretrained_focal_ls_cosine_cutmix_b3	cascade_tumor3	v3.2_pretrained_focal_ls_cosine_cutmix	efficientnet_b3	94.44%	85.71%	0.8684	4	22
cascade_v3.2_pretrained_focal_ls_cosine_cutmix_b4	cascade_tumor3	v3.2_pretrained_focal_ls_cosine_cutmix	efficientnet_b4	88.89%	93.97%	0.9383	15	12
cascade_pair_ad_lc_v3.2_pretrained_focal_ls_cosine_cutmix	cascade_pair_ad_lc	v3.2_pretrained_focal_ls_cosine_cutmix	efficientnet_b0	90.28%	74.29%	0.7580	19	9
cascade_pair_ad_lc_v3.2_pretrained_focal_ls_cosine_cutmix_b1	cascade_pair_ad_lc	v3.2_pretrained_focal_ls_cosine_cutmix	efficientnet_b1	94.44%	90.79%	0.9137	22	21
cascade_pair_ad_lc_v3.2_pretrained_focal_ls_cosine_cutmix_b2	cascade_pair_ad_lc	v3.2_pretrained_focal_ls_cosine_cutmix	efficientnet_b2	91.67%	93.65%	0.9433	18	5
cascade_pair_ad_lc_v3.2_pretrained_focal_ls_cosine_cutmix_b3	cascade_pair_ad_lc	v3.2_pretrained_focal_ls_cosine_cutmix	efficientnet_b3	93.06%	80.00%	0.8194	4	18
cascade_pair_ad_lc_v3.2_pretrained_focal_ls_cosine_cutmix_b4	cascade_pair_ad_lc	v3.2_pretrained_focal_ls_cosine_cutmix	efficientnet_b4	87.50%	94.29%	0.9427	15	4
cascade_pair_ad_sq_v3.2_pretrained_focal_ls_cosine_cutmix	cascade_pair_ad_sq	v3.2_pretrained_focal_ls_cosine_cutmix	efficientnet_b0	91.67%	75.24%	0.7654	19	8
cascade_pair_ad_sq_v3.2_pretrained_focal_ls_cosine_cutmix_b1	cascade_pair_ad_sq	v3.2_pretrained_focal_ls_cosine_cutmix	efficientnet_b1	95.83%	91.11%	0.9148	22	21
cascade_pair_ad_sq_v3.2_pretrained_focal_ls_cosine_cutmix_b2	cascade_pair_ad_sq	v3.2_pretrained_focal_ls_cosine_cutmix	efficientnet_b2	91.67%	94.29%	0.9481	18	6
cascade_pair_ad_sq_v3.2_pretrained_focal_ls_cosine_cutmix_b3	cascade_pair_ad_sq	v3.2_pretrained_focal_ls_cosine_cutmix	efficientnet_b3	94.44%	83.17%	0.8459	4	19
cascade_pair_ad_sq_v3.2_pretrained_focal_ls_cosine_cutmix_b4	cascade_pair_ad_sq	v3.2_pretrained_focal_ls_cosine_cutmix	efficientnet_b4	87.50%	94.60%	0.9439	15	10
cascade_pair_lc_sq_v3.2_pretrained_focal_ls_cosine_cutmix	cascade_pair_lc_sq	v3.2_pretrained_focal_ls_cosine_cutmix	efficientnet_b0	90.28%	73.97%	0.7559	19	23
cascade_pair_lc_sq_v3.2_pretrained_focal_ls_cosine_cutmix_b1	cascade_pair_lc_sq	v3.2_pretrained_focal_ls_cosine_cutmix	efficientnet_b1	95.83%	90.16%	0.9073	22	12
cascade_pair_lc_sq_v3.2_pretrained_focal_ls_cosine_cutmix_b2	cascade_pair_lc_sq	v3.2_pretrained_focal_ls_cosine_cutmix	efficientnet_b2	91.67%	93.65%	0.9423	18	8
cascade_pair_lc_sq_v3.2_pretrained_focal_ls_cosine_cutmix_b3	cascade_pair_lc_sq	v3.2_pretrained_focal_ls_cosine_cutmix	efficientnet_b3	93.06%	80.00%	0.8188	4	25
cascade_pair_lc_sq_v3.2_pretrained_focal_ls_cosine_cutmix_b4	cascade_pair_lc_sq	v3.2_pretrained_focal_ls_cosine_cutmix	efficientnet_b4	87.50%	94.29%	0.9423	15	4
cascade_v3.3_pretrained_focal_ls_cosine_se	cascade_tumor3	v3.3_pretrained_focal_ls_cosine_se	efficientnet_b0	94.44%	78.73%	0.8012	11	17
cascade_v3.3_pretrained_focal_ls_cosine_se_b1	cascade_tumor3	v3.3_pretrained_focal_ls_cosine_se	efficientnet_b1	90.28%	93.02%	0.9350	15	10
cascade_v3.3_pretrained_focal_ls_cosine_se_b2	cascade_tumor3	v3.3_pretrained_focal_ls_cosine_se	efficientnet_b2	91.67%	84.13%	0.8516	10	20
cascade_v3.3_pretrained_focal_ls_cosine_se_b3	cascade_tumor3	v3.3_pretrained_focal_ls_cosine_se	efficientnet_b3	88.89%	92.38%	0.9283	19	11
cascade_v3.3_pretrained_focal_ls_cosine_se_b4	cascade_tumor3	v3.3_pretrained_focal_ls_cosine_se	efficientnet_b4	84.72%	89.21%	0.9015	10	12

cascade_pair_ad_lc_v3.3_pretrained_focal_ls_cosine_se	cascade_pair_ad_lc	v3.3_pretrained_focal_ls_cosine_se	efficientnet_b0	94.44%	78.10%	0.7972	11	5
cascade_pair_ad_lc_v3.3_pretrained_focal_ls_cosine_se_b1	cascade_pair_ad_lc	v3.3_pretrained_focal_ls_cosine_se	efficientnet_b1	88.89%	92.38%	0.9281	15	10
cascade_pair_ad_lc_v3.3_pretrained_focal_ls_cosine_se_b2	cascade_pair_ad_lc	v3.3_pretrained_focal_ls_cosine_se	efficientnet_b2	90.28%	83.81%	0.8499	10	3
cascade_pair_ad_lc_v3.3_pretrained_focal_ls_cosine_se_b3	cascade_pair_ad_lc	v3.3_pretrained_focal_ls_cosine_se	efficientnet_b3	87.50%	92.06%	0.9247	19	12
cascade_pair_ad_lc_v3.3_pretrained_focal_ls_cosine_se_b4	cascade_pair_ad_lc	v3.3_pretrained_focal_ls_cosine_se	efficientnet_b4	84.72%	89.52%	0.9012	10	3
cascade_pair_ad_sq_v3.3_pretrained_focal_ls_cosine_se	cascade_pair_ad_sq	v3.3_pretrained_focal_ls_cosine_se	efficientnet_b0	93.06%	76.83%	0.7857	11	12
cascade_pair_ad_sq_v3.3_pretrained_focal_ls_cosine_se_b1	cascade_pair_ad_sq	v3.3_pretrained_focal_ls_cosine_se	efficientnet_b1	88.89%	93.65%	0.9390	15	16
cascade_pair_ad_sq_v3.3_pretrained_focal_ls_cosine_se_b2	cascade_pair_ad_sq	v3.3_pretrained_focal_ls_cosine_se	efficientnet_b2	88.89%	86.67%	0.8749	10	5
cascade_pair_ad_sq_v3.3_pretrained_focal_ls_cosine_se_b3	cascade_pair_ad_sq	v3.3_pretrained_focal_ls_cosine_se	efficientnet_b3	87.50%	92.70%	0.9295	19	4
cascade_pair_ad_sq_v3.3_pretrained_focal_ls_cosine_se_b4	cascade_pair_ad_sq	v3.3_pretrained_focal_ls_cosine_se	efficientnet_b4	84.72%	88.25%	0.8887	10	21
cascade_pair_lc_sq_v3.3_pretrained_focal_ls_cosine_se	cascade_pair_lc_sq	v3.3_pretrained_focal_ls_cosine_se	efficientnet_b0	93.06%	77.46%	0.7895	11	7
cascade_pair_lc_sq_v3.3_pretrained_focal_ls_cosine_se_b1	cascade_pair_lc_sq	v3.3_pretrained_focal_ls_cosine_se	efficientnet_b1	88.89%	92.70%	0.9301	15	17
cascade_pair_lc_sq_v3.3_pretrained_focal_ls_cosine_se_b2	cascade_pair_lc_sq	v3.3_pretrained_focal_ls_cosine_se	efficientnet_b2	88.89%	85.71%	0.8686	10	10
cascade_pair_lc_sq_v3.3_pretrained_focal_ls_cosine_se_b3	cascade_pair_lc_sq	v3.3_pretrained_focal_ls_cosine_se	efficientnet_b3	87.50%	91.75%	0.9211	19	3
cascade_pair_lc_sq_v3.3_pretrained_focal_ls_cosine_se_b4	cascade_pair_lc_sq	v3.3_pretrained_focal_ls_cosine_se	efficientnet_b4	84.72%	88.57%	0.8915	10	10
cascade_v3.4_pretrained_focal_ls_cosine_cbam	cascade_tumor3	v3.4_pretrained_focal_ls_cosine_cbam	efficientnet_b0	93.06%	87.62%	0.8773	17	12
cascade_v3.4_pretrained_focal_ls_cosine_cbam_b1	cascade_tumor3	v3.4_pretrained_focal_ls_cosine_cbam	efficientnet_b1	93.06%	89.84%	0.9077	9	13
cascade_v3.4_pretrained_focal_ls_cosine_cbam_b2	cascade_tumor3	v3.4_pretrained_focal_ls_cosine_cbam	efficientnet_b2	87.50%	75.24%	0.7908	4	10
cascade_v3.4_pretrained_focal_ls_cosine_cbam_b3	cascade_tumor3	v3.4_pretrained_focal_ls_cosine_cbam	efficientnet_b3	87.50%	92.06%	0.9265	10	18
cascade_v3.4_pretrained_focal_ls_cosine_cbam_b4	cascade_tumor3	v3.4_pretrained_focal_ls_cosine_cbam	efficientnet_b4	88.89%	90.79%	0.9150	11	10
cascade_pair_ad_lc_v3.4_pretrained_focal_ls_cosine_cbam	cascade_pair_ad_lc	v3.4_pretrained_focal_ls_cosine_cbam	efficientnet_b0	93.06%	86.35%	0.8640	17	13
cascade_pair_ad_lc_v3.4_pretrained_focal_ls_cosine_cbam_b1	cascade_pair_ad_lc	v3.4_pretrained_focal_ls_cosine_cbam	efficientnet_b1	93.06%	90.16%	0.9103	9	10
cascade_pair_ad_lc_v3.4_pretrained_focal_ls_cosine_cbam_b2	cascade_pair_ad_lc	v3.4_pretrained_focal_ls_cosine_cbam	efficientnet_b2	86.11%	73.33%	0.7725	4	7
cascade_pair_ad_lc_v3.4_pretrained_focal_ls_cosine_cbam_b3	cascade_pair_ad_lc	v3.4_pretrained_focal_ls_cosine_cbam	efficientnet_b3	88.89%	91.43%	0.9211	10	14
cascade_pair_ad_lc_v3.4_pretrained_focal_ls_cosine_cbam_b4	cascade_pair_ad_lc	v3.4_pretrained_focal_ls_cosine_cbam	efficientnet_b4	88.89%	90.48%	0.9083	11	6
cascade_pair_ad_sq_v3.4_pretrained_focal_ls_cosine_cbam	cascade_pair_ad_sq	v3.4_pretrained_focal_ls_cosine_cbam	efficientnet_b0	93.06%	86.67%	0.8674	17	5
cascade_pair_ad_sq_v3.4_pretrained_focal_ls_cosine_cbam_b1	cascade_pair_ad_sq	v3.4_pretrained_focal_ls_cosine_cbam	efficientnet_b1	93.06%	90.16%	0.9083	9	16
cascade_pair_ad_sq_v3.4_pretrained_focal_ls_cosine_cbam_b2	cascade_pair_ad_sq	v3.4_pretrained_focal_ls_cosine_cbam	efficientnet_b2	87.50%	74.92%	0.7866	4	4
cascade_pair_ad_sq_v3.4_pretrained_focal_ls_cosine_cbam_b3	cascade_pair_ad_sq	v3.4_pretrained_focal_ls_cosine_cbam	efficientnet_b3	87.50%	90.79%	0.9153	10	7
cascade_pair_ad_sq_v3.4_pretrained_focal_ls_cosine_cbam_b4	cascade_pair_ad_sq	v3.4_pretrained_focal_ls_cosine_cbam	efficientnet_b4	88.89%	90.16%	0.9052	11	8
cascade_pair_lc_sq_v3.4_pretrained_focal_ls_cosine_cbam	cascade_pair_lc_sq	v3.4_pretrained_focal_ls_cosine_cbam	efficientnet_b0	93.06%	86.67%	0.8681	17	16
cascade_pair_lc_sq_v3.4_pretrained_focal_ls_cosine_cbam_b1	cascade_pair_lc_sq	v3.4_pretrained_focal_ls_cosine_cbam	efficientnet_b1	93.06%	89.52%	0.9043	9	19
cascade_pair_lc_sq_v3.4_pretrained_focal_ls_cosine_cbam_b2	cascade_pair_lc_sq	v3.4_pretrained_focal_ls_cosine_cbam	efficientnet_b2	87.50%	73.65%	0.7760	4	12
cascade_pair_lc_sq_v3.4_pretrained_focal_ls_cosine_cbam_b3	cascade_pair_lc_sq	v3.4_pretrained_focal_ls_cosine_cbam	efficientnet_b3	87.50%	91.11%	0.9174	10	11

cascade_pair_lc_sq_v3.4_pretrained_focal_ls_cosine_cbam_b4	cascade_pair_lc_sq	v3.4_pretrained_focal_ls_cosine_cbam	efficientnet_b4	88.89%	90.48%	0.9093	11	8
--	--------------------	--------------------------------------	-----------------	--------	--------	--------	----	---