```
<style>
    .boutton-abonner{
        background-color: red;
        color: white;
        border: none;
        /*Remplacement de width avec padding*/
        padding-top: 10px;
        padding-bottom: 10px;
        padding-left: 16px;
        padding-right: 16px;
        border-radius: 2px;
        cursor: pointer;
        margin-right: 8px;
    }
    /*Pseudo Class: Pseudo Classe(In French) */
    .boutton-abonner:hover{
        /*background-color: green;*/
        opacity: 0.8;
    }
    .boutton-abonner:active{
        /*background-color: blue;*/
        opacity: 0.5;
    .boutton-rejoindre{
        background-color: white;
        color: rgb(41,118, 211);
        border-color: rgb(41,118, 211);
        border-width: 1px;
        /*Remplacement de width avec padding*/
        padding-top: 9px;
        padding-bottom: 9px;
        padding-left: 16px;
```

```
padding-right: 16px;
        border-style: solid;
        border-radius: 2px;
        cursor: pointer;
        margin-right: 8px;
        transition: background-color 0.15s,
            color 0.15s;
    .boutton-rejoindre:hover{
        background-color: rgb(41,118, 211);
        color: white;
        /*transition: 2s;*/
    .boutton-rejoindre:active{
        opacity: 0.7;
    .boutton-tweet{
        background-color: rgb(2,158,255);
        border: none;
        color: white;
        font-weight: bold;
        font-size: 15px;
        /*Remplacement de width avec padding*/
        padding-top: 9px;
        padding-bottom: 9px;
        padding-left: 16px;
        padding-right: 16px;
        border-radius: 18px;
        cursor: pointer;
    .boutton-tweet:hover{
        box-shadow: 10px 10px 10px rgb(211, 211, 211);
</style>
<button class="boutton-abonner">Abonner</button>
<button class="boutton-rejoindre">Rejoindre ma chaine</button>
```

<button class="boutton-tweet">Tweet</button>

<!-- Ici c'est un commentaire -->