

```
Windows PowerShell x salim@DESKTOP-BBJTK06: ~/ x + v - □ X
salim@DESKTOP-BBJTK06:~$ mkdir user backu
salim@DESKTOP-BBJTK06:~$ cd user backu
-bash: cd: too many arguments
salim@DESKTOP-BBJTK06:~$ tree
.
├── MonDossier
│   ├── MonFichier.txt
│   └── mon_script.sh
├── NouveauDossier
│   └── FichierAutomatique.txt
├── backu
├── projet
│   ├── docs
│   │   └── README.txt
│   └── scripts
│       └── main.sh
└── user

8 directories, 5 files
salim@DESKTOP-BBJTK06:~$ mv user user_backup
salim@DESKTOP-BBJTK06:~$ ls
MonDossier NouveauDossier backu projet user_backup
salim@DESKTOP-BBJTK06:~$ cd user_backup
salim@DESKTOP-BBJTK06:~/user_backup$ mkdir important
salim@DESKTOP-BBJTK06:~/user_backup$ cd important
salim@DESKTOP-BBJTK06:~/user_backup/important$ mkdir temporiae
salim@DESKTOP-BBJTK06:~/user_backup/important$ cd temporiae
salim@DESKTOP-BBJTK06:~/user_backup/important/temporiae$ mkdir rapport
salim@DESKTOP-BBJTK06:~/user_backup/important/temporiae$ cd ..
salim@DESKTOP-BBJTK06:~/user_backup/important$ cd ..
salim@DESKTOP-BBJTK06:~/user_backup$ touch todo.txt
salim@DESKTOP-BBJTK06:~/user_backup$ touch note1.txt
salim@DESKTOP-BBJTK06:~/user_backup$ touch brouillon.txt
salim@DESKTOP-BBJTK06:~/user_backup$ touch test1.log
salim@DESKTOP-BBJTK06:~/user_backup$ touch test2.log
salim@DESKTOP-BBJTK06:~/user_backup$ mv todo.txt
```

```
Windows PowerShell
salim@DESKTOP-BBJTK06: ~/
+ v - □ ×

├── main.sh
└── user

8 directories, 5 files
salim@DESKTOP-BBJTK06:~$ mv user user_backup
salim@DESKTOP-BBJTK06:~$ ls
MonDossier NouveauDossier backu projet user_backup
salim@DESKTOP-BBJTK06:~$ cd user_backup
salim@DESKTOP-BBJTK06:~/user_backup$ mkdir important
salim@DESKTOP-BBJTK06:~/user_backup$ cd important
salim@DESKTOP-BBJTK06:~/user_backup/important$ mkdir temporiae
salim@DESKTOP-BBJTK06:~/user_backup/important$ cd temporiae
salim@DESKTOP-BBJTK06:~/user_backup/important/temporiae$ mkdir rapport
salim@DESKTOP-BBJTK06:~/user_backup/important/temporiae$ cd ..
salim@DESKTOP-BBJTK06:~/user_backup/important$ cd ..
salim@DESKTOP-BBJTK06:~/user_backup$ touch todo.txt
salim@DESKTOP-BBJTK06:~/user_backup$ touch notel.txt
salim@DESKTOP-BBJTK06:~/user_backup$ touch brouillon.txt
salim@DESKTOP-BBJTK06:~/user_backup$ touch test1.log
salim@DESKTOP-BBJTK06:~/user_backup$ touch test2.log
salim@DESKTOP-BBJTK06:~/user_backup$ mv todo.txt notel.txt important
salim@DESKTOP-BBJTK06:~/user_backup$ mv brouillon.txt test1.log test2.
log temporaire
mv: target 'temporaire': No such file or directory
salim@DESKTOP-BBJTK06:~/user_backup$ tree
.
├── brouillon.txt
├── important
│   ├── notel.txt
│   ├── temporiae
│   │   └── rapport
│   └── todo.txt
├── test1.log
└── test2.log

4 directories, 5 files
salim@DESKTOP-BBJTK06:~/user_backup$
```

```
Windows PowerShell
salim@DESKTOP-BBJTK06: ~

4 directories, 5 files
salim@DESKTOP-BBJTK06:~/user_backup$ cp important/todo.txt rapport/tod
o_backup.txt
cp: cannot create regular file 'rapport/todo_backup.txt': No such file
or directory
salim@DESKTOP-BBJTK06:~/user_backup$ mkdir -p user_backup
salim@DESKTOP-BBJTK06:~/user_backup$ cd user_backup
salim@DESKTOP-BBJTK06:~/user_backup/user_backup$ cp important/todo.txt
rapport/todo_backup.txt
cp: cannot stat 'important/todo.txt': No such file or directory
salim@DESKTOP-BBJTK06:~/user_backup/user_backup$ cd..
cd..: command not found
salim@DESKTOP-BBJTK06:~/user_backup/user_backup$ cd ..
salim@DESKTOP-BBJTK06:~/user_backup$ cd ..
salim@DESKTOP-BBJTK06:~$ tree
.
├── MonDossier
│   ├── MonFichier.txt
│   └── mon_script.sh
├── NouveauDossier
│   └── FichierAutomatique.txt
├── backu
├── projet
│   ├── docs
│   │   └── README.txt
│   ├── scripts
│   │   └── main.sh
├── user_backup
│   ├── brouillon.txt
│   ├── important
│   │   ├── note1.txt
│   │   ├── temporiae
│   │   │   └── rapport
│   └── todo.txt
├── test1.log
└── test2.log
```

```
salim@DESKTOP-BBJTK06:~/user_backup/important$ cp todo.txt todo_backup.txt
```

```
salim@DESKTOP-BBJTK06:~/user_backup/important$ tree
```

```
.
├── notel.txt
├── temporiae
│   └── rapport
├── todo.txt
└── todo_backup.txt
```

```
3 directories, 3 files
```

```
salim@DESKTOP-BBJTK06:~/user_backup/important$ mv todo_backup.txt rapport
```

```
salim@DESKTOP-BBJTK06:~/user_backup/important$ tree
```

```
.
├── notel.txt
├── rapport
├── temporiae
│   └── rapport
└── todo.txt
```

```
3 directories, 3 files
```

```
salim@DESKTOP-BBJTK06:~/user_backup/important$
```

```
Windows PowerShell
salim@DESKTOP-BBJTK06: ~/
salim@DESKTOP-BBJTK06:~/user_backup$ rm -f temporaire/*.log
salim@DESKTOP-BBJTK06:~/user_backup$ rm -rf temporaire/
salim@DESKTOP-BBJTK06:~/user_backup$ pwd
/home/salim/user_backup
salim@DESKTOP-BBJTK06:~/user_backup$ tree
.
├── brouillon.txt
├── important
│   ├── notel.txt
│   ├── rapport
│   ├── temporiae
│   │   └── rapport
│   └── todo.txt
├── test1.log
├── test2.log
└── user_backup

5 directories, 6 files
salim@DESKTOP-BBJTK06:~/user_backup$ zip -r important_backup.zip impor
tant
Command 'zip' not found, but can be installed with:
sudo apt install zip
salim@DESKTOP-BBJTK06:~/user_backup$ sudo apt install zip
[sudo] password for salim:
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
The following additional packages will be installed:
  unzip
The following NEW packages will be installed:
  unzip zip
0 upgraded, 2 newly installed, 0 to remove and 176 not upgraded.
Need to get 350 kB of archives.
After this operation, 933 kB of additional disk space will be used.
Do you want to continue? [Y/n] y
Get:1 http://archive.ubuntu.com/ubuntu noble-updates/main amd64 unzip
amd64 6.0-28ubuntu4.1 [174 kB]
```

```
Windows PowerShell
salim@DESKTOP-BBJTK06: ~/user_backup$ zip -r important_backup.zip important
Command 'zip' not found, but can be installed with:
sudo apt install zip
salim@DESKTOP-BBJTK06:~/user_backup$ sudo apt install zip
[sudo] password for salim:
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
The following additional packages will be installed:
  unzip
The following NEW packages will be installed:
  unzip zip
0 upgraded, 2 newly installed, 0 to remove and 176 not upgraded.
Need to get 350 kB of archives.
After this operation, 933 kB of additional disk space will be used.
Do you want to continue? [Y/n] y
Get:1 http://archive.ubuntu.com/ubuntu noble-updates/main amd64 unzip
amd64 6.0-28ubuntu4.1 [174 kB]
Get:2 http://archive.ubuntu.com/ubuntu noble-updates/main amd64 zip am
d64 3.0-13ubuntu0.2 [176 kB]
Fetched 350 kB in 2s (167 kB/s)
Selecting previously unselected package unzip.
(Reading database ... 40801 files and directories currently installed.
)
Preparing to unpack .../unzip_6.0-28ubuntu4.1_amd64.deb ...
Unpacking unzip (6.0-28ubuntu4.1) ...
Selecting previously unselected package zip.
Preparing to unpack .../zip_3.0-13ubuntu0.2_amd64.deb ...
Unpacking zip (3.0-13ubuntu0.2) ...
Setting up unzip (6.0-28ubuntu4.1) ...
Setting up zip (3.0-13ubuntu0.2) ...
Processing triggers for man-db (2.12.0-4build2) ...
salim@DESKTOP-BBJTK06:~/user_backup$
```