



T7 LOGIN


axe DevTools








View the Documentation for this application.
Bug Hunting Mode - Find & Report Bugs!
Bug Hunting Guide
Home Categories Contakt Sign in
Login
memawtester@gmail.com
Login
Not yet an account? Register your account
Forgot your Password?
LEARN & EXPLORE
Learn Test Automation
Hands-on courses for Playwright, Robot Framework, APIs and more
API Spector
Open-source API testing, mocking and contract testing
GitHub
Source code, issues and contributions
This is a DEMO application, used for software testing training purpose. | Banner photo by Barn Images on Unsplash.
DevTools
axe-core 4.13.0
Sign up / Sign in
start new scan
Total Issues: 4
Elements must meet minimum color contrast ratio thresholds
2
1 of 2
Highlight
Share Issue
Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds
more information
Element Location: p > a[target="_blank"]:nth-child(1)
To solve this problem, you need to fix the following:
Element has insufficient color contrast of 4.26 (foreground color: #0d6efd, background color: #f8f9fa, font size: 12.0pt (16px), font weight: normal). Expected contrast ratio of 4.5:1
Related Node
Found: Automatically
Impact: serious
cat.color
wcag2aa
wcag143
TTv5
TT13.c
EN-301-549
EN-9.1.4.3
ACT
RGAAv4
RGAA-3.2.1
Found on: 10/25/2026 at 4:55 PM
Images must have alternative text
1
Unlock Pro



View the Documentation for this application.
Bug Hunting Mode - Find & Report Bugs!
Bug Hunting Guide
Home Categories Contakt Sign in
Login
memawtester@gmail.com
Login
Not yet an account? Register your account
Forgot your Password?
LEARN & EXPLORE
Learn Test Automation
Hands-on courses for Playwright, Robot Framework, APIs and more
API Spector
Open-source API testing, mocking and contract testing
GitHub
Source code, issues and contributions
This is a DEMO application, used for software testing training purpose. | Banner photo by Barn Images on Unsplash.
DevTools
axe-core 4.13.0
Sign up / Sign in
start new scan
Total Issues: 4
Elements must meet minimum color contrast ratio thresholds
2
2 of 2
Next Issue
Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds
more information
Element Location: a[target="_blank"]:nth-child(2)
To solve this problem, you need to fix the following:
Element has insufficient color contrast of 4.26 (foreground color: #0d6efd, background color: #f8f9fa, font size: 12.0pt (16px), font weight: normal). Expected contrast ratio of 4.5:1
Related Node
Found: Automatically
Impact: serious
cat.color
wcag2aa
wcag143
TTv5
TT13.c
EN-301-549
EN-9.1.4.3
ACT
RGAAv4
RGAA-3.2.1
Found on: 10/25/2026 at 4:55 PM
Images must have alternative text
1
Unlock Pro


with-bugs.practicesoftwaretesting.com/#/auth/login
View the Documentation for this application.
Bug Hunting Mode - Find & Report Bugs!
Bug Hunting Guide
Home Categories Contakt Sign in
Login
memawtester@gmail.com
Login
Not yet an account? Register your account
Forgot your Password?
LEARN & EXPLORE
Learn Test Automation
Hands-on courses for Playwright, Robot Framework, APIs and more
API Spector
Open-source API testing, mocking and contract testing
GitHub
Source code, issues and contributions
This is a DEMO application, used for software testing training purpose. | Banner photo by Barn Images on Unsplash.
DevTools
axe-core 4.13.0
Sign up / Sign in
start new scan
Total Issues: 4
Images must have alternative text
Highlight
Share Issue
Ensure <img> elements have alternative text or a role of none or presentation
more information
Element Location: img
To solve this problem, you need to fix at least (1) of the following:
Element does not have an alt attribute
aria-label attribute does not exist or is empty
aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty
Element has no title attribute
Element's default semantics were not overridden with role="none" or role="presentation"
Found: Automatically
Impact: critical
cat.text-alternatives
wcag2a
wcag111
section508
section508.22.a
TTv5
TT7.a
TT7.b
EN-301-549
EN-9.1.1.1
ACT
ROAAv4
ROAA-1.1.1
Found on: 10/25/2026 at 4:55 PM
Unlock Pro
Get greater coverage with Pro
Find and fix more accessibility issues with AI-powered advanced rules and automated Intelligent Guided Tests.



practicesoftwaretesting.com/auth/login
View the Documentation for this application.
Practice Black Box Testing & Bug Hunting
Testing Guide
Bug Hunting
TOOLSHOP DEMO
Home Categories Contact Sign in EN
Login
Sign in with Google
or use
Email address *
testermemaw1@gmail.com
Password *
Login
Not yet an account? Register your account
Forgot your Password?
LEARN & EXPLORE
Learn Test Automation
Hands-on courses for Playwright, Robot Framework, APIs and more
API Spector
Open-source API testing, mocking and contract testing
GitHub
Source code, issues and contributions
DevTools
axe-core 4.13.0
Sign up / Sign in
start new scan
Overview
Guided Tests
Test Name
Save Test
Test URL
Re-run scan
https://practicesoftwaretesting.com/auth/login
TOTAL ISSUES
1
Automatic Issues 1
Guided Issues 0
Manual Issues 0
Critical 1
Serious 0
Moderate 0
Minor 0
Best Practices: OFF
WCAG 2.1 AA
Export
Total Issues: 1
Buttons must have discernible text
Highlight
Share Issue
Ensure buttons have discernible text
more information
Element Location: .btn-outline-secondary
To solve this problem, you need to fix at least (1) of the following:



View the Documentation for this application.
Practice Black Box Testing & Bug Hunting
Testing Guide
Bug Hunting
TOOLSHOP
DEMO
Home
Categories
Contact
Sign in
EN
Login
Sign in with Google
or use
Email address *
testermemaw1@gmail.com
Password *
Login
Not yet an account? Register your account
Forgot your Password?
LEARN & EXPLORE
Learn Test Automation
Hands-on courses for Playwright, Robot Framework, APIs and more
API Spector
Open-source API testing, mocking and contract testing
GitHub
Source code, issues and contributions
DevTools
axe-core 4.13.0
Sign up / Sign in
start new scan
Total Issues: 1
Buttons must have discernible text
1
1 of 1
Highlight
Share Issue
Ensure buttons have discernible text
more information
Element Location: .btn-outline-secondary
<button type="button" class="btn btn-outline-secondary">
To solve this problem, you need to fix at least (1) of the following:
Element does not have inner text that is visible to screen readers
aria-label attribute does not exist or is empty
aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty
Element has no title attribute
Element does not have an implicit (wrapped) <label>
Element does not have an explicit <label>
Element's default semantics were not overridden with role="none" or role="presentation"
Found: Automatically
Impact: critical
cat.name-role-value
wcag2a
wcag412
section508
section508.22.a
TTv5
TT6.a
EN-301-549
EN-9.4.1.2
ACT
RGAAv4
RGAA-11.9.1
Found on: 10/25/2026 at 4:56 PM
Unlock Pro
Search
16:57
25/10/2026


WAVE


WAVE
web accessibility evaluation tool
powered by WebAIM
Styles: OFF ON
Details
Details Reference Order Structure Contrast
5 Errors
2 Contrast Errors
4 Alerts
1 Features
6 Structure
19 ARIA
AIM Score: 6.9 out of 10
5 Errors
1 Linked image missing alternative text
2 Missing form label
1 Empty button
1 Broken ARIA reference
2 Contrast Errors
2 Very low contrast
4 Alerts
1 Missing first level heading
The following apply to the entire page:
View the Documentation for this application.
Bug Hunting Mode - Find & Report Bugs!
Bug Hunting Guide
Home
Categories
Contakt
Sign in
Login
memawtester@gmail.com
Login
Not yet an account? Register your account
Forgot your Password?
Learn Test Automation
API Spector
Code
GitHub


WAVE
web accessibility evaluation tool
powered by WebAIM
Styles: OFF ON
Details
Details Reference Order Structure Contrast
4 Alerts
1 Missing first level heading
1 Noscript element
2 Tabindex
1 Features
1 Language
6 Structural Elements
1 Heading level 3
2 Unordered list
1 Inline frame
1 Navigation
1 Footer
The following apply to the entire page:
View the Documentation for this application.
Bug Hunting Mode - Find & Report Bugs!
Bug Hunting Guide
Home
Categories
Contakt
Sign in
Login
memawtester@gmail.com
Login
Not yet an account? Register your account
Forgot your Password?
Learn Test Automation
API Spector
Code
GitHub



WAVE
web accessibility evaluation tool
powered by WebAIM
Styles: OFF ON
Details
Details
Reference
Order
Structure
Contrast
1 Inline frame
1 Navigation
1 Footer
19 ARIA
8 ARIA
3 ARIA label
1 ARIA alert or live region
1 ARIA menu
1 ARIA button
3 ARIA hidden
2 ARIA expanded
Login
memawtester@gmail.com
Login
Not yet an account? Register your account
Forgot your Password?
LEARN & EXPLORE
Learn Test Automation
Hands-on courses for Playwright, Robot Framework, APIs and more
API Spector
Open-source API testing, mocking and contract testing
GitHub
Source code, issues and contributions
This is a DEMO application, used for software testing training purpose. | Banner photo by Barn Images on Unsplash.
Code



WAVE
web accessibility evaluation tool
powered by WebAIM
Styles: OFF ON
Details
1 Errors
0 Contrast Errors
3 Alerts
3 Features
6 Structure
40 ARIA
AIM Score: 9.7 out of 10
1 Errors
1 Empty button
3 Alerts
1 Missing first level heading
1 Redundant link
1 Noscript element
3 Features
2 Form label
1 Language
The following apply to the entire page:
View the Documentation for this application.
Practice Black Box Testing & Bug Hunting
Testing Guide
Bug Hunting
TOOLSHOP DEMO
Home
Categories
Contact
Sign in
Login
Sign in with Google
or use
Email address *
testermemaw1@gmail.com
Password *
Code


WAVE
web accessibility evaluation tool
powered by WebAIM
Styles: OFF ON
Details
Details
Reference
Order
Structure
Contrast
6 Structural Elements
1 Heading level 3
3 Unordered list
1 Navigation
1 Footer
40 ARIA
17 ARIA
12 ARIA label
2 ARIA menu
6 ARIA hidden
The following apply to the entire page:
View the Documentation for this application.
Practice Black Box Testing & Bug Hunting
Testing Guide
Bug Hunting
Home
Categories
Contact
Sign in
TOOLSHOP
DEMO
Login
Sign in with Google
or use
Email address *
testermemaw1@gmail.com
Password *
Code
3 ARIA expanded
Login
Not yet an account? Register your account
Forgot your Password?
LEARN & EXPLORE
Learn Test Automation
Hands-on courses for Playwright, Robot Framework, APIs and more
API Spector
Open-source API testing, mocking and contract testing
GitHub
Source code, issues and contributions
This is a DEMO application, used for software testing training purpose. | Privacy Policy | Banner photo by Barn Images on Unsplash.


LIGHTHOUSE



View the Documentation for this application.
Bug Hunting Mode - Find & Report Bugs!
Bug Hunting Guide
Home
Categories
Contakt
Sign in
Login
memawrioster@gmail.com
Login
Not yet an account? Register your account
Forgot your Password?
LEARN & EXPLORE
Learn Test Automation
Hands-on courses for Playwright, Robot Framework, APIs and more
API Spector
Open-source API testing, mocking and contract testing
GitHub
Source code, issues and contributions
This is a DEMO application, used for software testing training purpose. | Banner photo by Barn Images on Unsplash.
Generate a Lighthouse report
Analyze page load
Mode
Navigation (default)
Timespan
Snapshot
Device
Mobile
Desktop
Categories
Performance
Accessibility
Best practices
SEO
Agentic browsing



View the Documentation for this application.
Bug Hunting Mode - Find & Report Bugs!
Bug Hunting Guide
Home
Categories
Contakt
Sign in
Login
memawrioster@gmail.com
Login
Not yet an account? Register your account
Forgot your Password?
LEARN & EXPLORE
Learn Test Automation
Hands-on courses for Playwright, Robot Framework, APIs and more
API Spector
Open-source API testing, mocking and contract testing
GitHub
Source code, issues and contributions
This is a DEMO application, used for software testing training purpose. | Banner photo by Barn Images on Unsplash.
79
Accessibility
NAMES AND LABELS
Buttons do not have an accessible name
Image elements do not have [alt] attributes
CONTRAST
Background and foreground colors do not have a sufficient contrast ratio.
NAVIGATION
Some elements have a [tabindex] value greater than 0
BEST PRACTICES
Document does not have a main landmark.


Practice Software Testing - Tool
with-bugs.practicesoftwaretesting.com/#/auth/login
Ask Gemini
View the Documentation for this application.
Bug Hunting Mode - Find & Report Bugs!
Bug Hunting Guide
Home
Categories
Contakt
Sign in
Login
memawtester@gmail.com
Login
Not yet an account? Register your account
Forgot your Password?
LEARN & EXPLORE
Learn Test Automation
Hands-on courses for Playwright, Robot Framework, APIs and more
API Spector
Open-source API testing, mocking and contract testing
GitHub
Source code, issues and contributions
This is a DEMO application, used for software testing training purpose. | Banner photo by Barn Images on Unsplash.
Elements
Console
Sources
Network
Performance
Lighthouse
https://with-bugs.practicesoftwaretesting.com/#/auth/login
NAMES AND LABELS
Buttons do not have an accessible name
When a button doesn't have an accessible name, screen readers announce it as "button", making it unusable for users who rely on screen readers. Learn how to make buttons more accessible.
Failing Elements
app-password-input#password > div.input-group > div.input-group-append > button.btn
Image elements do not have [alt] attributes
Informative elements should aim for short, descriptive alternate text. Decorative elements can be ignored with an empty alt attribute. Learn more about the alt attribute.
nav.navbar > div.container > a.navbar-brand > img
These are opportunities to improve the semantics of the controls in your application. This may enhance the experience for users of assistive technology, like a screen reader.
CONTRAST
Background and foreground colors do not have a sufficient contrast ratio.
Search
17:00
25/10/2026


Practice Software Testing - Tool
with-bugs.practicesoftwaretesting.com/#/auth/login
Ask Gemini
View the Documentation for this application.
Bug Hunting Mode - Find & Report Bugs!
Bug Hunting Guide
Home
Categories
Contakt
Sign in
Login
memawtester@gmail.com
Login
Not yet an account? Register your account
Forgot your Password?
LEARN & EXPLORE
Learn Test Automation
Hands-on courses for Playwright, Robot Framework, APIs and more
API Spector
Open-source API testing, mocking and contract testing
GitHub
Source code, issues and contributions
This is a DEMO application, used for software testing training purpose. | Banner photo by Barn Images on Unsplash.
Elements
Console
Sources
Network
Performance
Lighthouse
https://with-bugs.practicesoftwaretesting.com/#/auth/login
CONTRAST
Background and foreground colors do not have a sufficient contrast ratio.
Low-contrast text is difficult or impossible for many users to read. Learn how to provide sufficient color contrast.
Failing Elements
Barn Images
Unsplash
This is a DEMO application, used for software testing training purpose. | Banne...
These are opportunities to improve the legibility of your content.
NAVIGATION
Some elements have a [tabindex] value greater than 0
A value greater than 0 implies an explicit navigation ordering. Although technically valid, this often creates frustrating experiences for users who rely on assistive technologies. Learn more about the tabindex attribute.
Failing Elements
Search
17:00
25/10/2026


Practice Software Testing - Tool
with-bugs.practicesoftwaretesting.com/#/auth/login
Ask Gemini
View the Documentation for this application.
Bug Hunting Mode - Find & Report Bugs!
Bug Hunting Guide
Home
Categories
Contakt
Sign in
Login
memawtester@gmail.com
Login
Not yet an account? Register your account
Forgot your Password?
LEARN & EXPLORE
Learn Test Automation
Hands-on courses for Playwright, Robot Framework, APIs and more
API Spector
Open-source API testing, mocking and contract testing
GitHub
Source code, issues and contributions
This is a DEMO application, used for software testing training purpose. | Banner photo by Barn Images on Unsplash.
Elements
Console
Sources
Network
Performance
Lighthouse
NAVIGATION
Some elements have a [tabindex] value greater than 0
A value greater than 0 implies an explicit navigation ordering. Although technically valid, this often creates frustrating experiences for users who rely on assistive technologies. Learn more about the tabindex attribute.
Failing Elements
div.col-lg-6 > form.ng-untouched > div.input-group > input#email
div.col-lg-6 > form.ng-untouched > div.input-group > input.btnSubmit
These are opportunities to improve keyboard navigation in your application.
BEST PRACTICES
Document does not have a main landmark.
These items highlight common accessibility best practices.
ADDITIONAL ITEMS TO MANUALLY CHECK (10)
Show
These items address areas which an automated testing tool cannot cover. Learn more in our guide on conducting an accessibility review.
PASSED AUDITS (17)
Show


Practice Software Testing - Tool
with-bugs.practicesoftwaretesting.com/#/auth/login
Ask Gemini
View the Documentation for this application.
Bug Hunting Mode - Find & Report Bugs!
Bug Hunting Guide
Home
Categories
Contakt
Sign in
Login
memawtester@gmail.com
Login
Not yet an account? Register your account
Forgot your Password?
LEARN & EXPLORE
Learn Test Automation
Hands-on courses for Playwright, Robot Framework, APIs and more
API Spector
Open-source API testing, mocking and contract testing
GitHub
Source code, issues and contributions
This is a DEMO application, used for software testing training purpose. | Banner photo by Barn Images on Unsplash.
Elements
Console
Sources
Network
Performance
Lighthouse
These are opportunities to improve keyboard navigation in your application.
BEST PRACTICES
Document does not have a main landmark.
One main landmark helps screen reader users navigate a web page. Learn more about landmarks.
Failing Elements
html
These items highlight common accessibility best practices.
ADDITIONAL ITEMS TO MANUALLY CHECK (10)
Show
These items address areas which an automated testing tool cannot cover. Learn more in our guide on conducting an accessibility review.
PASSED AUDITS (17)
Show
NOT APPLICABLE (41)
Show
Captured at Oct 25, 2026, 4:59 PM GMT+7
Initial page load
Emulated Moto G Power with Lighthouse 13.4.1
Slow 4G throttling
Single page session
Using Chromium 155.0.0.0 with devtools
Generated by Lighthouse 13.4.1 | File an issue


Practice Black Box Testing & Bug Hunting
Testing Guide
Bug Hunting
TOOLSHOP
DEMO
Home
Categories
Contact
Sign in
EN
Login
Sign in with Google
or use
Email address *
testermemaw1@gmail.com
Password *
Login
Not yet an account? Register your account
Forgot your Password?
LEARN & EXPLORE
Learn Test Automation
Hands-on courses for Playwright, Robot Framework, APIs and more
API Spector
Open-source API testing, mocking and contract testing
GitHub
Source code, issues and contributions
This is a DEMO application, used for software testing training purpose. | Privacy Policy | Banner photo by Barn Images on Unsplash.
v2.5 | Built 2026-10-11 | Angular 20.0.5
Generate a Lighthouse report
Analyze page load
Mode
Navigation (default)
Timespan
Snapshot
Device
Mobile
Desktop
Categories
Performance
Accessibility
Best practices
SEO
Agentic browsing

View the Documentation for this application.
Practice Black Box Testing & Bug Hunting
Testing Guide
Bug Hunting
TOOLSHOP
DEMO
Home
Categories
Contact
Sign in
EN
Login
Sign in with Google
or use
Email address *
testermemaw1@gmail.com
Password *
Login
Not yet an account? Register your account
Forgot your Password?
LEARN & EXPLORE
Learn Test Automation
Hands-on courses for Playwright, Robot Framework, APIs and more
API Spector
Open-source API testing, mocking and contract testing
GitHub
Source code, issues and contributions
92
Accessibility
These checks highlight opportunities to improve the accessibility of your web app. Automatic detection can only detect a subset of issues and does not guarantee the accessibility of your web app, so manual testing is also encouraged.
NAMES AND LABELS
Buttons do not have an accessible name
When a button doesn't have an accessible name, screen readers announce it as "button", making it unusable for users who rely on screen readers. Learn how to make buttons more accessible.
Failing Elements
app-password-input.ng-untouched > div.input-group > div.input-group-append > button.btn
BEST PRACTICES
Document does not have a main landmark.
These items highlight common accessibility best practices.
ADDITIONAL ITEMS TO MANUALLY CHECK (10)
Show


View the Documentation for this application.
Practice Black Box Testing & Bug Hunting
Testing Guide
Bug Hunting
TOOLSHOP
DEMO
Home
Categories
Contact
Sign in
EN
Login
Sign in with Google
or use
Email address *
testermemaw1@gmail.com
Password *
Login
Not yet an account? Register your account
Forgot your Password?
LEARN & EXPLORE
Learn Test Automation
Hands-on courses for Playwright, Robot Framework, APIs and more
API Spector
Open-source API testing, mocking and contract testing
GitHub
Source code, issues and contributions
Elements
Console
Sources
Network
Lighthouse
https://practicesoftwaretesting.com/auth/login
These are opportunities to improve the semantics of the controls in your application. This may enhance the experience for users of assistive technology, like a screen reader.
BEST PRACTICES
Document does not have a main landmark.
One main landmark helps screen reader users navigate a web page. Learn more about landmarks.
Failing Elements
html
These items highlight common accessibility best practices.
ADDITIONAL ITEMS TO MANUALLY CHECK (10)
Show
These items address areas which an automated testing tool cannot cover. Learn more in our guide on conducting an accessibility review.
PASSED AUDITS (18)
Show
NOT APPLICABLE (43)
Show
Captured at Oct 25, 2026, 5:01 PM GMT+7
Initial page load
Emulated Moto G Power with Lighthouse 13.4.1
Slow 4G throttling
Single page session
Using Chromium 155.0.0.0 with devtools
Generated by Lighthouse 13.4.1 | File an issue