ATRIA

HEALTHCARE APPOINTMENTS

DESIGN SPECIFICATION

Glass over a blue field, built for the phone in a patient's pocket.

The visual and interaction system behind Atria and every screen it is made of: tokens, materials, components, layouts, content rules and accessibility, then 105 screens across six surfaces, each shown and specified, for the Flutter app and the React web app.

DOCUMENT	REVISION	DATE	STATUS
ATR-DS-001	Rev B	17 September 2026	Issued for review

PROJECT	TEAM	MARKET	SCREENS
DIGISOL Internship 2026	Bryan · Thanksgiving	Cameroon	105

DOCUMENT CONTROL

REV	DATE	CHANGE	AUTHOR
A	11 September 2026	First issue: foundations, components, layouts, content and accessibility.	Bryan
B	17 September 2026	Screen catalogue of 105 screens with specifications; session queue, queue ticket and disruption; intake and care context; consent, guardian and data rights; four staff roles and the administrator console; status set for the full lifecycle; Day, Week, Month and Year range control; queue SMS templates; deviations list. Rewritten to stand alone.	Bryan

CONTENTS

1 Purpose and scope
2 Principles
3 Foundations
4 Layout and navigation
5 Components
6 Surfaces
7 Screen catalogue
8 Key flows
9 Content and language
10 Accessibility
11 Implementation
12 Deviations in the current screens

1 Purpose and scope

This specification tells the people building Atria how it looks, moves and speaks, and what each screen carries. It governs the Flutter app, which serves patients and staff, and the React web app, which serves every role. Every value is a number taken from the designs, and every screen is reproduced with its specification.

THIS DOCUMENT SETTLES	WHERE
Token values: colour, type, radius, material, spacing, motion	Section 3 and the token file in section 11
Layout and navigation per surface and role	Section 4
Component anatomy and states	Section 5
What each screen shows and does	Section 7
Copy, formats, SMS templates and sample data	Section 9
Contrast and accessibility	Section 10

Where this document overrides the drawn screens.
Section 10 changes five colours to meet WCAG 2.2 AA and section 12 lists places where the current screens depart from the rules here. Build from this document.

2 Principles

PRINCIPLE	WHAT IT MEANS IN PRACTICE
Lifted, not pasted.	Every panel is glass over a blue field: a translucent white surface, a 1 px inner top highlight and a blue-cast shadow. Glass is spent by role, on panels, controls and coloured text boxes, never on long reading text.
State reads at a glance.	Appointment state has its own colours outside the blue ramp, and every pill names its state in words.
The SMS is the product for many patients.	The reminder text, its language and its length are designed with the same care as any screen.
Promise only what the clinic can keep.	A general consultation shows a place and an arrival window, never a named doctor at a minute. A moved window is told, not hidden.
Felt, never waited for.	Pressing a control moves it one step up the corner scale on a spring curve. Motion confirms an action; it never delays one.
One account, one role.	Each account signs in to the role it was created with and sees only that role's navigation. Administration is marked by a violet accent so a privileged console never looks like the patient app.

3 Foundations




Figure 1. The Foundations board: colour, type, shape, material and spacing.

3.1 Colour

One blue ramp carries every interactive element. Controls use 500 to 700; 800 and 900 are for text on tints. The administrator console swaps the accent for violet and changes nothing else.



- Status colours are used as an 11 to 14 per cent tint behind their darker ink, never as a solid fill behind white text.
- Primary controls use a 140 degree gradient from 600 to 800.
- A text box filled with colour is glass tinted in that hue, with ink taken from the same hue's darker end of the ramp; white ink is used only on the solid accent and dark ink only on light fills.
- The background field is a 170 degree gradient: `#DEE9FE`, `#F1F5FE` at 44 per cent, `#E5EDFD`, with blurred orbs of primary at about 60 per cent of their original strength.
- Shadows are cast in navy, `rgba(16,42,94,.10)`, never neutral grey.

3.2 Typography

Outfit carries every heading and numeral; Plus Jakarta Sans carries running text and controls; IBM Plex Mono is for references such as APT-4194 in staff tools.

Display · 31/700	**Care that keeps time**
Headline · 23/600	**Your place**
Title · 16/600	**Dr. Esther Mbarga**
Body · 14/500	Arrive between 09:00 and 09:30.
Label · 11.5/700	QUEUE POSITION
Caption · 11/500	Paediatrics · 09:00 to 17:00
Reference · Mono 12/500	APT-4194


Desktop page titles use Outfit 24 to 25/700; card headings 14.5 to 16.5/600. Numbers in columns use tabular figures.

3.3 Shape



Corners follow a five-step scale. Pressing or selecting a control moves it one step up the scale: a 52 px button goes from 17 to 26, a chip from 14 to 20, a slot from 16 to 24. Nested corners subtract the padding: a 30 px panel with 18 px padding holds 12 to 14 px elements.

3.4 Material



LAYER	VALUE	WHY
Fill	Linear gradient of white, 93% to 70% (panel), 150°	Brighter at the top-left, as if lit
Backdrop	blur 26 px, saturate 185%	The field shows through, richer rather than greyer
Edge	1 px white at 96%, inside	Defines the pane against a busy field
Highlight	inset 0 1 px 0 white	The top edge catches light
Shadow	0 4 22 px navy at 10%	Lifts the pane; navy keeps it in the blue world
Bloom	Radial white 30% to 0 at 32% 32%, 190 to 210 px	Specular highlight on blue hero cards only

Glass has a cost on low-end phones.
Backdrop blur is expensive on entry-level Android phones. Both clients offer a reduced-transparency mode that replaces every glass fill with solid `#F7FAFF`, and switch to it automatically when the platform reports low memory or the user has asked to reduce transparency.

3.5 Spacing

The designs sit on a 2 px grid. Phone screens use 20 px side padding (22 on sign-in screens); tablet uses 22; desktop uses 18 px gutters between panels.

TOKEN	S1	S2	S3	S4	S5	S6	S7	S8	S9	S10	S11	S12
px	4	6	8	10	12	14	16	18	20	22	24	28

3.6 Motion

MOTION	CURVE	DURATION	USED FOR
Spring press	cubic-bezier(.2,.9,.25,1.15)	320 to 360 ms	Transform and corner radius: press, select, shape morph
Standard	cubic-bezier(.2,0,0,1)	260 ms	Colour, opacity, background
Sheet in	Spring, from 40 px below and transparent	460 ms	Bottom sheets and modals
Stagger	Standard	60 ms per row	Lists entering the screen
Live update	Standard	260 ms	A queue position or arrival window changing on screen
Reduced motion	None	0 ms	Every transition and animation off

3.7 Iconography

Stroke icons on a 24-unit grid with round caps and joins, stroke 1.9 to 2.2 at 16 to 19 px. An icon takes one colour from the largest part it sits in: `#8497B8` inactive, white on the accent, status ink inside status tints. A stray accent colour inside an otherwise neutral icon is an error.

4 Layout and navigation

SURFACE	FRAME	STRUCTURE	WEB BREAKPOINT
Phone	390 × 844	Scrolling column, 20 px sides, 15 to 16 px gaps. Floating glass nav bar 70 px tall, radius 26, 20 px from the sides and 22 from the bottom. Action docks float in the same place. Bottom sheets have 34 to 38 px top corners.	under 600 px
Tablet	1194 × 834	22 px padding, 18 px gaps. An 88 px navigation rail, radius 30, then a 336 to 400 px list pane and a flexible detail pane, radius 32.	600 to 1,023 px
Desktop	1440 × 900	A 246 px sidebar, then panels separated by 18 px gutters, radius 30. List panes are 404 to 420 px; detail panes take the rest.	1,024 px and wider
Administration	1440 × 900	Desktop shell with the violet accent and a 14-destination sidebar; content in a section list and a detail pane.	1,280 px and wider only

4.1 Navigation by role

ROLE	HOME AFTER SIGN-IN	NAVIGATION
Patient	Upcoming visits	Home, Schedule, Saved, Profile
Receptionist	Today at this clinic	Schedule, Patients, Clinicians, Messages
Clinician	My calendar	Schedule, Patients, Clinicians, Messages, scoped to own patients and calendar
Clinic manager	Clinic overview and rota	Schedule, Patients, Clinicians, Messages, plus sessions, reports and the reschedule list
Tenant administrator	Tenant overview	Overview, Staff accounts, Roles and permissions, Priority allowance, Clinic settings, Sessions and rota, Appointment types, Fee bands, No-show policy, Quality programme, Attendance report, Region and locale, Messaging, Audit log


No role switcher.
An account signs in to the roles set on it when a tenant administrator created it. There is no control to switch roles within a session. A staff member who is also a patient signs in to the patient app separately. The staff and patient sign-in screens link to each other in the same place so either can be reached without the browser's back button.

- Content scrolls under the floating nav bar and docks; scroll areas carry 128 to 132 px bottom padding so the last item clears them.
- Sticky headers fade out over 30 per cent of their height instead of ending on a hard line.
- Horizontal strips (days, chips, clinician pickers) run edge to edge by cancelling the side padding. Content that does not fit scrolls; it is never cut off.

5 Components


Every screen is assembled from the components below, rendered from the same values the apps use.

5.1 Button




Heights	56 full-width primary on phones · 52 to 54 in docks and dialogs · 50 for quick actions · 42 for card footers
Radius	17 at 52 px, 18 at 54, 19 at 56; pressed goes to half the height
Primary	Gradient 140°, 600 to 800, white 600-weight text, primary shadow
Secondary	White, 1.5 px `#DFE7F7` border, ink-2 text
Destructive	Outline in docks; solid red gradient only as the confirming action of a cancel dialog
Disabled	Gradient `#C2CFE6` to `#A9B9D6`, no shadow, and the label says what is missing

5.2 Chip




Size	38 to 42 tall, 14 to 15 px sides, 12 to 12.5 px 600-weight
Rest	White, 1.5 px `#E1E9F8`, radius 13 to 14
Selected	Primary gradient, white text, fully rounded
Rows	A chip row answers one question. Channel and service line are separate rows on Book for patient.

5.3 Time slot



Grid	Three columns with 9 px gaps on phones; six across on desktop; starts step by the tenant's grid unit
Open	White, 1.5 px `#E3EAF8`, 48 px tall, radius 16
Selected	Primary gradient, radius 24
Held	Fill `#EFF3FA`, text struck through; not focusable, announced as unavailable
Calendar block	Height proportional to the type's duration; the turnaround buffer is hatched and lighter

5.4 Status pill




Type	10 to 10.5 px, 700 weight, 4 to 5 px by 9 to 10 px padding, fully rounded
Rule	Tint behind ink, never a solid fill; the word always names the state

STATE	COLOUR FAMILY	MEANING
Requested	awaiting	A procedure request with no time held
Booked	booked	A slot or ticket is held
Confirmed	confirmed	The patient confirmed, where confirmation applies
Disrupted	awaiting	The clinician became unavailable; offers are open
Arrived	booked	Staff recorded arrival
Completed	confirmed	The consultation closed
No show	cancelled	The scheduled end passed with no arrival
Cancelled	cancelled	Cancelled by the patient or the clinic
Declined	neutral	Staff declined a procedure request


ENTITLEMENT	COLOUR FAMILY	SHOWN
NONE	neutral	After attendance, no-show or accepted reschedule
PARTIAL	awaiting	After a late patient cancellation
FULL	confirmed	After an in-window patient cancellation or a clinic cancellation

5.5 Text input



Field	52 px, radius 16, white, 1.5 px `#DDE6F7`, 14 px sides, 16 px leading icon
Label	Always visible above the field, 11.5 px 600; never a placeholder alone
Focus	Border 500 plus a 4 px ring at 15%, and a 2 px solid 600 outline for keyboard focus
Date of birth	A date picker; no field anywhere accepts an age
Error	Border `#D6485A` and a message under the field that says how to fix it

5.6 Toggle, avatar, day cell and range control



Toggle	48 × 29 with a 23 px knob; knob travels 19 px on the spring curve
Avatar	Initials in Outfit 600 on a 145° gradient tile; radius a third of the size
Day cell	54 to 64 wide, radius 19 to 20; selected goes to 26 to 28 with the primary gradient
Range control	Exactly Day, Week, Month, Year on every schedule and history view. Month is a calendar grid with a density per day; Year is a twelve-month heatmap, read as utilisation by staff and as visit history by patients

5.7 Notice

Booking on a patient's behalf sends them the same confirmation and reminder.

A clinician was pulled away. Your window moved to 10:15.

Two SMS reminders failed yesterday.

Variants	Information, warning, danger; radius 17 to 20, 13 to 15 px padding, a 16 px icon aligned to the first line
Rule	Lead with what happened, then what to do

5.8 Queue ticket

PART	SPECIFICATION
Hero	Facility name, session and day, and a pill that says the patient arrives inside a window
Facts row	Your place, issued, estimated wait, clinicians rostered
Position	Outfit 700 numeral with of M today; never a clock time
Arrival window	A range, 600 weight; in the awaiting colour with a one-line reason when it moved
Promise	We will message you if the window moves
Excluded	No doctor name before check-in; no reorder control anywhere

5.9 Also in the library

COMPONENT	SPECIFICATION
Checkbox and radio	20 to 22 px circles; checked uses the primary gradient, rule checks the confirmed gradient
Icon tile	38 to 44 px, radius 13 to 15, tinted 11 to 14% in the colour of its icon
Nav item, phone	44 × 32 pill inside a 70 px bar; selected pill radius 12 with the gradient; 10 px label
Nav item, desktop	46 px row, radius 15; selected row radius 19 with the gradient; count badge right-aligned
Reminder lead	Three equal options, 52 px: 48h, 24h, 2h; selected uses the gradient
Bottom sheet	Top corners 34 to 38, 44 × 5 px grab handle, scrim `rgba(12,28,62,.44)` with 3 px blur
Code entry	Six boxes of 44 × 52, radius 14; the active box shows the focus ring; paste fills all six

6 Surfaces

105 screens across six surfaces. Staff surfaces are shared by the four staff roles, each seeing its own navigation and scope.

Patient phone — 22

390 × 844

Flutter app, React web under 600 px

- Home
- Onboarding
- Sign in
- Sign up
- Verify email
- Forgot password
- Search results
- Booking
- Slot conflict
- Booking confirmed
- My visits
- Visit details
- Cancel visit
- Notifications
- Notification settings
- Offline
- Account
- Session queue
- Queue ticket
- Disruption notice
- Consent and guardian
- Data and privacy

Patient tablet — 19

1194 × 834

Flutter app on tablets, React web 600 to 1,023 px

- Onboarding
- Sign in
- Verify email
- Reset password
- Home
- Browse and book
- Slot conflict
- Booking confirmed
- My visits
- Cancel visit
- Notifications
- Account
- Offline
- Session queue
- Queue ticket
- Disruption notice
- Consent and guardian
- Data and privacy
- Create account

Patient desktop — 19

1440 × 900

React web from 1,024 px

- Landing
- Sign in / create
- Verify email
- Reset password
- Home
- Find care + book
- Slot conflict 409
- Booked
- Visits + detail
- Cancel dialog
- Notifications
- Account settings
- Offline
- Session queue
- Queue ticket
- Disruption notice
- Consent and guardian
- Data and privacy
- Create account

Staff phone — 15

390 × 844

Flutter app, React web under 600 px

- Staff sign in
- Staff first sign-in
- Staff today
- Staff week
- Staff appointment
- Staff cancel visit
- Staff book for patient
- Staff patients
- Staff patient record
- Staff clinicians
- Staff availability
- Staff messages
- Staff session queue
- Staff no-show
- Staff leave

Staff desktop — 15

1440 × 900

React web from 1,024 px

- Staff sign in
- First sign-in
- Day schedule
- Week view
- Appointment
- Cancel dialog
- Availability editor
- Patients
- Patient record
- Clinicians
- Book for patient
- Message log
- Staff session queue
- Staff no-show
- Staff leave

Administrator desktop — 15

1440 × 900

React web from 1,280 px only

- Staff accounts
- Create staff account
- Clinic settings
- Messaging
- Audit log
- Overview
- Quality programme
- Appointment types
- Fee bands
- Region and locale
- Sessions and rota
- No-show policy
- Attendance report
- Priority allowance
- Roles and permissions

7 Screen catalogue

Every screen, shown as drawn and specified. Phone screens appear three to a figure and tablet and patient desktop screens two to a figure; staff and administrator desktop screens appear one to a figure. Where a screen departs from the rules in this document, section 12 says so and this document wins.

7.1 Patient phone




Figure 2. Patient phone: Home, Onboarding, Sign in.

SCREEN	SPECIFICATION
Home	Greeting with avatar and notifications; search for clinicians or specialties; the next appointment as a blue hero card with date, time, Cancel and View details; specialty chips; clinicians available today with seniority label and next free time; floating nav bar (Home, Schedule, Saved, Profile).
Onboarding	Brand panel with glass cards previewing the next visit, the reminder lead and confirmed visits; headline, one-sentence promise covering queues and booking ahead; Get started as the primary action and a Sign in link.
Sign in	Patient and Clinic staff toggle in the same position on both sign-in screens; email and password fields with visible labels; Sign in; Continue with Google; link to create an account and a note on terms and privacy.




Figure 3. Patient phone: Create account, Verify email, Forgot password.

SCREEN	SPECIFICATION
Create account	Full name, date of birth (never an age), email, mobile number with the region dial code and a note that it is used only for reminders, password with a live strength meter, consent checkbox; Create account stays disabled until the form is valid.
Verify email	Six code boxes with the destination address and expiry; Verify and continue disabled until complete; resend timer; a notice on spam folders. The same pattern verifies the mobile number by SMS code.
Forgot password	Email field and Send reset link; a notice that Google-linked accounts sign in with Google instead; a Back to sign in link.




Figure 4. Patient phone: Search results, Specialist booking, Slot conflict.

SCREEN	SPECIFICATION
Search results	Search field with clear; filter chips (available today, language, distance); result count and sort; clinician cards showing initials, name, specialty, clinic, distance, seniority band and next free time. No score, stars or rating appear on any clinician.
Specialist booking	Clinician hero with specialty, clinic and the chosen type's duration; facts permitted in a listing (registration year, languages); day strip; start times on the grid, held times struck through; a dock that names the selection and enables Book only when a time is chosen.
Slot conflict	Shown on 409: a danger notice explaining the time was taken and nothing was created; the lost time struck through; closest openings for the same clinician and type as a single-choice list; Hold it enabled once a replacement is chosen.




Figure 5. Patient phone: Booking confirmed, My visits, Visit details.

SCREEN	SPECIFICATION
Booking confirmed	Success mark and the address the confirmation went to; a ticket card with clinician, date, time, place, fee band and reference; what happens next (email, SMS reminder, arrive early); change reminder lead and share actions.
My visits	Upcoming and Past segments; each visit card shows date tile, clinician, specialty, clinic, time range and a status pill that names its state, with Cancel visit and Details; floating nav with Schedule selected.
Visit details	Status and date hero with start, end and reference; clinician row with message action; map and directions; reminder lead choice (48h, 24h, 2h); Cancel and Reschedule; visit activity below.




Figure 6. Patient phone: Cancel visit, Notifications, Notification settings.

SCREEN	SPECIFICATION
Cancel visit	Bottom sheet over the visit: what happens (slot released, reminder deleted), the visit summary, optional reason chips, the notice period and the entitlement band before the confirm control; Keep it is the default focus and Cancel visit is the destructive action.
Notifications	Grouped by day; each notification names what changed, the channel pill (SMS, email, clinic, system) and time; unread dots; Mark all read.
Notification settings	Channel toggles (SMS reminders, push, email confirmations, clinic updates); reminder timing choice; a live SMS preview in the patient's language; quiet hours; how to stop SMS.




Figure 7. Patient phone: Offline, Account, Session queue.

SCREEN	SPECIFICATION
Offline	A dark banner saying there is no connection with Retry; visits shown from the last sync with the sync time; a notice that booking and cancelling need a connection; changes waiting to send with a pending pill.
Account	Profile hero with linked sign-in method and counts; personal details, contact with verification state, date of birth with derived age, care information entry; preferences for notifications and reminder timing; privacy entry.
Session queue	General consultation at a facility with no fixed time and no doctor named; session facts (places, taken, time per patient, clinicians); day strip; sessions with window and places left, full sessions disabled; a dock stating the place is assigned on join.




Figure 8. Patient phone: Queue ticket, Disruption notice, Consent and guardian.

SCREEN	SPECIFICATION
Queue ticket	Facility and session hero; the ticket with position as Nth of M, the arrival window as a range and a live pill; the promise to text if the window moves; directions in the dock.
Disruption notice	The same ticket after a clinician was pulled away: a changed pill, the new position and the new arrival window in the awaiting colour, the reason in one line and an acknowledgement action. Specialist appointments instead receive one-tap offers of the next matching slots.
Consent and guardian	Consent hero with counts; each consent with its grant date and a way to withdraw; guardian section for a dependant under 18 with proof method and the transfer at 18; withdraw consent as the destructive action.

Data and privacy

AM

Alex Mensah

alex@example.com

✓ 1 REQUEST OPEN

1	90d	7y
Request	Care data	Audit

YOUR DATA

Download your data
Everything Atria holds, by email

Correct something
Ask us to fix a detail that is wrong

Delete your account
Profile removed, records kept by law

HOW LONG WE KEEP IT

Care context
Purged 90 days after the visit




Figure 9. Patient phone: Data and privacy.

SCREEN	SPECIFICATION
Data and privacy	Download your data, correct something and delete your account; how long each kind of data is kept, stating care context, messages and the audit trail separately and distinguishing retained from shown.

7.2 Patient tablet




Figure 10. Patient tablet: Onboarding, Sign in.

SCREEN	SPECIFICATION
Onboarding	Brand panel with glass cards previewing the next visit, the reminder lead and confirmed visits; headline, one-sentence promise covering queues and booking ahead; Get started as the primary action and a Sign in link. Tablet layout: 88 px navigation rail, list pane and detail pane.

SCREEN	SPECIFICATION
Sign in	Patient and Clinic staff toggle in the same position on both sign-in screens; email and password fields with visible labels; Sign in; Continue with Google; link to create an account and a note on terms and privacy. Tablet layout: 88 px navigation rail, list pane and detail pane.




Figure 11. Patient tablet: Verify email, Reset password.

SCREEN	SPECIFICATION
Verify email	Six code boxes with the destination address and expiry; Verify and continue disabled until complete; resend timer; a notice on spam folders. The same pattern verifies the mobile number by SMS code. Tablet layout: 88 px navigation rail, list pane and detail pane.
Reset password	Email field and Send reset link; a notice that Google-linked accounts sign in with Google instead; a Back to sign in link. Tablet layout: 88 px navigation rail, list pane and detail pane.




Figure 12. Patient tablet: Home, Browse and book.

SCREEN	SPECIFICATION
Home	Greeting with avatar and notifications; search for clinicians or specialties; the next appointment as a blue hero card with date, time, Cancel and View details; specialty chips; clinicians available today with seniority label and next free time; floating nav bar (Home, Schedule, Saved, Profile). Tablet layout: 88 px navigation rail, list pane and detail pane.
Browse and book	Clinician hero with specialty, clinic and the chosen type's duration; facts permitted in a listing (registration year, languages); day strip; start times on the grid, held times struck through; a dock that names the selection and enables Book only when a time is chosen. Tablet layout: 88 px navigation rail, list pane and detail pane.




Figure 13. Patient tablet: Slot conflict, Booking confirmed.

SCREEN	SPECIFICATION
Slot conflict	Shown on 409: a danger notice explaining the time was taken and nothing was created; the lost time struck through; closest openings for the same clinician and type as a single-choice list; Hold it enabled once a replacement is chosen. Tablet layout: 88 px navigation rail, list pane and detail pane.
Booking confirmed	Success mark and the address the confirmation went to; a ticket card with clinician, date, time, place, fee band and reference; what happens next (email, SMS reminder, arrive early); change reminder lead and share actions. Tablet layout: 88 px navigation rail, list pane and detail pane.




Figure 14. Patient tablet: My visits, Cancel visit.

SCREEN	SPECIFICATION
My visits	Upcoming and Past segments; each visit card shows date tile, clinician, specialty, clinic, time range and a status pill that names its state, with Cancel visit and Details; floating nav with Schedule selected. Tablet layout: 88 px navigation rail, list pane and detail pane.
Cancel visit	Bottom sheet over the visit: what happens (slot released, reminder deleted), the visit summary, optional reason chips, the notice period and the entitlement band before the confirm control; Keep it is the default focus and Cancel visit is the destructive action. Tablet layout: 88 px navigation rail, list pane and detail pane.




Figure 15. Patient tablet: Notifications, Account.

SCREEN	SPECIFICATION
Notifications	Grouped by day; each notification names what changed, the channel pill (SMS, email, clinic, system) and time; unread dots; Mark all read. Tablet layout: 88 px navigation rail, list pane and detail pane.
Account	Profile hero with linked sign-in method and counts; personal details, contact with verification state, date of birth with derived age, care information entry; preferences for notifications and reminder timing; privacy entry. Tablet layout: 88 px navigation rail, list pane and detail pane.



Figure 16. Patient tablet: Offline, Session queue.

SCREEN	SPECIFICATION
Offline	A dark banner saying there is no connection with Retry; visits shown from the last sync with the sync time; a notice that booking and cancelling need a connection; changes waiting to send with a pending pill. Tablet layout: 88 px navigation rail, list pane and detail pane.
Session queue	General consultation at a facility with no fixed time and no doctor named; session facts (places, taken, time per patient, clinicians); day strip; sessions with window and places left, full sessions disabled; a dock stating the place is assigned on join. Tablet layout: 88 px navigation rail, list pane and detail pane.




Figure 17. Patient tablet: Queue ticket, Disruption notice.

SCREEN	SPECIFICATION
Queue ticket	Facility and session hero; the ticket with position as Nth of M, the arrival window as a range and a live pill; the promise to text if the window moves; directions in the dock. Tablet layout: 88 px navigation rail, list pane and detail pane.
Disruption notice	The same ticket after a clinician was pulled away: a changed pill, the new position and the new arrival window in the awaiting colour, the reason in one line and an acknowledgement action. Specialist appointments instead receive one-tap offers of the next matching slots. Tablet layout: 88 px navigation rail, list pane and detail pane.




Figure 18. Patient tablet: Consent and guardian, Data and privacy.

SCREEN	SPECIFICATION
Consent and guardian	Consent hero with counts; each consent with its grant date and a way to withdraw; guardian section for a dependant under 18 with proof method and the transfer at 18; withdraw consent as the destructive action. Tablet layout: 88 px navigation rail, list pane and detail pane.
Data and privacy	Download your data, correct something and delete your account; how long each kind of data is kept, stating care context, messages and the audit trail separately and distinguishing retained from shown. Tablet layout: 88 px navigation rail, list pane and detail pane.




Figure 19. Patient tablet: Create account.

SCREEN	SPECIFICATION
Create account	Full name, date of birth (never an age), email, mobile number with the region dial code and a note that it is used only for reminders, password with a live strength meter, consent checkbox; Create account stays disabled until the form is valid. Tablet layout: 88 px navigation rail, list pane and detail pane.

7.3 Patient desktop




Figure 20. Patient desktop: Landing, Sign in and create account.

SCREEN	SPECIFICATION
Landing	Brand panel with glass cards previewing the next visit, the reminder lead and confirmed visits; headline, one-sentence promise covering queues and booking ahead; Get started as the primary action and a Sign in link. Desktop layout: 246 px sidebar and panels with 18 px gutters.
Sign in and create account	Patient and Clinic staff toggle in the same position on both sign-in screens; email and password fields with visible labels; Sign in; Continue with Google; link to create an account and a note on terms and privacy. Desktop layout: 246 px sidebar and panels with 18 px gutters.




Figure 21. Patient desktop: Verify email, Reset password.

SCREEN	SPECIFICATION
Verify email	Six code boxes with the destination address and expiry; Verify and continue disabled until complete; resend timer; a notice on spam folders. The same pattern verifies the mobile number by SMS code. Desktop layout: 246 px sidebar and panels with 18 px gutters.
Reset password	Email field and Send reset link; a notice that Google-linked accounts sign in with Google instead; a Back to sign in link. Desktop layout: 246 px sidebar and panels with 18 px gutters.




Figure 22. Patient desktop: Home, Find care and book.

SCREEN	SPECIFICATION
Home	Greeting with avatar and notifications; search for clinicians or specialties; the next appointment as a blue hero card with date, time, Cancel and View details; specialty chips; clinicians available today with seniority label and next free time; floating nav bar (Home, Schedule, Saved, Profile). Desktop layout: 246 px sidebar and panels with 18 px gutters.
Find care and book	Clinician hero with specialty, clinic and the chosen type's duration; facts permitted in a listing (registration year, languages); day strip; start times on the grid, held times struck through; a dock that names the selection and enables Book only when a time is chosen. Desktop layout: 246 px sidebar and panels with 18 px gutters.




Figure 23. Patient desktop: Slot conflict, Booked.

SCREEN	SPECIFICATION
Slot conflict	Shown on 409: a danger notice explaining the time was taken and nothing was created; the lost time struck through; closest openings for the same clinician and type as a single-choice list; Hold it enabled once a replacement is chosen. Desktop layout: 246 px sidebar and panels with 18 px gutters.
Booked	Success mark and the address the confirmation went to; a ticket card with clinician, date, time, place, fee band and reference; what happens next (email, SMS reminder, arrive early); change reminder lead and share actions. Desktop layout: 246 px sidebar and panels with 18 px gutters.




Figure 24. Patient desktop: Visits and detail, Cancel dialog.

SCREEN	SPECIFICATION
Visits and detail	Status and date hero with start, end and reference; clinician row with message action; map and directions; reminder lead choice (48h, 24h, 2h); Cancel and Reschedule; visit activity below. Desktop layout: 246 px sidebar and panels with 18 px gutters.
Cancel dialog	Bottom sheet over the visit: what happens (slot released, reminder deleted), the visit summary, optional reason chips, the notice period and the entitlement band before the confirm control; Keep it is the default focus and Cancel visit is the destructive action. Desktop layout: 246 px sidebar and panels with 18 px gutters.




Figure 25. Patient desktop: Notifications, Account settings.

SCREEN	SPECIFICATION
Notifications	Grouped by day; each notification names what changed, the channel pill (SMS, email, clinic, system) and time; unread dots; Mark all read. Desktop layout: 246 px sidebar and panels with 18 px gutters.
Account settings	Profile hero with linked sign-in method and counts; personal details, contact with verification state, date of birth with derived age, care information entry; preferences for notifications and reminder timing; privacy entry. Desktop layout: 246 px sidebar and panels with 18 px gutters.




Figure 26. Patient desktop: Offline, Session queue.

SCREEN	SPECIFICATION
Offline	A dark banner saying there is no connection with Retry; visits shown from the last sync with the sync time; a notice that booking and cancelling need a connection; changes waiting to send with a pending pill. Desktop layout: 246 px sidebar and panels with 18 px gutters.
Session queue	General consultation at a facility with no fixed time and no doctor named; session facts (places, taken, time per patient, clinicians); day strip; sessions with window and places left, full sessions disabled; a dock stating the place is assigned on join. Desktop layout: 246 px sidebar and panels with 18 px gutters.




Figure 27. Patient desktop: Queue ticket, Disruption notice.

SCREEN	SPECIFICATION
Queue ticket	Facility and session hero; the ticket with position as Nth of M, the arrival window as a range and a live pill; the promise to text if the window moves; directions in the dock. Desktop layout: 246 px sidebar and panels with 18 px gutters.
Disruption notice	The same ticket after a clinician was pulled away: a changed pill, the new position and the new arrival window in the awaiting colour, the reason in one line and an acknowledgement action. Specialist appointments instead receive one-tap offers of the next matching slots. Desktop layout: 246 px sidebar and panels with 18 px gutters.




Figure 28. Patient desktop: Consent and guardian, Data and privacy.

SCREEN	SPECIFICATION
Consent and guardian	Consent hero with counts; each consent with its grant date and a way to withdraw; guardian section for a dependant under 18 with proof method and the transfer at 18; withdraw consent as the destructive action. Desktop layout: 246 px sidebar and panels with 18 px gutters.
Data and privacy	Download your data, correct something and delete your account; how long each kind of data is kept, stating care context, messages and the audit trail separately and distinguishing retained from shown. Desktop layout: 246 px sidebar and panels with 18 px gutters.




Figure 29. Patient desktop: Create account.

SCREEN	SPECIFICATION
Create account	Full name, date of birth (never an age), email, mobile number with the region dial code and a note that it is used only for reminders, password with a live strength meter, consent checkbox; Create account stays disabled until the form is valid. Desktop layout: 246 px sidebar and panels with 18 px gutters.

7.4 Staff phone




Figure 30. Staff phone: Staff sign in, Staff first sign-in, Receptionist today.

SCREEN	SPECIFICATION
Staff sign in	Clinic console brand; staff access only; work email and password; trust this device for 12 hours; forgot password; a notice that first sign-in replaces the temporary password and that access is logged. No sign-up path exists; a toggle returns to patient sign-in.
Staff first sign-in	Password change required; new password with a strength meter and four live rules; confirm; Save and continue stays disabled until every rule passes; a notice that nobody, including the administrator, can see the password.
Receptionist today	Role and clinic in the header; date stepper; counts of booked, open, cancelled and reminders queued; Day, Week, Month and Year control; the day schedule with time, patient, type, clinician and status; Book for patient as a floating action; staff nav (Schedule, Patients, Clinicians, Messages).




Figure 31. Staff phone: Week, Appointment, Cancel appointment.

SCREEN	SPECIFICATION
Week	Day, Week and Clinician segments; day cells with load bars; a summary card of booked, open, cancelled and fill for the selected day; clinicians with their load for the day.
Appointment	Status hero with start, end and reference; patient contact with call action; booking facts (clinician, type, room, fee band, booked on); activity timeline; dock with Cancel, Reschedule and Mark arrived. A receptionist's view carries no intake answers.
Cancel appointment	Sheet stating the slot is released and the reminder deleted and that the action is recorded against the staff account; the appointment summary; a required reason with no preselection; whether to notify the patient; the late-cancellation notice; Keep it and Cancel visit.




Figure 32. Staff phone: Book for patient, Patients, Patient record.

SCREEN	SPECIFICATION
Book for patient	Stepper for patient, clinician and time; channel chips (walk-in, phone, referral) in their own row, separate from the service line and type; patient search and quick-create; clinician chips; day and time; Confirm disabled with a label until a time is chosen.
Patients	Register search by name, phone or patient number; filter chips; patient rows with number, phone, next appointment and visit count; add patient.
Patient record	Patient hero with visits, upcoming, no-shows and since; call, email and book; contact and identity with verification; a notice that intake answers exist and are visible to the assigned clinician only; upcoming and past visits.




Figure 33. Staff phone: Clinicians, Availability, Messages.

SCREEN	SPECIFICATION
Clinicians	On shift, All and Off today; clinician cards with specialty, hours, load bar and booked of capacity; schedule, availability and book actions.
Availability	Clinician chips; the week's booked, open and blocked summary; working days with hours and toggles on the tenant's grid unit; Discard and Save availability.
Messages	Sent, delivered and failed counts; a danger notice for a reminder that could not be delivered with a fix action; All, SMS, Email and Failed filters; message rows with channel and delivery state.




Figure 34. Staff phone: Session queue, No-show, Leave.

SCREEN	SPECIFICATION
Session queue	Session header with places issued; counts of issued, waiting, in consultation and no-show; Queue, Arrived and Done segments; one merged queue of online tickets and walk-ins in server order with window, position and state; no control to reorder; Book for patient.
No-show	Counts of no-shows, strikes and restrictions; Today, Week and Restricted; rows with time, patient, strike count and state (strike, waived). Restrictions limit advance booking only and never lock a patient out.
Leave	Month header with pending and approved counts; days entitled, taken, pending and left; Mine, Team and Cover; leave requests with dates, cover arrangement and approval state. Leave inside booked time goes through disruption.

7.5 Staff desktop




Figure 35. Staff desktop: Staff sign in.

SCREEN	SPECIFICATION
Staff sign in	Brand panel with today's counts; staff access only; work email, password, trust this workstation, forgot password; a first sign-in notice. No sign-up path; a toggle returns to patient sign-in.




Figure 36. Staff desktop: First sign-in.

SCREEN	SPECIFICATION
First sign-in	Progress of account created, temporary password used and choose your own password; new password with four live rules; Save and continue disabled until all pass.




Figure 37. Staff desktop: Day schedule.

SCREEN	SPECIFICATION
Day schedule	Sidebar with Schedule, Patients, Clinicians and Messages and the signed-in account; date stepper and search; four count tiles; the day schedule with Day, Week, Month, Year and Clinician; the selected appointment in a detail panel with activity, Mark as arrived and Cancel this visit.




Figure 38. Staff desktop: Week view.

SCREEN	SPECIFICATION
Week view	Clinician filter chips and legend; a week calendar on the grid with appointment blocks sized by their duration; week at a glance with booked, cancelled and reminders queued; clinician load bars.




Figure 39. Staff desktop: Appointment.

SCREEN	SPECIFICATION
Appointment	Patient hero with date, start, end and room; appointment facts (status, reference, type, fee band, booked on, channel); people with links to schedule and record; front desk notes; activity timeline; Cancel, Reschedule and Mark arrived.




Figure 40. Staff desktop: Cancel dialog.

SCREEN	SPECIFICATION
Cancel dialog	Appointment summary; required reason chips recorded in the audit log; optional note; how to tell the patient (email, SMS, offer the slot to the waitlist); Keep appointment and Cancel appointment.




Figure 41. Staff desktop: Availability editor.

SCREEN	SPECIFICATION
Availability editor	Working hours per weekday with toggles, start and end on the grid unit and breaks; appointment rules and time off; the week's hours; Cancel and Save availability.




Figure 42. Staff desktop: Patients.

SCREEN	SPECIFICATION
Patients	Register search; Register patient; filter chips; a table of patient, contact, last visit and next appointment with pagination.




Figure 43. Staff desktop: Patient record.

SCREEN	SPECIFICATION
Patient record	Patient hero with date of birth and derived age, phone and email; Edit details and Book appointment; visit history with status pills; visit counts; a care context notice that intake answers are visible only to the assigned clinician and the patient; registration facts; front desk notes.




Figure 44. Staff desktop: Clinicians.

SCREEN	SPECIFICATION
Clinicians	Roster on shift today with utilisation; the selected clinician's utilisation, booked, open and hours; weekly availability bars; Edit availability; Add clinician for authorised roles.




Figure 45. Staff desktop: Book for patient.

SCREEN	SPECIFICATION
Book for patient	Channel segments (phone, walk-in, referral) separate from type; steps to choose patient, pick clinician and time, confirm and notify; patient search and register; clinician and type; day strip and available times; confirmation email and SMS reminder options; Confirm booking disabled until ready.




Figure 46. Staff desktop: Message log.

SCREEN	SPECIFICATION
Message log	Emails and SMS sent over seven days, delivery rate and messages needing attention; filters; message rows with recipient, time and delivery state; the selected failed message with its text, provider, identifiers and failure reason; Open appointment and Fix number and resend.




Figure 47. Staff desktop: Staff session queue.

SCREEN	SPECIFICATION
Staff session queue	Session header; counts of issued, waiting, in consultation and no-show; Queue, Arrived and Done; one merged, server-ordered queue with window and position; the selected ticket's detail and activity; Call to desk and Mark as no show. No reordering control exists.




Figure 48. Staff desktop: Staff no-show.

SCREEN	SPECIFICATION
Staff no-show	No-shows this month, patients at two strikes, restrictions and the rolling window; Open, Excused and All; rows with date, patient, strike count and state; the selected record with its activity and Excuse this strike. A restriction limits advance booking only.




Figure 49. Staff desktop: Staff leave.

SCREEN	SPECIFICATION
Staff leave	Leave requests by type with dates and approval state; carry-over and remaining days; cover arrangements and entitlement; Cancel and Approve leave. Approved leave inside booked time starts disruption.

7.6 Administrator desktop




Figure 50. Administrator desktop: Staff accounts.

SCREEN	SPECIFICATION
Staff accounts	Create staff account; a notice that staff accounts are created only here and patients never appear; filters for all, awaiting first sign-in, administrators and disabled; users with role, account status and last sign-in; resend and disable actions.




Figure 51. Administrator desktop: Create staff account.

SCREEN	SPECIFICATION
Create staff account	Modal: full name, work email that becomes the sign-in and cannot change, clinic and job title; access level chosen once as receptionist, clinician, clinic manager or tenant administrator, each with what it can and cannot do; the permissions the choice grants; a note that creation is logged; Create account.




Figure 52. Administrator desktop: Clinic settings.

SCREEN	SPECIFICATION
Clinic settings	Reminders, messaging, booking rules and clinic profile; reminder lead choice with an SMS preview; quiet hours and holiday handling; Save changes.




Figure 53. Administrator desktop: Messaging.

SCREEN	SPECIFICATION
Messaging	Senders and credentials and delivery health; email sender, reply-to and configuration set with verification states; SMS sender ID, monthly spend cap and delivery logging; third-party credentials held in the secret store, shown by reference only, with rotate; a notice that secrets are read at deploy time.




Figure 54. Administrator desktop: Audit log.

SCREEN	SPECIFICATION
Audit log	Filters by category; entries with who, action, category and when; the selected entry with target, actor, tenant, source and event id and a before and after diff; a notice that audit entries cannot be edited or deleted by anyone; Export CSV.




Figure 55. Administrator desktop: Overview.

SCREEN	SPECIFICATION
Overview	Violet admin shell with 14 destinations; tenant badge; console accounts, awaiting first sign-in, delivery rate and messages needing attention; seven-day message delivery chart; a notice on failed reminders; capacity next week; quick actions; recent admin activity.




Figure 56. Administrator desktop: Quality programme.

SCREEN	SPECIFICATION
Quality programme	Policy, feedback, flagged and coaching; quality programme switch; ratings affect fees shown off and refused by the region pack with the reason; recent feedback aggregates per clinician, visible to administrators only.




Figure 57. Administrator desktop: Appointment types.

SCREEN	SPECIFICATION
Appointment types	General, specialist, procedure and archived; each type with duration in grid units and minutes, buffer, who may book, cancellation window and intake requirement; rules for patient-requestable procedures and required intake; Save changes.




Figure 58. Administrator desktop: Fee bands.

SCREEN	SPECIFICATION
Fee bands	Current bands in the region currency with schedule reference and effective date; scheduled changes; entitlement on cancellation for each outcome; a statement that a fee never moves because of a rating.




Figure 59. Administrator desktop: Region and locale.

SCREEN	SPECIFICATION
Region and locale	Region pack for Cameroon, read-only: currency, dial code and number pattern, time zone, languages; what the region permits, including the refused rating-fee link and the SMS sender policy; a note that changing region is a migration, not a setting.




Figure 60. Administrator desktop: Sessions and rota.

SCREEN	SPECIFICATION
Sessions and rota	Templates, capacity, grid and disruption; sessions this week with window, clinicians, throughput per hour and derived capacity; grid unit; recalculate windows on disruption and notify on every shift.




Figure 61. Administrator desktop: No-show policy.

SCREEN	SPECIFICATION
No-show policy	Strikes, window, restrictions and appeals; strike threshold, rolling window and restriction length with the default off state visible; behaviour switches for recording strikes, warning the patient and staff waivers with a reason.




Figure 62. Administrator desktop: Attendance report.

SCREEN	SPECIFICATION
Attendance report	Attendance, no-shows, throughput and export; completed, no-show, patient-cancelled and clinic-cancelled counts with rates; planned against actual session throughput; disrupted sessions; aggregates by default, with opening an individual record audited.




Figure 63. Administrator desktop: Priority allowance.

SCREEN	SPECIFICATION
Priority allowance	Allowances, quotas, usage and audit; who holds an allowance with monthly quota and usage; rules requiring a reason, notifying displaced patients and refusing self-use.




Figure 64. Administrator desktop: Roles and permissions.

SCREEN	SPECIFICATION
Roles and permissions	Roles, permissions, guard rules and audit; each role with its permission count and scope summary; guard rules that are always on, including actor-is-subject, no self-benefiting reschedule and reason and audit required.

8 Key flows

8.1 Patient joins a general consultation queue

1. Home
2. Book: choose General consultation
3. Pick a day and a session with places left
4. Join queue
5. Ticket: position, arrival window, the promise to text if it moves

No doctor or clock time appears. If the session runs late or a clinician is pulled away, the ticket shows the new window in the awaiting colour and an SMS follows.

8.2 Patient books a specialist

1. Find care
2. Choose a specialty and a clinician
3. Choose the type, shown with its duration
4. Pick a day, then a start
5. Answer the type's intake form and consent for this visit
6. Booked, with reference and calendar file

If the time was taken meanwhile, the Slot conflict screen offers the nearest starts for the same clinician and type. Nothing entered is lost.

8.3 Patient requests a procedure

1. Book: choose Procedure
2. Describe the need; no calendar, slot or duration is shown
3. Requested: tracked in My visits with no time held
4. Staff place it
5. Patient confirms the proposed time

The appointment is not confirmed until the patient confirms.

8.4 Patient cancels

1. My visits
2. Visit details
3. Cancel visit
4. Sheet: what happens, the notice period and the entitlement band
5. Cancelled, with a book-again action

Keep it is the default focus. The band is stated before the confirm control.

8.5 A clinician is pulled away

1. Staff mark the clinician unavailable for a window
2. Specialist appointments become Disrupted
3. Each patient receives an offer of the next matching slots
4. One tap confirms; opted-in patients are moved to same-day slots and told
5. Queue tickets receive moved windows instead

Every step is audited.

8.6 Staff book for a patient

1. Today
2. Book for patient
3. Channel row: walk-in, phone or referral
4. Line and type row, filtered by the channel
5. Patient, clinician and time
6. Confirm

Walk-in defaults to today's general session; phone asks for a callback number; referral asks for the referring facility, clinician and note and offers only specialist and procedure types.

8.7 Administrator creates a staff account

1. Staff accounts
2. Create staff account
3. Person, clinic and the role, with what it grants
4. Create account
5. The person signs in with the temporary password and sets their own

The role is fixed on the account. The first sign-in lands on that role's home.

8.8 New patient completes their profile

1. Create account or continue with Google
2. Complete your profile: confirm names and date of birth
3. Verify the mobile number by code
4. Under 18: link a guardian and record consent
5. Home

The profile step always appears, prefilled or empty, and needs an explicit confirm.

9 Content and language

9.1 Voice

- Plain and direct, in the second person. A control says exactly what it does: Book appointment, Join queue, Cancel visit, Keep it.
- Sentence case everywhere except uppercase labels. No exclamation marks in system messages.
- No em dashes in any copy, in either language. Use a comma, a colon or a new sentence.
- Errors say what went wrong and what to do next.
- Nothing states or implies a money saving from reminders, and no screen shows a score on a named clinician.
- Entitlement is described as what the patient is entitled to, never as money paid or owed.

9.2 Formats for Cameroon

ITEM	ENGLISH	FRENCH
Long date	Wednesday, 10 September	mercredi 10 septembre
Short date	Wed 10 Sep	mer. 10 sept.
Time, patient	10:00 am	10:00
Time, staff	10:00	10:00
Arrival window	09:00 to 09:30	09:00 à 09:30
Queue position	7th of 24	7e sur 24
Money	15,000 FCFA	15 000 FCFA
Phone	+237 671 23 45 67	+237 671 23 45 67
Time zone	Africa/Douala, UTC+1, no daylight saving	Africa/Douala, UTC+1
Reference	APT-4194	APT-4194

9.3 SMS templates

An SMS in the GSM-7 alphabet fits 160 characters in one segment. A single character outside it, such as `ê` or `ç`, switches the whole message to UCS-2 and a 70-character segment, which can triple the cost. French templates use the accents GSM-7 carries (é, è, à, ù) and avoid the others. Lengths below are computed.

MESSAGE	LANG	TEXT	ALPHABET	CHARS	COST
Specialist reminder	EN	`Atria reminder: Dr Mbarga, Bonanjo Clinic, tomorrow Wed 10 Sep at 10:00. Ref APT-4194. To cancel: atria.cm/c/4194`	GSM-7	113	1 segment

MESSAGE	LANG	TEXT	ALPHABET	CHARS	COST
Specialist reminder	FR	`Rappel Atria : Dr Mbarga, Clinique Bonanjo, demain mer. 10 sept. à 10:00. Réf. APT-4194. Annuler : atria.cm/c/4194`	GSM-7	114	1 segment
Reminder, first draft	FR	`Rappel Atria : Dr Mbarga, Clinique Bonanjo, demain mer. 10 sept. à 10:00. Réf. APT-4194. Pour annuler, cliquez ici : atria.cm/c/4194. Merci et à bientôt, l'équipe.`	UCS-2	163	3 segments
Queue ticket	EN	`Atria: Nkoldongo Health Centre, Thu morning. Arrive 09:00 to 09:30. You are 7th of 24. We will text you if the queue moves.`	GSM-7	123	1 segment
Queue ticket, first draft	FR	`Atria : CSI Nkoldongo, jeudi matin. Arrivez entre 09:00 et 09:30. Vous êtes 7e sur 24. Nous vous écrirons si la file bouge.`	UCS-2	123	2 segments
Queue ticket, fixed	FR	`Atria : CSI Nkoldongo, jeudi matin. Arrivez entre 09:00 et 09:30. Votre place : 7 sur 24. Nous vous écrirons si la file bouge.`	GSM-7	126	1 segment
Queue moved	EN	`Atria: the queue at Nkoldongo Health Centre is running late. Your new arrival window is 10:15 to 10:45. You are still 7th.`	GSM-7	122	1 segment
Queue moved	FR	`Atria : la file au CSI Nkoldongo a du retard. Nouvelle heure d'arrivée : 10:15 à 10:45. Vous restez 7e.`	GSM-7	103	1 segment
Disruption offer	EN	`Atria: Dr Mbarga is unavailable on Wed 10 Sep. Choose a new time in one tap: atria.cm/o/4194`	GSM-7	92	1 segment
Disruption offer	FR	`Atria : Dr Mbarga est indisponible mer. 10 sept. Choisissez un nouvel horaire : atria.cm/o/4194`	GSM-7	95	1 segment

Two French drafts are kept as counter-examples. In the first, the single `ô` in *bientôt* switches it to UCS-2 and three segments. In the queue ticket, `ê` in *êtes* does the same; the fixed version rewrites the sentence without it. Every template passes this check in CI before it ships.

9.4 Sample data

Every sample value in screens, demos and test fixtures is generated from the Cameroon region pack: facilities in Douala, Yaoundé, Buea and Bamenda such as the Nkoldongo integrated health centre; names such as Nkeng, Mbarga, Ngono, Fotso and Ewane; +237 mobile numbers beginning with 6; amounts in FCFA; CNI numbers for national ID. Local-language templates start with Cameroonian Pidgin English, Duala, Ewondo and Fulfulde as tenant options.

10 Accessibility

Contrast is measured, not estimated. Text in Atria is small (10 to 14 px), so the 4.5:1 AA threshold applies almost everywhere. Text on glass is measured against the composited colour of every layer beneath it.

PAIR	COLOURS	RATIO	RESULT	CHANGE
Ink on surface	`#0D1B34` on `#FFFFFF`	17.16	AAA	
Ink on ground	`#0D1B34` on `#E9F0FD`	15.00	AAA	
Muted on surface	`#5A6C8E` on `#FFFFFF`	5.29	AA	
Muted on ground	`#5A6C8E` on `#E9F0FD`	4.62	AA	
Secondary label on surface	`#7181A0` on `#FFFFFF`	3.93	Large only	`#647596` · 4.64
Nav label on surface	`#7C8CAB` on `#FFFFFF`	3.39	Large only	`#627599` · 4.64
White on primary 500	`#FFFFFF` on `#4A83F0`	3.62	Large only	Start gradients at 600
White on primary 600	`#FFFFFF` on `#2F6BE4`	4.83	AA	
White on primary 800	`#FFFFFF` on `#1B4FB8`	7.35	AAA	
Confirmed ink on tint	`#0B7F56` on `#E4F4EF`	4.42	Large only	`#0B7A53` · 4.71
Awaiting ink on tint	`#A9670F` on `#FAEFE3`	4.00	Large only	`#9B5E0E` · 4.63
Cancelled ink on tint	`#B93B4C` on `#FAE9EB`	4.72	AA	
Booked ink on tint	`#2A5BC2` on `#E8EFFC`	5.39	AA	
White on admin 700	`#FFFFFF` on `#5B34C4`	7.68	AAA	
Placeholder on surface	`#9AA9C4` on `#FFFFFF`	2.37	Fails	Acceptable only with a visible label

Five colours change.
Secondary labels move from `#7181A0` to `#647596`, nav labels from `#7C8CAB` to `#627599`, the confirmed ink to `#0B7A53`, the awaiting ink to `#9B5E0E`, and primary gradients start at 600 instead of 500. Each replacement keeps its hue; only lightness moves along the existing ramp.

10.1 Beyond colour

- Keyboard focus shows a 2 px solid primary 600 outline, offset 2 px.
- Touch targets are at least 46 × 46 px on phones.
- Text scales to 200 per cent without loss: rows wrap and content that does not fit scrolls.

- State is never colour alone: every pill names its state, held slots are struck through, errors carry text.
- Live changes to a queue position or arrival window are announced to screen readers.
- Reduced motion removes every transition, including the spring shape morph and the sheet entrance.

11 Implementation

11.1 Flutter

CONCERN	IMPLEMENTATION
Theme	`ThemeData(useMaterial3: true)` with an explicit `ColorScheme` from the tokens.
Type	Outfit and Plus Jakarta Sans bundled as assets, so the app renders offline and on first launch.
Glass	`ClipRRect` plus `BackdropFilter`; reduced-transparency mode swaps in a solid decoration.
Shape and motion	`AnimatedContainer` on radius and scale with `Cubic(0.2, 0.9, 0.25, 1.15)`; honour `MediaQuery.disableAnimations`.
Roles	One app. The shell is chosen after sign-in from the account's roles; administrators signing in on the app are directed to the web console. There is no in-app role switching.

11.2 React web

CONCERN	IMPLEMENTATION
Tokens	Generated from `atria.tokens.json` into CSS custom properties; components read only variables.
Fonts	Self-hosted with `font-display: swap`.
Glass	`backdrop-filter` with a solid fallback under `@supports not` and `prefers-reduced-transparency`.
Layout	Three breakpoints from section 4; the administrator console explains itself below 1,280 px instead of breaking.

11.3 Token file

Written to `atria.tokens.json` by the same build that produced this document; both clients import it.

```
{
  "color": {
    "primary": {
      "100": "#E3EDFE",
      "200": "#BFD5FE",
      "400": "#7AA8FA",
      "500": "#4A83F0",
      "600": "#2F6BE4",
      "700": "#2461DB",
      "800": "#1B4FB8",
      "900": "#0B2B6B"
    },
    "neutral": {
      "ink": "#0D1B34",
      "ink2": "#2C3D60",
      "muted": "#5A6C8E",
      "label": "#647596",
      "hairline": "#DFE7F7",
      "ground": "#E9F0FD",
      "surface": "#FFFFFF",
```

```
      "field": "#EDF2FB"
    },
    "status": {
      "confirmed": "#0E9C6B",
      "confirmedInk": "#0B7A53",
      "awaiting": "#D98324",
      "awaitingInk": "#9B5E0E",
      "cancelled": "#D6485A",
      "cancelledInk": "#B93B4C",
      "booked": "#2F6BE4",
      "bookedInk": "#2A5BC2"
    },
    "admin": {
      "500": "#8B5CF0",
      "700": "#5B34C4",
      "ink": "#3E2A78"
    }
  },
  "font": {
    "display": "Outfit",
    "text": "Plus Jakarta Sans",
    "mono": "IBM Plex Mono"
  },
  "type": {
    "display": {
      "font": "display",
      "size": 31,
      "weight": 700,
      "tracking": -0.026
    },
    "headline": {
      "font": "display",
      "size": 23,
      "weight": 600,
      "tracking": -0.02
    },
    "title": {
      "font": "display",
      "size": 16,
      "weight": 600,
      "tracking": -0.012
    },
    "body": {
      "font": "text",
      "size": 14,
      "weight": 500,
      "lineHeight": 1.55
    },
    "label": {
      "font": "text",
      "size": 11.5,
      "weight": 700,
      "tracking": 0.06,
      "case": "upper"
    },
    "caption": {
      "font": "text",
      "size": 11,
      "weight": 500
    }
  },
  "radius": {
    "sm": 14,
    "md": 22,
    "lg": 30,
```

```
    "xl": 38,
    "full": 999
  },
  "space": [
    4,
    6,
    8,
    10,
    12,
    14,
    16,
    18,
    20,
    22,
    24,
    28
  ],
  "blur": {
    "panel": 26,
    "control": 20,
    "onAccent": 14
  },
  "saturate": {
    "panel": 1.85,
    "control": 1.75,
    "onAccent": 1.5
  },
  "shadow": {
    "panel": "0 4px 22px rgba(16,42,94,.10)",
    "raised": "0 10px 30px rgba(16,42,94,.16)",
    "primary": "0 10px 22px rgba(36,97,219,.32)",
    "danger": "0 10px 22px rgba(200,56,74,.30)"
  },
  "motion": {
    "spring": [
      0.2,
      0.9,
      0.25,
      1.15
    ],
    "standard": [
      0.2,
      0,
      0,
      1
    ],
    "pressMs": [
      320,
      360
    ],
    "sheetMs": 460,
    "staggerMs": 60
  },
  "touchTargetMin": 46
}
```

12 Deviations in the current screens

Places where the drawn screens depart from this specification. Each is corrected in the next revision of the screens; until then, build from this document.

ID	DEVIATION	CORRECTION
DV-01	Sample data in several screens still uses another country's conventions: amounts in GHS, +233 numbers, Accra, and names from that country.	Regenerate every sample value from the Cameroon region pack (section 9.2 and 9.4).
DV-02	The staff availability editor shows a slot length rule.	Replace with the tenant's grid unit; durations belong to appointment types.
DV-03	The staff no-show screen offers Block from booking.	Replace with the advance-booking restriction; no control may lock a patient out.
DV-04	The roles and permissions screen says a person with several roles always receives the highest, and summarises the administrator as having every permission.	Accounts carry the roles set at creation; the administrator never reads care context. Correct the copy.
DV-05	Staff appointment details show a fee as unpaid.	Show the fee band and, after closure, the entitlement. No payment language exists before payments do.
DV-06	The patient account carries a medical summary entry for allergies, conditions and medication.	Intake answers belong to one visit's care context; remove the standing summary.
DV-07	No screen has French copy.	Add French for every patient and staff screen.
DV-08	Month and Year range views and the reduced-transparency mode are specified but not drawn.	Design the month density grid, the year heatmap and the solid fallback.