1. The probability of a leap year selected at random contain 53					
Sunday is:					
(a) 53/ 366 (b) 1/7 (c) 2/7 (d) 53/365					
2. A bag contains 3 red and 2 blue marbles. A marble is drawn a	t				
random. The probability of drawing a black ball is:					
(a) 3/5 (b) 2/5 (c) 0/5 (d) 1/5					
3. The probability that it will rain tomorrow is 0.85. What is the					
probability that it will not rain tomorrow					
(a) 0.25 (b) 0.145 (c) 3/20 (d) none of these	9				
4. What is the probability that a number selected from the numb	ers				
(1, 2, 3,, 15) is a multiple of 4?					
(a) 1/5 (b) 4/5 (c) 2/15 (d) 1/3					
5. What are the total outcomes when we throw three coins?					
(a) 4 (b) 5 (c) 8 (d) 7					
6. The probability that a prime number selected at random from	the				
numbers (1,2,3,35) is :					
(a) 12/35 (b) 11/35 (c) 13/35 (d) none of the	se				
7. The sum of the probability of an event and non event is:					
(a) 2 (b) 1 (c) 0 (d) none of these.					
8. The following probabilities are given; choose the correct ans	wer				
for that which is not possible.					
(a) 0.15 (b) $2/7$ (c) $7/5$ (d) none of these	<u>)</u> .				
9. If three coins are tossed simultaneously, than the probability	of				
getting at least two heads, is:					
(a) 1/4 (b) 3/8 (c) ½ (d) 1/8					
10. A letter is chosen at random from the letters of the word					
♦ASSASSINATION ♦. The probability that the letter chosen has	•				
(a) 6/13 (b) 7/13 (c) 1 (d) none of the	ese.				
11. A dice is thrown. Find the probability of getting an even num	ber.				
(A) 2/3 (B) 1 (C) 5/6 (D) 1/2					
12. Two coins are thrown at the same time. Find the probability of					
getting both heads.					
gg					
(A) 3/4 (B) 1/4 (C) 1/2 (D) 0					

13. Two dice are thrown simultaneously. The probability of getting a sum of 9 is:

(A) 1/10	(B) 3/10	(C) 1/9	(D) 4	/9			
14. 100 cards are numbered from 1 to 100. Find the probability of getting a prime number.							
(A) 3/4	(B) 27/50	(C) 1/4	(D)	29/100			
•	a blue ball is do a bag is:	ouble that of	a red ball, the	If the probability en the number of			
(A) 5	(B) 10	(C) 15	(D) 20				
16. A box of 600 bulbs contains 12 defective bulbs. One bulb is taken out at random from this box. Then the probability that it is non-defective bulb is: (A) 143/150 (B) 147/150 (C) 1/25 (D) 1/50							
17. Cards m	arked with nu	mbers 2 to 10 rd is drawn fr	on are placed om this box i l is a perfect	in a box and randomly, then square.			
18. What is (A) 1/7	the probability (B) 53/366	y of getting 5	•	n a leap year? /366			
19. A card is drawn from a well shuffled deck of 52 cards. Find the probability of getting a king of red suit. (A) 1/26 (B) 3/26 (C) 7/52 (D) 1/13							
equally likel	<u>-</u>	est pointing t	o one of the	number n odd number is:			
21. A game consists of tossing a one rupee coin 3 times and noting its outcome each time. Aryan wins if all the tosses give the same result i.e. three heads or three tails and loses otherwise. Then the probability that Aryan will lose the game. (A) 3/4 (B) 1/2 (C) 1 (D) 1/4							

•	Kajal are friends ay is the same bi	•	both will have the	
	(B) 31/365		(D) 1/133225	
2. Then the	er x is chosen at probability that x^2 (C) $3/5$	² < 2 is?	numbers -2, -1, 0 , 1,	
a marble is ored is 2/3, th	Irawn at random	from the jar, the <mark>լ</mark> f white marbles ir	nd others are white. If probability that it is not the jar is:	
Then the pro		a multiple of 3 ar	50 natural numbers. nd 4 is:	
	showing up is pro	• •	probability of a face e probability of face $\frac{d}{d} \frac{4}{21}$	
27. Runs sc	42	in 5 one day mat iation is	ches are 50, 70, 82, d) 25.69	
	days 15, 11, 9, 5,	the messages re , 18, 4, 18, 13, 17 c) 18, 15		
29. A coin is tossed up 4 times. The probability that tails turn up in 3 cases is				
$a)^{1/2}$	b) $^1\!/_3$ riate between 0 a	c) $\frac{1}{4}$ and 3. The value of c) 27	of $E(X^2)$ is	
31.The rand	om variables X aı	nd Y have varianc	es 0.2 and 0.5	

31. The random variables X and Y have variances 0.2 and 0.5 respectively. Let Z= 5X-2Y. The variance of Z is?

a) 3	b) 4	c) 5	d) 7			
probability?	b) ∑ x	P(x) = 3 () = - 0.5	one is not possil	ble in		
33.If E(x) =	2 and E(z) = 4 b) 6	, then E(z - x c) 0		ıfficient data		
34.The cov	ariance of two	independent	random variable	e is		
a) 1	b) 0	c) - 1	d) Und	defined		
35.If Σ P(x) a) 0) = k² – 8 then, b) 1	the value of l		ufficient data		
• •	0.5 and x = 4, b) 0.5	then E(x) = ? c) 4	d) 2			
37.In a discrete probability distribution, the sum of all probabilities is always? a) 0 b) Infinite c) 1 d) Undefined						
38.If the probability of hitting the target is 0.4, find mean and variance. a) 0.4, 0.24 b) 0.6, 0.24 c) 0.4, 0.16 d) 0.6, 0.16						
39.If the probability that a bomb dropped from a place will strike the target is 60% and if 10 bombs are dropped, find mean and variance? a) 0.6, 0.24 b) 6, 2.4 c) 0.4, 0.16 d) 4, 1.6						

40. Find the mean of tossing 8 coins.
a) 2
b) 4
c) 8
d) 1
41. What is the mean and variance for standard normal distribution?

a) Mean is 0 c) Mean is 0		_	,			
42.Variance a) E(X)				_		d) (E(X))2
43.Mean of a) E(X)			_	ven by) - (E(X))2	<u></u> 2	d) (E(X))2
44.Mean of a) 0	a constan b) a	t 'a' is	c) a/2	- ·	d) 1	
45.Variance	of a cons b) a	tant 'a' is	c) a/2	<u>.</u> .	d) 1	
46.Find the mean and variance of X?						
Х	0	1	2	3	4	
f(x)	1/9	2/9	3/9	2/9	1/9	
a) 2, 4/3	b) 3	3, 4/3		c) 2, 2/3		d) 3, 2/3
47.Find the expectation of a random variable X?						

	Х	0	1	2	3	
	f(x)	1/6	2/6	2/6	1/6	
a) ().5	C	ත්) 1.5		c) 2.5	d) 3.5

48. In a Binomial Distribution, if p, q and n are probability of success, failure and number of trials respectively then variance is given by



c) np2q

d) npq2

49. If 'X' is a random variable, taking values 'x', probability of success and failure being 'p' and 'q' respectively and 'n' trials being conducted, then what is the probability that 'X' takes values 'x'? Use **Binomial Distribution.**

a)
$$P(X = x) = nCx px qx$$

b)
$$P(X = x) = nCx px q(n-x)$$

c)
$$P(X = x) = xCn qx p(n-x)$$

d)
$$P(x = x) = xCn pn qx$$

50. If 'p', 'q' and 'n' are probability pf success, failure and number of trials respectively in a Binomial Distribution, what is its Standard **Deviation?**

- a) \sqrt{np}
- b) \sqrt{pq} c) (np)2