Demonstrate Insertion, Updation, and Deletion of Database Records using JDBC.

Index.html

```
<!DOCTYPE html>
<html>
<head>
<meta charset="UTF-8">
<title>JDBC Insert, Update, Delete</title>
</head>
<body>
<a href="list">Product Info</a><br>
</body>
</html>
```

DB Connection:

```
package com.productdetails;
import java.sql.Connection;
import java.sql.DriverManager;
import java.sql.SQLException;
public class {
    private Connection connection;

    public DBConnection(String dbURL, String user, String pwd) throws
    ClassNotFoundException, SQLException{
        Class.forName("com.mysql.jdbc.Driver");
        this.connection = DriverManager.getConnection(dbURL, user, pwd);
    }

    public Connection getConnection() {
        return this.connection;
    }

    public void closeConnection() throws SQLException {
        if (this.connection != null)
        this.connection.close();
    }
}
```

Product details:

```
package com.productdetails;
import java.io.IOException;
import java.io.InputStream;
import java.io.PrintWriter;
import java.math.BigDecimal;
import java.sql.CallableStatement;
import java.sql.ResultSet;
import java.sql.SQLException;
import java.sql.Statement;
import java.util.Properties;
import javax.servlet.ServletException;
import javax.servlet.annotation.WebServlet;
```

```
import javax.servlet.http.HttpServlet;
import javax.servlet.http.HttpServletRequest;
import javax.servlet.http.HttpServletResponse;
import com.ecommerce.DBConnection;
* Servlet implementation class ProductDetails
@WebServlet("/ProductDetails")
public class ProductDetails extends HttpServlet {
 private static final long serialVersionUID = 1L;
* @see HttpServlet#HttpServlet()
 public ProductDetails() {
 super();
 // TODO Auto-generated constructor stub
 /**
 * @see HttpServlet#doGet(HttpServletRequest request, HttpServletResponse
response)
protected void doGet(HttpServletRequest request, HttpServletResponse
response) throws ServletException, IOException {
// TODO Auto-generated method stub
 try {
 PrintWriter out = response.getWriter();
 out.println("<html><body>");
 InputStream in =
getServletContext().getResourceAsStream("/WEB-INF/config.properties");
 Properties props = new Properties();
 props.load(in);
DBConnection conn = new
DBConnection(props.getProperty("url"), props.getProperty("userid"),
props.getProperty("password"));
 Statement stmt =
conn.getConnection().createStatement(ResultSet.TYPE SCROLL INSENSITIVE,
ResultSet.CONCUR READ ONLY);
stmt.executeUpdate("insert into eproduct (name, price,
date added) values ('New Product', 17800.00, now())");
 out.println("Executed an insert operation<br>");
stmt.executeUpdate("update eproduct set price=2000 where name
= 'New Product'");
 out.println("Executed an update operation<br>");
 stmt.executeUpdate("delete from eproduct where name = 'New
Product'");
 out.println("Executed a delete operation<br>");
 stmt.close();
 conn.closeConnection();
 out.println("</body></html>");
conn.closeConnection();
 } catch (ClassNotFoundException e) {
```

```
e.printStackTrace();
} catch (SQLException e) {
e.printStackTrace();
}

/**

* @see HttpServlet#doPost(HttpServletRequest request, HttpServletResponse response)

*/
protected void doPost(HttpServletRequest request, HttpServletResponse response) throws ServletException, IOException {
// TODO Auto-generated method stub doGet(request, response);
}
```

Web.xml:

```
<?xml version="1.0" encoding="UTF-8"?>
<web-app xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"</pre>
xmlns="http://xmlns.jcp.org/xml/ns/javaee"
xsi:schemaLocation="http://xmlns.jcp.org/xml/ns/javaee
http://xmlns.jcp.org/xml/ns/javaee/web-app 4 0.xsd" id="WebApp ID"
version="4.0">
 <display-name>JDBC Insert, Update, Delete</display-name>
 <welcome-file-list>
 <welcome-file>index.html</welcome-file>
 <welcome-file>index.htm</welcome-file>
 <welcome-file>index.jsp</welcome-file>
 <welcome-file>default.html</welcome-file>
 <welcome-file>default.htm</welcome-file>
 <welcome-file>default.jsp</welcome-file>
 </welcome-file-list>
 <servlet>
 <servlet-name>ProductDetails</servlet-name>
 <servlet-class>ProductDetails</servlet-class>
</servlet>
 <servlet-mapping>
 <servlet-name>ProductDetails</servlet-name>
<url-pattern>/list</url-pattern>
</servlet-mapping>
</web-app>
```