Edit   Search   View   Encoding   Language   Settings   Tools   Macro   Run   Plugins   Window   ?

assignment1.c ✖

```c
#include <stdio.h>
void main()

{

    printf ("    *\n    ***\n    *****\n   *******\n *********\n***********");

}
```

Windows PowerShell

```
PS C:\Users\pc\Documents\C (notepad)>  gcc assignment1.c -o assignment1.exe
PS C:\Users\pc\Documents\C (notepad)> ./assignment1.exe
        *
       ***
      *****
     *******
    *********
***********
PS C:\Users\pc\Documents\C (notepad)>
```

File   Edit   Search   View   Encoding   Language   Settings   Tools   Macro   Run   Plugins   Window   ?

assignment2.c

```c
#include <stdio.h>
void main()

{

    int x,y,z;
    printf("Please Enter Number 1 : ");
    scanf(" %d",&x);
    printf("Please Enter Number 2 : ");
    scanf(" %d",&y);
    printf("Please Enter Number 3 : ");
    scanf(" %d",&z);

    printf("Number 3 : %d\n",z);
    printf("Number 2 : %d\n",y);
    printf("Number 1 : %d",x);


}
```

Windows PowerShell

```
PS C:\Users\pc\Documents\C (notepad)> gcc assignment2.c -o assignment2.exe
PS C:\Users\pc\Documents\C (notepad)> ./assignment2.exe
Please Enter Number 1 : 11
Please Enter Number 2 : 12
Please Enter Number 3 : 13
Number 3 : 13
Number 2 : 12
Number 1 : 11
PS C:\Users\pc\Documents\C (notepad)>
```

File   Edit   Search   View   Encoding   Language   Settings   Tools   Macro   Run   Plugins   Window   ?

assignment3.c

```c
#include <stdio.h>
void main()

{

    int a,b;
    printf("Please Enter Number a : ");
    scanf(" %d",&a);
    printf("Please Enter Number b : ");
    scanf(" %d",&b);

    printf("a + b = %d\n",(a+b));
    printf("a - b = %d\n",(a-b));
    printf("a & b = %d\n",(a&b));
    printf("a | b = %d\n",(a|b));
    printf("a ^ b = %d\n",(a^b));


}
```

Windows PowerShell

```
PS C:\Users\pc\Documents\C (notepad)>  gcc assignment3.c -o assignment3.exe
PS C:\Users\pc\Documents\C (notepad)>  ./assignment3.exe
Please Enter Number a : 4
Please Enter Number b : 2
a + b = 6
a - b = 2
a & b = 0
a | b = 6
a ^ b = 6
PS C:\Users\pc\Documents\C (notepad)>
```