

ASSIGNMENT-3

FULL STACK DEVELOPMENT(MERN STACK)


Name: B.Umme Salma

G-mail: salmasallu1322@gmail.com

Hallticket:209F1A0503

Course: Full Stack Devlopment (MERN stack)

College: Sri Venkateswara Institute of Technology, Anantapur.



The screenshot shows the Visual Studio Code interface with a terminal window open. The terminal displays the output of the `npm init` command. The Explorer sidebar on the left shows the project structure with a folder named `server`. The terminal output is as follows:

```
PS C:\Users\user1\OneDrive\Desktop\Assign3> cd server
3> cd server
PS C:\Users\user1\OneDrive\Desktop\Assign3> npm init
3\server> npm init
This utility will walk you through creat
ing a package.json file.
It only covers the most common items, anentation on these fields
d tries to guess sensible defaults.

See 'npm help init' for definitive documstall a package and
entation on these fields
and exactly what they do.

Use 'npm install <pkg>' afterwards to in
stall a package and
save it as a dependency in the package.j
son file.

Press ^C at any time to quit.
package name: (server)
version: (1.0.0)
description: we are learning MERN STACK
entry point: (index.js)
test command:
git repository:
keywords:
author: MERN STACK
license: (ISC)
About to write to C:\Users\user1\OneDrive\Desktop\Assign3\server\package.json:
```

The status bar at the bottom indicates the file encoding as UTF-8, the language as JavaScript, and the current date and time as 01:37 on 09-03-2024.

