

JAVA Basic PROGRAMS

1]. FIBBONACCI SERIES IN JAVA:



```
class fibonacciExample {  
    public static void main (String args[])  
    {  
        int n1 = 0, n2 = 1, n3, i, count = 10;  
        System.out.print (n1 + " " + n2);  
        for (i = 0; i < count; ++i)  
        {  
            n3 = n1 + n2;  
            System.out.print (" " + n3);  
            n1 = n2;  
            n2 = n3;  
        }  
    }  
}
```

Output:

0 1 2 3 5 8 13 21 34

2]. PRIME NUMBER PROGRAM IN JAVA:



```
public class PrimeNumbers {  
    public static void main (String args[])  
    {  
        int i, m = 0, count = 0;  
        int n = 3;  
        m = n/2;  
        if (n == 0 || n == 1) {  
            System.out.println (n + " is not prime num");  
        }  
    }  
}
```




else {
for (i = 2; i <= m; i++) {
if (n % i == 0)
{
system.out.println(n + " is not prime number");
count = 1;
break;
}
}
if (flag == 0) {
system.out.println(n + " is prime number");
}
}

Output:-

7 is prime number.

3]. FACTORIAL PROGRAM IN JAVA:




```
Class factorialExample {  
    Public static void main (String args[]) {  
        int i, fact = 1;  
        for (i = 1; i <= number; i++) {  
            fact = fact * i;  
        }  
        System.out.println ("factorial of " + number + "  
                             " is " + fact);  
    }  
}
```

Output:-

Factorial of 5 is 120.

4]. PROGRAM OF PRINT HALF PYRAMID USING ★ :



```

Public class main {
    Public static void main (String[] args) {
        int rows=5;
        for(int i=1; i<=rows; ++i) {
            for(int j=1; j<=i; ++j) {
                System.out.println(" ★ ");
            }
            System.out.println(" ");
        }
    }
}

```

Output:-

```

★
★ ★
★ ★ ★
★ ★ ★ ★
★ ★ ★ ★ ★

```

5]. PROGRAM TO PRINT HALF PYRAMID USING NUMBERS :



```

Public class main {
    Public static void main (String[] args) {
        int rows = 5;
        for(int i=1; i<=rows; ++i) {
            for(int j=1; j<=i; ++j) {
                System.out.println(" ");
            }
        }
    }
}

```


SWIPE →

→
Output:-

```
1
1 2
1 2 3
1 2 3 4
1 2 3 4 5
```

6].

JAVA PROGRAM TO GENERATE MULTIPLICATION TABLE:



```
Public class multiplication Table {
    Public static void main (String[] args) {
        int num = 5 ;
        for (int i = 1 ; i <= 10 ; ++ i)
        {
            System.out.println ("%.d * %.d = %.d \n",
                                num, i, num*i);
        }
    }
}
```

Output:-

```
5 * 1 = 5
5 * 2 = 10
5 * 3 = 15
5 * 4 = 20
5 * 5 = 25
5 * 6 = 30
5 * 7 = 35
5 * 8 = 40
5 * 9 = 45
5 * 10 = 50
```

7].

**PROGRAM TO GET CURRENT DATE & TIME :**

```
import java.time.LocalDateTime;  
Public class currentDateTime {  
    Public static void main (String [] args) {  
        LocalDateTime current = LocalDateTime.now();  
        System.out.println("Current Date & Time :"  
            + current);  
    }  
}
```

Output:-

Current Date & Time is : 2023-01-01 12:00:00

8].


**JAVA PROGRAM TO REVERSE A NUMBER:**

```
Class Main ( )  
Public static void main (String [], args )  
{  
    int num = 1 2 3 4 , reversed = 0;  
    System.out.println("Original number;" + num);  
    While (num != 0) {  
        int digit = num % 10;  
        reversed = reversed * 10 + digit  
        num /= 10;  
    }  
    System.out.println("Reversed number:" +  
        reversed);  
}
```

Output:-

Reversed number : 4 3 2 1

9]. PROGRAM TO FIND AVERAGE OF NUMBER USING ARRAY:



```
Public class JavaExample {  
    Public static void main (String [] args )  
    {  
        double [] arr = {19, 12.89, 16.5, 200, 13.7};  
        For (int i = 0; i < arr.length; i++)  
        {  
            total = total + arr[i]  
        }  
        double average = total / arr.length;  
        system.out.format ("the average: %.3F",  
                             average);  
    }  
}
```