

PROBLEM STATEMENTS [AR/VR/MR]

1. Remote Expert Assistance for Power & Utility Infrastructure Maintenance.....	3
2. Construction Progress Monitoring & As-Built Verification for Mega-Projects.....	4
3. Nuclear Decommissioning Planning & Remote Operations.....	5
4. Surgical Planning & Intra-Operative Navigation in Oncology.....	6
5. Loss-Control Walk-Throughs with Spatial Evidence and Hazard Scoring.....	7
6. Rehabilitation & Motor Assessment Platform for Stroke & Spinal Cord Injury.....	8
7. Facility Management & Space Optimization.....	9
8. Rack-Level Guidance & Verification in Data Center Operations.....	10
9. Maintenance Training & Guided Repair for Defense Platforms.....	11
10. Simulation Platform for Industrial Skill Training (Polytechnic Level).....	12
11. Safety Platform for Underground Mines.....	13
12. Spatial Digital Twins for Brownfield Industrial Plants.....	14
13. Automated Visual Inspection of Aircraft Engine Hot-Section Components.....	15
14. Courtroom & Crime Scene Reconstruction for Complex Litigation.....	16
15. Warehouse Slotting Optimization & Picking in Cold Chain Logistics.....	17
16. Troubleshooting & Preventive Maintenance for Semiconductor EUV Lithography Systems.....	18
17. 5G Cell Tower Antenna Alignment & Remote Signal Diagnostics.....	19
18. Maintenance & Spatial Diagnostics for Deepwater Blowout Preventers (BOPs).....	20
19. Avionics Wiring Harness Assembly for Commercial Satellites & Spacecraft.....	21
20. 3D Navigation for Pediatric Cardiothoracic Surgery.....	22
21. Intra-Operative X-Ray Vision for Complex Spinal Fusion Surgery.....	23
22. Subsurface Utility Mapping & Excavation Strike Prevention.....	24
23. Spatial MEP Routing & Clash Resolution for Hyperscale Data Centers.....	25
24. Tactile Training for Commercial Jet Landing Gear Overhaul.....	26
25. Spatial Simulation for HazMat Spill Containment in Chemical Plants.....	27
26. High-Velocity Picking for E-Commerce Micro-Fulfillment Centers.....	28
27. Spatial Segregation Compliance for Hazardous Goods Warehousing.....	29
28. Cost Intelligence for Construction.....	30
29. Interior Designer.....	31
30. Maintenance Technician Assistant.....	32
31. Urban Planning & Smart Cities.....	33
32. Classroom Tutor (Spatial Learning).....	34
33. Navigation Assistant for the Blind.....	35
34. Real Estate Visualization.....	36
35. Digital Twin for Industrial Plants.....	37

Framework for Evaluation

Criterion	What It Means
Highly Vertical	Not a horizontal tool; deeply embedded in one industry's workflow
B2B / Enterprise-first	Buyer is a company, not a consumer; deals with procurement, compliance, ROI justification
Data Moat	The more the system is used, the harder it is to replicate Proprietary spatial datasets, domain-specific 3D models, annotation layers, or behavioral data can be a part of the problem
Regional / Geo Leverage	Exploits something unique about region we are in (talent, regulatory landscape, physical infrastructure, industry density)
Two-pronged vector	Simultaneously a research showcase / capability platform and a commercially viable product pathway

Target Businesses

- Construction
- Medical / Healthcare
- Military
- Technical Training Simulations
- Facility / Warehouse Management
- Logistics
- Mining Operations
- Litigation
- Manufacturing
- Agriculture

Potential Challenges

- Limited acceptance in the market
- The business / industry might not allow us
- Domain knowledge / expertise
- Data fear (Local enterprises are increasingly worried about data sovereignty)
- Market education & awareness gap
- Spatial AI and cloud-rendered AR/MR need stable, low-latency connectivity
- Local enterprises tend to trust established names over local startups for cutting-edge tech
- No clear data governance frameworks
- Dependent on hardware we cannot manufacture locally
- At the mercy of import dynamics (specialized headsets & glasses often get lumped into high-luxury tax brackets)

1. Remote Expert Assistance for Power & Utility Infrastructure Maintenance

Maintenance of substations, transformers, and transmission towers is performed by field technicians with varying skill levels across remote locations. Expert engineers are concentrated in metros. Downtime costs can be really high for critical substations.

MR headset or phone-based AR system would let a remote expert spatially annotate the field technician's live environment. The system would recognize equipment (transformer bushings, breaker panels, relay configurations) and pull up relevant SOPs, historical fault data, and wiring diagrams registered to the physical object. Session recordings become spatially-indexed knowledge bases for future technicians and senior managers.




Moat Summary

The data moat here is multi-layered and compounding. It combines (a) proprietary spatial visual data of physical infrastructure, (b) expert procedural knowledge captured in spatial context, (c) longitudinal fault/resolution histories, and (d) cross-customer equipment recognition breadth. A competitor entering after 2 years of our operation would need to generate thousands of spatially-annotated field sessions to even approach feature parity.

2. Construction Progress Monitoring & As-Built Verification for Mega-Projects

At any given time, there are trillions of dollars in infrastructure projects underway. Progress monitoring is largely manual. Site engineers take photos, write reports, and disputes about percentage completion delay payments by weeks. Comparing as-built reality to as-designed BIM models requires expensive consultants and is done infrequently.

Instead of that a smart glasses based solution or a handheld 360° capture can be used to build a pipeline that auto-compares reality capture to BIM/design models. Deviation detection (slab thickness, rebar spacing, column alignment) would be flagged automatically. There can be AR overlays on-site so that project managers point a tablet at a wall and see what should be behind it (embedded conduits, rebar layout) versus what was actually built. If multiple/repeated walk-throughs were performed, then a 4D timeline reconstruction would scrub through time to see when deviations were introduced.



Moat Summary

The moat is built on paired BIM-reality data (which only the platform owner has at scale), temporal construction progression data (which requires longitudinal site access), and deviation-to-outcome correlations (which require tracking projects through completion and warranty). Each new project makes the deviation detection smarter, the progress estimation more accurate, and the predictive capabilities more valuable. A competitor starting fresh cannot replicate 3 years of multi-project temporal spatial data.

9D Technologies | AI Research



3. Nuclear Decommissioning Planning & Remote Operations

There are 200+ nuclear reactors worldwide that are in or approaching decommissioning. The process takes 20 to 60 years and costs \$500M to \$3B per reactor. Workers face radiation exposure limits (20mSv/year), so time inside contaminated areas must be minimized. Decommissioning sequences are planned using 2D drawings of facilities built 40 to 60 years ago, often with poor as-built documentation. Every minute spent figuring out the next step inside the contaminated zone is a wasted dose.

3D scanning of reactor buildings using smart sensors can help make a spatial digital twin with radiation field overlay (from dosimetry data). Engineers can rehearse cutting sequences, waste packaging, and crane operations in the virtual twin with simulated radiation dose accumulation. The system would plan the sequence that minimizes total worker dose (considering shielding, source geometry, task duration, etc.) AR for workers inside the facility would allow them to see radiation hot spots, planned cut lines, and equipment identification overlaid on their view through the shielded visor. The operator would use the interface to control remote manipulators, with spatial AI assisting in object recognition and manipulation planning.



Moat Summary

This is perhaps the strongest data moat of all problems. The combination of (a) one-of-a-kind facility twins, (b) radiation-spatial data that cannot be re-collected without re-entering dangerous environments, (c) multi-decade project timelines creating lock-in, and (d) regulatory compliance requirements makes this nearly impervious to competition once established at a site. The moat is also reinforced by extreme barriers to entry: security clearances, nuclear licensing, and the trust required by nuclear operators.

4. Surgical Planning & Intra-Operative Navigation in Oncology

Complex tumor resections (hepatobiliary, pelvic, head & neck) require surgeons to mentally reconstruct 3D anatomy from 2D CT/MRI slices. Patients often present with advanced-stage tumors (larger, more complex vascular involvement) due to late diagnosis.

An AI-assisted pipeline can be designed that looks something like: DICOM to auto-segmented 3D patient-specific anatomy to VR/AR surgical planning environment. The surgeon can rehearse the approach in VR, plan resection margins, and identify critical vascular structures. Post operation, planned and actual resection can be compared for continuous learning.




Moat Summary

The moat compounds along two axes: (a) segmentation accuracy (which improves with every case, every correction, every imaging protocol variation) and (b) planning-to-outcome linkage (which no competitor can replicate without equivalent longitudinal clinical deployment). The surgical planning-to-outcome dataset becomes, over time, the most valuable dataset in surgical oncology, a true clinical decision support engine.

5. Loss-Control Walk-Throughs with Spatial Evidence and Hazard Scoring

Risk engineers must assess sites (sprinklers, electrical rooms, housekeeping, egress, storage heights) and write reports quickly. Consistency is hard; proof matters after a loss.

AR-guided walk with hazard prompts, spatial capture of key areas; auto-measuring clearances would resolve all this. We can also use this to generate standardized evidence reports. There are cross-facility hazard patterns + claims outcomes that can be used to train our system.



Moat Summary

The insurance data moat is uniquely powerful because it bridges two data domains that are almost never connected: (a) spatial hazard observations from physical sites and (b) financial claims outcomes. No tech company alone has claims data; no insurer alone has spatially-indexed hazard data at scale. The platform that connects these two creates an un-replicable risk intelligence engine.

9D Technologies | AI Research



6. Rehabilitation & Motor Assessment Platform for Stroke & Spinal Cord Injury

There are millions of new stroke patients/year; <5% receive adequate rehabilitation. Qualified neurorehab specialists are very low in numbers. Rural access is almost nonexistent. Current rehab is labor-intensive (1 therapist: 1 patient, in-person, multiple sessions/week). Also, assessment of motor recovery is subjective and inconsistent.

VR environment with calibrated motor tasks (reaching, grasping, balance) that simultaneously provides therapy and objectively measures recovery (joint angles, movement smoothness, reaction time, compensation patterns). The system would track body/hand without expensive motion capture (using inside-out tracking + AI pose estimation). The therapist dashboard can include remote monitoring of multiple patients, flagged anomalies, auto-generated progress reports, and much more. For patients, there can be gamified tasks (with familiar objects, environments, languages).



Moat Summary

The data moat in neurorehabilitation is temporal and clinical. It requires thousands of patient-hours of instrumented therapy linked to functional outcomes. This is the kind of data that takes years to accumulate, requires clinical partnerships and IRB approvals to collect, and becomes exponentially more valuable as the trajectory database grows.

7. Facility Management & Space Optimization

Many enterprises operate massive campuses at 40–60% hybrid utilization. They are paying for space they do not use. Facility management is reactive. Understanding how space is actually used (vs. how it was designed) requires expensive sensor retrofits.

Spatial AI ingests existing CCTV, BMS, access control, and WiFi data to build occupancy-aware digital twins of campuses. No new hardware would be required initially. VR-based scenario planning can be applied. For example, "If we consolidate Building 3 and reconfigure Building 7, what happens to foot traffic, HVAC load, cafeteria queuing?"



Moat Summary

The moat is primarily longitudinal behavioral data (which takes time to accumulate and cannot be synthesized) combined with integration complexity (which creates switching costs). The moat strengthens significantly when the system spans multiple facilities for the same enterprise and when scenario predictions are validated against real outcomes. This is a slower-building but very sticky moat.

8. Rack-Level Guidance & Verification in Data Center Operations

In data center operations, many tickets fail due to misidentification of ports, cables, and devices; documentation is outdated; mistakes cause outages.

Glasses/mobile guided workflows for specific task types (swap, patch, reseal, inventory) would help in resolving this. There can be CV-based rack/port identification + confirmation. Before/after evidence packs can be auto-generated. There will be visual inventory and change history of racks that can become more and more useful as the usage increases. The model would also learn common failure modes and provide suggestions in the form of guiding overlays to completely avoid them in the first place.



Moat Summary

The data moat is built on visual infrastructure state data (which is created only through physical presence in the data center) and change history (which is inherently temporal and cannot be recreated). The failure mode pattern library becomes more valuable as it spans more facilities, equipment vendors, and configurations. The moat is strongest for operators with large, diverse data center portfolios.

9. Maintenance Training & Guided Repair for Defense Platforms

Armed forces usually operate a uniquely heterogeneous equipment base. For example, Russian origin, French, Chinese, American, and indigenous systems. Maintenance personnel must handle equipment from 5+ different technology ecosystems. Training is platform-specific, expensive, and requires equipment downtime. OEM dependency for complex repairs is a strategic vulnerability.

VR training simulators for complex maintenance procedures (engine overhaul, avionics bay servicing, weapons system calibration) without needing the actual equipment can be really helpful. The other use case could be AR-guided repair. Technicians will wear MR headset, see step-by-step 3D instructions overlaid on the actual equipment, with torque values, part numbers, and safety warnings. The system will also understand the current state of the equipment (panels open/closed, components present/removed) and adapt instructions accordingly.




Moat Summary

The defense moat combines technical depth (platform-specific 3D models with maintenance procedures), unique breadth (multi-ecosystem coverage that no OEM can match), operational data (technician performance and equipment state), and security/trust barriers. This is one of the hardest moats to replicate because the data is restricted, the development cost is enormous, and the customer relationships take years to build.

10. Simulation Platform for Industrial Skill Training (Polytechnic Level)

Training quality of students being trained for industrial jobs (welding, fitting, machining, electrical) is abysmal because institutes lack equipment. An institute may have 2 lathes for 60 students. Students graduate without adequate hands-on practice. Industry spends 6 to 12 months retraining.

There can be VR simulation of workshop environments (lathe operation, arc welding, electrical panel wiring, CNC operation). If the student is wearing smart glasses, then a model can assess your technique such as hand steadiness in welding, tool approach angle in machining, wiring sequence in electrical work, etc. Haptic feedback integration for realistic tactile response would be the next step. There is also a possibility of automated competency certification with objective metrics (no more subjective assessor bias). It would require the development of industry-aligned curriculum modules (the industry itself can specify exact tasks they need trainees to master).




Moat Summary

The moat is built on objective technique assessment data (which requires instrumented training sessions with expert validation) and competency progression analytics (which require longitudinal cohorts). If the platform achieves certification standard status, the moat becomes nearly insurmountable — the platform IS the standard. The industry partnership layer creates additional lock-in through co-invested curriculum modules.

11. Safety Platform for Underground Mines

Underground mines (coal, metal, limestone) are among the most dangerous workplaces because of roof falls, gas accumulation, flooding, and many more hazards. Mine plans are maintained on 2D paper drawings. Supervisors have poor real-time spatial awareness of working conditions. Safety inspections are infrequent and documentation-heavy.

3D scanning of mine workings (using SLAM-based hardware that works without GPS) can help us make a digital twin of different mines. Real-time integration with IoT sensors (gas, ground stability, ventilation) mapped to 3D models can also be carried out.




Moat Summary

The underground mine moat is physically grounded. The spatial twins are of real, unique, constantly-changing physical environments that can only be scanned by being physically present underground. The spatial-temporal hazard models require years of sensor data from operational mines. A competitor must physically enter each mine and deploy sensors for months/years to build an equivalent dataset. This is a deeply defensible, site-specific moat with cross-site learning as a bonus.

12. Spatial Digital Twins for Brownfield Industrial Plants

There are thousands of brownfield refineries, chemical plants, steel mills, and power stations, many built 30–60 years ago with no accurate 3D documentation. Every maintenance turnaround, expansion project, or safety audit requires expensive manual surveying. Clash detection during retrofits is done physically, leading to rework costs of 10–15% of project value.

An XR platform can be built that ingests LiDAR, photogrammetry, and 3D scans to auto-generate semantically-rich digital twins of existing plants. We can use AI to recognize and classify pipes, valves, structural steel, cable trays. This would allow engineers to walk through the twin for turnaround planning, clash detection, and safety zone modeling. During maintenance, AR annotations can be overlaid on-site.




Moat Summary

The moat combines scarce training data (labeled industrial point clouds), irreplaceable facility-specific twins (created through expensive physical scanning), and temporal maintenance histories (accumulated over years). The semantic recognition models create a cross-plant moat that improves with each new facility, while the facility-specific twins and maintenance histories create per-customer lock-in. This is a two-layer moat: platform-level + customer-level.

13. Automated Visual Inspection of Aircraft Engine Hot-Section Components

After N flight cycles, jet engine hot-section components (turbine blades, nozzle guide vanes, combustion liners) must be inspected for thermal fatigue cracks, coating erosion, and creep deformation. Borescope inspection is performed by certified technicians who thread cameras through the engine and visually assess each blade. This is subjective, slow (4–8 hours per engine), and there's a global shortage of Level II/III NDT inspectors. Besides, a missed crack can be catastrophic.

Borescope imagery can be used to reconstruct each blade's surface from 2D borescope frames. The system can detect and classify defects (crack type, length, orientation, depth estimation) on the 3D blade model. We can compare it with previous inspections as well. Has this indication grown? At what rate? Remaining useful life prediction. We can also use artificially intelligent workflows to highlight areas of concern in real-time on the borescope display.



Moat Summary

This is a data-intensive, safety-critical moat with multiple compounding layers. The defect image database (per engine type), the longitudinal degradation tracking (per blade, per engine), and the remaining useful life models (correlated with actual failures) are all proprietary, expensive to create, and impossible to replicate without equivalent fleet access over equivalent time periods. The safety-critical nature also creates regulatory moat potential. Once accepted by EASA/FAA, the system's approved dataset becomes a regulatory baseline that competitors must exceed.


9D Technologies | AI Research



14. Courtroom & Crime Scene Reconstruction for Complex Litigation

In complex criminal cases (homicides, multi-vehicle accidents, industrial disasters, terrorism), understanding what happened where and when is critical for prosecution and defense. Current evidence presentation uses 2D photos and verbal testimony. Jurors and judges struggle to spatially integrate testimony from multiple witnesses.

3D crime scene / accident scene reconstruction from LiDAR scans, photogrammetry, and forensic reports may be performed. We can even integrate physical evidence (blood spatter patterns, bullet trajectories, vehicle dynamics, structural failure analysis) into the model / scenario simulation. This would allow the judge/jury member to walk through the scene, see events unfold in a reconstructed timeline. Multiple competing theories can be visualized and compared (prosecution says the defendant was here; defense says here; we can see which one is physically consistent with the evidence). The witness says they were standing here and saw X. Is that sightline actually possible?



Moat Summary

The moat here is narrower than in the industrial/medical use cases because the data is more case-specific and less amenable to cross-case learning. The strongest moat elements are physics simulation libraries validated against real forensic data and jurisdictional acceptance precedents. The moat is also more expertise-dependent than data-dependent. The credibility of the forensic team matters as much as the platform. However, if the platform achieves widespread court acceptance, the brand and precedent become significant barriers.

9D Technologies | AI Research



15. Warehouse Slotting Optimization & Picking in Cold Chain Logistics

Cold chain warehouses (frozen food, pharmaceuticals, vaccines) operate at -25°C to $+8^{\circ}\text{C}$. Worker exposure time is strictly limited (typically 45-minute shifts). Every extra second a worker spends searching for a product costs money and health. Product slotting (which SKU goes where) is typically done by a warehouse manager's intuition. Poor slotting means more travel distance, more door openings (temperature breaches), and more picks per labor hour. For pharma cold chains, a temperature excursion can destroy \$M in product.

A spatial model of the cold storage facility (rack locations, door positions, temperature zone boundaries, forklift traffic patterns) would be extremely helpful. The system can optimize slotting while considering pick frequency, order co-occurrence, weight, temperature sensitivity, FEFO (First Expiry First Out), and worker movement minimization. A worker can wear a lightweight cold-rated AR display (or use voice + minimal visual cues) to see next pick location, optimal route, and verification confirmation without removing gloves to use a scanner.



Moat Summary

The cold chain moat combines spatial-thermal models (unique per warehouse), operational data (SKU patterns, worker movements, excursion histories), and extreme-environment AR optimization (cold-specific hardware/software tuning). The temperature excursion prediction model is particularly defensible because it requires historical data linking operational variables to actual excursion events, data that accumulates slowly and cannot be synthesized. The moat deepens significantly with multi-warehouse deployment and cross-warehouse learning.

16. Troubleshooting & Preventive Maintenance for Semiconductor EUV Lithography Systems

Semiconductor fabs operate extremely complex EUV lithography systems where unplanned downtime costs millions. Technicians in strict cleanroom "bunny suits" struggle to consult 2D manuals or tablets while physically repairing equipment.

An XR spatial platform projects a live 3D digital twin directly over the physical machine, ingesting real-time IoT telemetry. AI highlights failing components and provides step-by-step holographic repair guidance, ensuring full compliance with cleanroom protocols while remote experts monitor the view.



Moat Summary

The moat relies on highly restricted cleanroom telemetry and spatial maintenance logs. Aggregating this proprietary fault-resolution data creates a predictive AI engine that competitors cannot replicate without breaching secure fab environments.

17. 5G Cell Tower Antenna Alignment & Remote Signal Diagnostics

Deploying mmWave 5G towers requires ultra-precise antenna alignment, where millimeter deviations cause massive signal degradation. Technicians currently risk their safety climbing towers with heavy tools and paper schematics to perform complex calibrations.

AR glasses visualize invisible 5G RF signals as 3D holographic heatmaps while the technician is on the tower. The system overlays exact mechanical tilt parameters directly onto the physical brackets, while remote NOC engineers guide physical adjustments via spatial arrows.



Moat Summary

Defensibility comes from aggregating hyper-local spatial RF data correlated with physical antenna positioning. This builds a proprietary RF-prediction engine that competitors cannot synthesize without deploying similar hardware across thousands of active towers over time.


9D Technologies | AI Research



18. Maintenance & Spatial Diagnostics for Deepwater Blowout Preventers (BOPs)

The Blowout Preventer (BOP) is the most critical safety valve on an offshore drilling rig. Maintaining these massive, multi-ton systems using 2D schematics in harsh, high-stress environments is slow and highly prone to catastrophic errors.

Technicians use AR to see 1:1 scale holographic overlays of the BOP's complex hydraulic and electrical systems. The AI highlights live pressure data on physical valves and verifies each maintenance step via computer vision, while onshore experts provide real-time spatial annotations via satellite link.



Moat Summary

This data moat is secured by extreme offshore operational security and the critical nature of the hardware. Accumulating spatial wear-and-tear visuals and real-time hydraulic telemetry creates an irreplaceable predictive failure model for offshore platforms.

9D Technologies | AI Research



19. Avionics Wiring Harness Assembly for Commercial Satellites & Spacecraft

Manufacturing commercial satellites involves routing thousands of sensitive wires through tight spaces. Technicians suffer mental fatigue and make costly errors constantly shifting focus between complex physical chassis and thousands of pages of 2D flat drawings.

AR glasses project the exact 3D routing path of each wire as a glowing holographic trail directly onto the satellite chassis. Computer vision tracks the technician's hands, instantly verifying pin placements and flashing warnings if a wire is routed incorrectly.



Moat Summary

The moat is built upon proprietary CAD-to-reality mapping and temporal error-correction data from classified space hardware. Competitors cannot train an equivalent verification AI because aerospace manufacturers strictly guard their proprietary spacecraft assembly telemetry.

20. 3D Navigation for Pediatric Cardiothoracic Surgery

Congenital heart defects in infants involve extremely small, complex anatomies that are difficult to fully understand using flat 2D echocardiograms or CT scans. Surgeons must mentally reconstruct these tiny 3D structures under immense pressure during open-heart procedures, where a millimeter error can be fatal.

AR glasses project a beating, patient-specific 3D holographic heart directly over the surgical field, automatically generated from the patient's MRI/CT scans. The AI highlights hidden anomalous vessels and provides real-time depth guidance for precise scalpel navigation, virtually eliminating the guesswork in complex pediatric repairs.



Moat Summary

The data moat compounds by linking pre-operative 3D pediatric anatomical models with actual surgical pathways and post-operative survival outcomes. Acquiring this highly restricted, specialized pediatric cardiothoracic dataset requires deep clinical partnerships and IRB approvals that competitors cannot easily bypass.

21. Intra-Operative X-Ray Vision for Complex Spinal Fusion Surgery

Placing pedicle screws during spinal fusion requires extreme precision; a slight deviation can sever a nerve root and cause permanent paralysis. Traditional fluoroscopy (X-rays) exposes the surgical team to high radiation and forces the surgeon to constantly look away from the patient's body to a 2D monitor.

A spatial computing headset provides surgeons with "X-ray vision," projecting a 1:1 scale 3D model of the patient's spine directly onto their back. Spatial AI tracks the surgeon's physical drill trajectory in real-time against the holographic spine, flashing immediate visual warnings if the angle deviates toward a critical nerve root.



Moat Summary

This surgical moat is built on thousands of hours of instrumented drill trajectory data paired with patient-specific spinal topographies. As the AI correlates specific drill angles with post-operative neurological outcomes, it becomes an irreplaceable clinical decision support tool protected by massive regulatory and hospital trust barriers.

22. Subsurface Utility Mapping & Excavation Strike Prevention

Urban excavation constantly risks striking buried natural gas lines, fiber optics, or high-voltage cables. Traditional 2D utility maps are notoriously inaccurate and outdated. Utility strikes cause catastrophic explosions, massive project delays, and multi-million dollar regulatory fines, relying heavily on guesswork by heavy machinery operators.

An AR spatial platform provides ground crews and excavator operators with "X-ray vision" into the earth. By fusing Ground-Penetrating Radar (GPR) and GIS data, the glasses project 1:1 scale 3D holographic pipelines directly onto the physical terrain. The AI calculates safe digging perimeters dynamically, flashing critical alerts if the excavator bucket breaches the safety threshold of a live buried asset.



Moat Summary

The moat is built on highly localized, validated subsurface 3D utility data. Every verified excavation feeds ground-truth data back into the system, continuously refining the AI's predictive soil-to-utility depth model. Competitors cannot replicate this proprietary underground map without years of physical, on-site radar scanning and excavation validations across multiple municipalities.


9D Technologies | AI Research



23. Spatial MEP Routing & Clash Resolution for Hyperscale Data Centers

Building hyperscale data centers requires routing thousands of intricate Mechanical, Electrical, and Plumbing (MEP) systems—such as liquid cooling loops and heavy power conduits—in extremely tight spaces. A physical routing mistake of just one centimeter can cause compounding clashes downstream, requiring expensive tear-downs that delay multi-billion-dollar server deployments.

Workers wear AR headsets to see exactly where complex cooling pipes and cable trays must go before installation begins. The spatial AI tracks the worker's physical installations in real-time against the digital twin. If a worker installs a bracket even slightly off-angle, the AI instantly highlights the deviation and prevents them from moving to the next step, eliminating downstream clashes entirely.



Moat Summary

This moat relies on highly confidential data center design topologies and chronological installation variance data. As the AI learns common human-installation deviations across multiple hyperscale projects, it evolves into an irreplaceable predictive clash-prevention engine. Replicating this requires access to the strictly guarded facility designs of major tech giants.

9D Technologies | AI Research



24. Tactile Training for Commercial Jet Landing Gear Overhaul

Training aviation mechanics on massive, complex systems like commercial jet landing gear requires taking multi-million-dollar aircraft out of revenue-generating service. Traditional classroom training and manuals fail to build crucial spatial muscle memory, leading to dangerously slow overhaul times and costly errors when junior mechanics first work on real aircraft.

Trainees wear AR headsets in an empty hangar to interact with a highly detailed, 1:1 holographic projection of the landing gear. The spatial AI tracks their physical hand movements and tool usage in real-time, guiding them through complex hydraulic disconnections and torque sequences while providing instant visual feedback if a safety wire is missed or a critical sequence is skipped.



Moat Summary

The moat is forged by capturing and digitizing the tacit, unwritten knowledge of retiring master aviation mechanics. As the AI records thousands of trainee interactions, physical trajectories, and error rates, it builds an unparalleled competency progression database that airlines cannot easily recreate without massive investment and grounded fleets.

9D Technologies | AI Research



25. Spatial Simulation for HazMat Spill Containment in Chemical Plants

Training plant operators to handle catastrophic chemical spills (e.g., toxic chlorine gas leaks) currently relies on tabletop exercises or using harmless water as a stand-in. Operators cannot safely experience how invisible, heavier-than-air toxic gases physically behave in their specific facility, leaving them dangerously underprepared for real-world lethal emergencies.

AR glasses overlay dynamic, physics-based holographic gas clouds and chemical pools directly onto the physical plant environment. The AI simulates how the hazardous material physically reacts to wind, temperature, and the trainee's containment actions in real-time. If a trainee steps into a highly toxic zone without donning virtual PPE, the system registers a simulated fatal exposure.



Moat Summary

This data moat combines proprietary chemical-dispersal physics engines with site-specific facility digital twins. Accumulating longitudinal data on human behavioral responses and decision-making under simulated spatial stress creates a unique "risk-readiness" metric that industrial insurers and regulators would find exceptionally valuable.

26. High-Velocity Picking for E-Commerce Micro-Fulfillment Centers

E-commerce micro-fulfillment centers operate at extreme speeds with constantly shifting inventory. Traditional handheld barcode scanners force workers to constantly look down, use one hand for the device, and follow static routes. During peak seasons, this friction causes massive picking bottlenecks, physical fatigue, and expensive mis-picks that destroy profit margins.

A platform-agnostic AR system provides warehouse workers with hands-free, heads-up 3D navigation arrows projected directly onto the floor. The spatial AI dynamically calculates the absolute fastest picking route based on real-time warehouse traffic. Computer vision instantly verifies the correct item as the worker reaches for it, completely eliminating the need for manual barcode scanning.



Moat Summary

The data moat is constructed from millions of longitudinal picking trajectories, worker speed metrics, and dynamic warehouse traffic patterns. By continuously correlating spatial human movement with fulfillment velocity, the AI evolves into a proprietary micro-routing optimization engine customized to the unique physics of each facility, making switching costs incredibly high.

9D Technologies | AI Research



27. Spatial Segregation Compliance for Hazardous Goods Warehousing

Storing dangerous goods (industrial chemicals, lithium batteries, flammables) requires strict compliance with complex segregation rules (e.g., oxidizers cannot be placed near flammables). Manual placement errors by forklift operators can lead to catastrophic chemical reactions, massive facility fires, and multi-million dollar regulatory fines.

AR glasses overlay color-coded hazard zones onto the physical warehouse shelves in real-time. When a forklift operator attempts to place a pallet of reactive chemicals, the AI uses computer vision to scan the surrounding physical inventory. If it detects an incompatible material nearby, it projects a physical red holographic barrier across the empty shelf and safely reroutes the driver to a compliant zone.



Moat Summary

This deep moat combines strict regulatory chemical segregation rules with dynamic, spatial inventory tracking. As the platform accumulates historical placement data, near-miss compliance warnings, and facility-specific safety patterns, it becomes an indispensable risk-mitigation engine for chemical logistics companies that competitors cannot bypass or easily replicate.

9D Technologies | AI Research



28. Cost Intelligence for Construction

Construction projects frequently suffer from budget overruns, inefficient material usage, delayed cost estimation workflows, and poor visibility into the financial impact of design decisions during execution. Site engineers and contractors rely heavily on consultants, manual measurements, spreadsheets, and delayed BOQ revisions to estimate costs, making real-time optimization nearly impossible. Small design changes made on-site can significantly affect structural cost, but those implications are usually discovered too late.

A spatial AI platform using AR glasses or tablets can allow engineers to inspect physical structures and instantly visualize material properties, dimensions, and live cost overlays directly on-site. Walls, slabs, columns, and structural elements can display estimated material quantities, labor costs, and comparative design alternatives in real time. AI systems would analyze scene geometry, recognize construction components, estimate material requirements, and recommend cost-saving optimizations while considering structural safety, regional pricing, and compliance constraints. Historical project data and supplier integrations can further improve estimation accuracy and procurement planning.

1. AI COST INTELLIGENCE FOR CONSTRUCTION

Real-time cost estimation and optimization on-site using AR + AI



PROBLEM

Construction teams lack real-time visibility into the cost impact of design decisions on-site, leading to overruns, material wastage, and delays.

AR EXPERIENCE

- Point AR glasses/tablet at any element
- Instantly see dimensions, materials, quantities and live cost overlay
- Compare with optimized alternatives
- Make informed decisions on-site

AI CAPABILITIES

- Recognizes construction elements in real-time
- Estimates material quantities
- Calculates live cost using regional pricing
- Recommends cost-saving optimizations
- Considers structural safety & constraints
- Learns from past projects for higher accuracy

IMPACT

- ↓ Material cost
- ↓ Design iteration time

Moat Summary

The moat is built on proprietary construction-spatial datasets combining BIM models, site scans, cost histories, supplier pricing, and deviation outcomes across projects. Over time, the system develops increasingly accurate correlations between design decisions, material consumption, construction timelines, and financial outcomes. Longitudinal construction progression data and region-specific pricing intelligence create strong defensibility, while integrations with contractors, consultants, and procurement systems establish operational lock-in.

9D Technologies | AI Research



29. Interior Designer

Interior design workflows remain expensive, highly iterative, and dependent on manual visualization processes that make it difficult for homeowners to confidently make renovation and furnishing decisions. Consumers struggle to understand how layouts, furniture, lighting, and decor styles will appear inside their real environments before committing to purchases. Designers also spend substantial time creating repetitive concept variations and revisions.

A spatial AI-powered AR platform can allow users to scan rooms using phones or MR headsets to generate accurate spatial representations of their homes. Users can instantly visualize furniture placement, decor styles, wall finishes, lighting conditions, and renovation modifications directly inside their physical spaces. AI systems would understand room geometry, spatial constraints, movement flow, user preferences, and budget limitations to automatically generate optimized layouts and personalized recommendations. Retail product catalogs, pricing systems, and contractor workflows can be integrated into the platform for end-to-end renovation planning.



Moat Summary

The moat compounds through proprietary interior spatial datasets, user interaction behavior, and design preference intelligence collected across thousands of room configurations and renovation decisions. Over time, the platform develops increasingly accurate personalization models linking room geometry, aesthetic choices, purchasing patterns, and satisfaction outcomes. Integration with retailers, furniture manufacturers, and renovation supply chains creates ecosystem lock-in and defensible operational workflows.


9D Technologies | AI Research



30. Maintenance Technician Assistant

Industrial maintenance operations often depend heavily on senior technicians with years of domain expertise that cannot easily scale across distributed facilities. Junior technicians frequently struggle with diagnosing faults, interpreting manuals, and performing complex repairs correctly, resulting in longer downtime, inconsistent maintenance quality, and operational inefficiencies.

A spatial AI maintenance platform can provide AR-guided repair workflows directly overlaid onto physical machinery through MR headsets or mobile devices. Technicians can see highlighted faulty components, wiring routes, exploded equipment views, and contextual repair instructions aligned with the current machine state. AI systems would identify machine models, analyze telemetry and sensor data, diagnose probable failures, predict future breakdowns, and answer real-time voice troubleshooting queries. Session recordings can become spatially indexed maintenance knowledge bases for future technicians.



Moat Summary

The moat is built on proprietary maintenance datasets combining equipment states, repair procedures, technician behavior, sensor telemetry, and failure outcomes across industrial deployments. Each repair interaction strengthens predictive maintenance models and diagnostic intelligence. Cross-manufacturer equipment recognition, historical maintenance patterns, and enterprise integrations create strong switching costs and a deeply defensible industrial knowledge graph.

9D Technologies | AI Research



31. Urban Planning & Smart Cities

Urban planning decisions involving infrastructure, transportation, zoning, flood management, and environmental impact are typically made using fragmented datasets, static simulations, and delayed analysis workflows. Governments and planners struggle to accurately predict how large-scale infrastructure projects will affect traffic flow, energy usage, population density, sunlight exposure, and disaster resilience over time.

A spatial AI platform can create city-scale digital twins using LiDAR scans, GIS data, satellite imagery, IoT sensors, and real-time infrastructure feeds. Urban planners using AR or VR interfaces can visualize future buildings, traffic simulations, environmental conditions, flood scenarios, and infrastructure changes directly within physical city environments. AI systems would model traffic behavior, environmental impact, population growth, zoning optimization, and energy consumption patterns to simulate multiple planning scenarios before construction begins.



Moat Summary

The moat compounds through continuously evolving geo-spatial urban datasets, infrastructure behavior models, and historical city planning outcomes collected over long operational timelines. The platform accumulates proprietary correlations between planning decisions and real-world urban performance metrics such as congestion, environmental impact, and infrastructure utilization. Government integrations, city-specific digital twins, and long-term planning dependencies create strong institutional lock-in and defensibility.


9D Technologies | AI Research



32. Classroom Tutor (Spatial Learning)

Traditional education systems struggle to effectively teach abstract concepts such as molecular chemistry, anatomy, engineering systems, and physics using static textbooks and 2D instructional material. Students often memorize information without developing intuitive spatial understanding, while teachers face challenges adapting educational content to varying learning speeds and comprehension levels within large classrooms.

An XR-based educational platform can transform classrooms into immersive spatial learning environments where students interact directly with dynamic 3D educational content. Through AR or VR interfaces, learners can manipulate molecules, explore historical reconstructions, conduct simulated physics experiments, or examine human anatomy at full scale. AI systems would monitor engagement levels, confusion indicators, interaction patterns, and learning progression in real time to personalize lesson complexity and generate adaptive explanations tailored to individual students.



Moat Summary

The moat is built on longitudinal educational interaction datasets linking student behavior, engagement patterns, spatial learning interactions, and academic outcomes. Every educational session contributes to increasingly accurate adaptive learning models and personalization intelligence. Curriculum-aligned spatial content libraries, institutional integrations, and localized educational support create strong switching costs and long-term defensibility in both public and private education ecosystems.

33. Navigation Assistant for the Blind

Visually impaired individuals face major challenges navigating complex indoor and outdoor environments independently due to limited contextual awareness about obstacles, entrances, moving hazards, and environmental layout changes. Existing navigation systems primarily rely on GPS and audio directions, which are insufficient for understanding dynamic real-world environments safely and efficiently.

A spatial AI navigation platform can combine wearable sensors, computer vision, SLAM mapping, AR audio guidance, and environmental intelligence to create real-time spatial awareness for visually impaired users. The system would identify doors, staircases, crosswalks, obstacles, moving objects, and public infrastructure while delivering intuitive spatial guidance through audio or haptic feedback. AI systems would continuously understand environmental context, optimize navigation routes, predict collision risks, and adapt guidance behavior based on user movement patterns and surrounding conditions.



Moat Summary

The moat develops through large-scale accessibility and mobility datasets capturing environmental structures, hazard encounters, navigation behavior, and assistive interaction outcomes across diverse urban environments. The platform accumulates highly specialized accessibility intelligence that cannot easily be synthesized without real-world deployment among visually impaired communities. Partnerships with transportation systems, municipalities, and accessibility organizations create additional integration depth and operational defensibility.

34. Real Estate Visualization

Real estate buyers often struggle to understand unfinished, empty, or under-construction properties using traditional floor plans, renders, and sample units. Developers spend heavily on physical mockups and marketing materials while buyers remain uncertain about layouts, dimensions, lighting conditions, and interior possibilities before making purchasing decisions.

A spatial real estate visualization platform can create immersive XR experiences allowing buyers to walk through future properties before construction completion. Through AR and VR environments, users can visualize furnished interiors, renovation possibilities, lighting conditions across different times of day, and multiple material or layout variations directly within physical spaces. AI systems would generate personalized layouts, optimize space usage, estimate renovation costs, and predict resale value trends using spatial and market intelligence.

Moat Summary

The moat is driven by proprietary spatial property datasets, buyer interaction analytics, and longitudinal real estate decision behavior collected across projects and geographic regions. The platform develops increasingly accurate correlations between visualization patterns, buyer preferences, and conversion outcomes. Deep integration with developers, architects, and property marketplaces creates workflow lock-in, while large-scale spatial property twins become increasingly difficult for competitors to replicate.


9D Technologies | AI Research



35. Digital Twin for Industrial Plants

Many industrial plants, refineries, factories, and power stations operate with outdated documentation, fragmented monitoring systems, and limited real-time visibility into operational conditions. Operators must manually inspect hundreds of machines, pipelines, and energy systems, making predictive maintenance, anomaly detection, and operational optimization difficult at scale.

A spatial AI-powered industrial digital twin platform can ingest LiDAR scans, photogrammetry, IoT telemetry, maintenance records, and operational sensor feeds to generate semantically rich digital twins of industrial facilities. Operators using XR interfaces can visualize machine health, energy consumption, maintenance schedules, and failure hotspots directly within the physical plant environment. AI systems would continuously detect anomalies, forecast equipment failures, optimize energy usage, and model operational risks using real-time and historical infrastructure data.



Moat Summary

The moat combines scarce industrial spatial datasets, facility-specific digital twins, and long-term operational histories accumulated over years of deployment. Semantic recognition models for industrial infrastructure improve with every new facility scanned, while customer-specific maintenance histories and operational workflows create strong per-site lock-in. The combination of spatial infrastructure intelligence, predictive maintenance models, and industrial operational data forms a deeply defensible multi-layered platform moat.