
DT
dtSMS
a
value :
ptString


dtGPSLocatio
latitude : dtLatitu
longitude : dtLongitu
is(): ptBoolean
isNearTo(AGPSLocation: dtGPSLocation): ptBoolea


actAdministrat
init(): ptBoolean
actAuthenticat
init(): ptBoolean
actCoordinatc
init(): ptBoolean
[1..1] rnactAdministra
[0..*] rnactAuthentica
[0..*] rnactCoordina
1 rnSysten
1 rnSysten
1 rnSysten
ctState
(icrash.concepts.primarytypes.clas
nextValueForAlertID : dtInteger
nextValueForCrisisID : dtInteger
clock : dtDateAndTime
crisisReminderPeriod : dtSecond
maxCrisisReminderPeriod : dtSecond
vpLastReminder : dtDateAndTime
vpStarted : ptBoolean
init(AnextValueForAlertID: dtInteger, AnextValueForCrisisID: dtInteger, Aclock: dtDateAndTime, AcrisisReminderPeriod: dtSecond, AmaxCrisisReminderPeriod: dtSecond, AvpLastReminder: dtDateAndTime, AvpStarted: ptBoolean): ptBoolean
1 rnSysten
[1..1] rnactMsrCreat
1 rnSysten
[0..*] rnactComCompa
init():
ptBoolean
[1..1] rnactActiva
1 rnSysten


System
theCreator : actMsrCre
theClock : actActivat
bill : actAdministr
tango : actComCom
steve : actCoordinato
oeCreateSystemAndEnvironmen
tsi01
oeSetClock(2017:11:24 - 03:20:
tsi02
oeLogin(icrashadmin,7WXC135
tsi03
ieMessage(You are logged ! Welcome
tsi03
oeAddCoordinator(1,steve,pwdMessirExcalibur2
tsi04
ieCoordinatorAdded
tsi04
oeLogout(
tsi05
ieMessage(You are logged out ! Good Bye
tsi05
oeSetClock(2017:11:26 - 10:15:
tsi06
oeAlert(witness,2017:11:26,10:10:16,
+3524666445252,49.627675:6.159590,3 car
involved in an accident.)
tsi07
ieSmsSend(+3524666445252,Your alert has been registered. We will handle it and keep yo
tsi07
oeSollicitateCrisisHandlin
tsi09
ieMessage(There are alerts pending since more than the defined delay. Please
tsi09
ieMessage(There are alerts pending since more than the defined delay. Please
tsi09


System
steve : actCoordin
tango : actComCom
theClock : actActivato
oeLogin(steve,pwdMessirExcalibur20
tsi10
ieMessage(You are logged ! Welcome
tsi10
oeGetCrisisSet(pendin
tsi11
ieSendACrisis(crisis with ID 1 deta
tsi11
oeSetCrisisHandler(
tsi12
ieSmsSend(+3524666445252,The handling of your alert by our services is in p
tsi12
ieMessage(You are now considered as handling the c
tsi12
oeSetClock(2017:11:26 - 10:45:
tsi13
oeValidateAlert(
tsi14
ieMessage(The Alert is now declared as va
tsi14
oeAlert(witness,2017:11:26,10:20:00,
+3524666445000,49.627095:6.160251,A
tsi15
tsi15
oeSetClock(2017:11:26 - 12:45:
tsi16
oeSetCrisisStatus(1,solve
tsi17
ieMessage(The crisis status has been updat
tsi17
oeReportOnCrisis(1,3 victims sent to hospital, 2 cars evacuated and 4 rescue unit
tsi18
ieMessage(The crisis comment has been updat
tsi18
oeCloseCrisis(1
tsi19
ieMessage(The crisis is now close
tsi19


ctStat
nextValueForAlertID : dtIntege
nextValueForCrisisID : dtInteger
clock : dtDateAndTime
crisisReminderPeriod : dtSecond
1 rnSyste
[0..*] rnctCris
ctCrisis
id : dtCrisisID
type : etCrisisType
status : etCrisisStatus
location : dtGPSLocation
instant : dtDateAndTime
comment : dtComment
handlingDelayPassed(): ptBoolean
maxHandlingDelayPassed(): ptBoolean
isAllocatedIfPossible(): ptBoolean


ctStat
nextValueForAlertID : dtInteger
nextValueForCrisisID : dtInteger
clock : dtDateAndTime
crisisReminderPeriod : dtSecond
maxCrisisReminderPeriod : dtSecond
vpLastReminder : dtDateAndTime
vpStarted : ptBoolean
init(AnextValueForAlertID: dtInteger, AnextValueForCrisisID: dtInteger, Aclock: dtDateAndTime, AcrisisReminderPeriod: dtSecond, AmaxCrisisReminderPeriod: dtSecond, AvpLastReminder: dtDateAndTime, AvpStarted: ptBoolean): ptBoolean
dtPassword): ptBoolean
actActivatc
init(): ptBoolean
actMsrCreatc
init(): ptBoolean
actAdministrat
init():
actAuthentic
init():
ctAuthenticat
login : dtLogin
pwd : dtPassword
vpIsLogged : ptBoolean
init(Alogin: dtLogin, Apwd: dtPassword): ptBoolean
[1..1] rnactActiva
1 rnSysten
1 rnSysten
[1..1] rnactMsrCreat
1 rnSysten
[1..1] rnactAdministra
1 rnSysten
[0..*] rnactAuthentica
[1..1] rnctAuthentica
[1..1] rnactAuthentica
1 rnSysten
[1..1] rnctAdministra
[0..*] rnctAuthentica
1 rnSysten


ctStat
nextValueForAlertID : dtInteger
nextValueForCrisisID : dtInteger
clock : dtDateAndTime
crisisReminderPeriod : dtSecond
maxCrisisReminderPeriod : dtSecond
vpLastReminder : dtDateAndTime
vpStarted : ptBoolean
init(AnextValueForAlertID: dtInteger, AnextValueForCrisisID: dtInteger, Aclock: dtDateAndTime, AcrisisReminderPeriod: dtSecond, AmaxCrisisReminderPeriod: dtSecond,
1 rnSystem
1 rnSystem
1 rnSystem
1 rnSystem
1 rnSystem
1 rnSystem
ctAler
id : dtAlertID
status : etAlertStatus
location : dtGPSLocation
instant : dtDateAndTime
comment : dtComment
init(Aid: dtAlertID, Astatus: etAlertStatus, Alocation: dtGPSLocation, Ainstant: dtDateAndTime, Acomment: dtComment): ptBoolean
isSentToCoordinator(AactCoordinator: actCoordinator): ptBoolean
[0..*] rnctAle
[1..*]rnAler
[1..1] rnTheCris
ctCrisis
id : dtCrisisID
type : etCrisisType
status : etCrisisStatus
location : dtGPSLocation
instant : dtDateAndTime
comment : dtComment
init(Aid: dtCrisisID, Atype: etCrisisType, Astatus: etCrisisStatus, Alocation: dtGPSLocation, Ainstant: dtDateAndTime, Acomment:
[0..*] rnctCris
[1..*]rnSignale
ctHuman
id : dtPhoneNumber
kind : etHumanKind
init(Aid: dtPhoneNumber, Akind: etHumanKind): ptBoolean
isAcknowledged(): ptBoolean
[0..*] rnctHum
[0..*]rnHandle
assctAlertctHuma
assctCrisisctCoordinat
ctCoordinato
id : dtCoordinatorID
init(Aid: dtCoordinatorID, Alogin: dtLogin, Apwd: dtPassword): ptBoolean
[1..1] rnSignal
[0..*] rnctCoordina
[0..*] rnctAuthentica
ctAuthenticat
login : dtLogin
pwd : dtPassword
bio : dtBiometric
vpIsLogged : ptBoolean
init(Alogin: dtLogin, Apwd: dtPassword): ptBoolean
ctAdministrat
init(Alogin: dtLogin, Apwd: dtPassword): ptBoolean
[1..1] rnctAdministra


ctHuman
id : dtPhoneNumber
kind : etHumanKind
init(Aid: dtPhoneNumber, Akind: etHumanKind): ptBoolean
isAcknowledged(): ptBoolean
ctAuthenticated
login : dtLogin
pwd : dtPassword
bio : dtBiometric
vpIsLogged : ptBoolean
init(Alogin: dtLogin, Apwd: dtPassword): ptBoolean
ctCoordinator
id : dtCoordinatorID
init(Aid: dtCoordinatorID, Alogin: dtLogin, Apwd: dtPassword): ptBoolean
actComCompany (icrash.environme
init(): ptBoolean
assctHumanactComCompa
[1..1] rnactHum
[1..1] rnactComCompa
actAuthenticated (icrash.environme
init(): ptBoolean
assctAuthenticatedactAuthentic
[1..1] rnactAuthentica
[1..1] rnactAuthentica
actCoordinator (icrash.environme
init(): ptBoolean
assctCoordinatoractCoordina
[1..1] rnctCoordinat
[1..1] rnactCoordina


1 rnInterfaceOU
1 rnActo
actAdministrat
init(): ptBoolean
1 rnActo
outactAdministra
oeAddCoordinator(AdtCoordinatorID: dtCoordinatorID, AdtLogin: dtLogin, AdtPassword: dtPassword): ptBoolean
oeDeleteCoordinator(AdtCoordinatorID: dtCoordinatorID): ptBoolean
ieCoordinatorAdded(): ptBoolean
ieCoordinatorDeleted(): ptBoolean
1 rnInterfaceOU
1 rnActo
actAuthenticat
init(): ptBoolean
1 rnActo
1 rnInterfaceI
outactAuthenticat
oeLogin(AdtLogin: dtLogin, AdtPassword: dtPassword): ptBoolean
oeLogout(): ptBoolean
inactAuthenticat
ieMessage(AMessage: ptString): ptBoolean
actCoordinato
init(): ptBoolean
1 rnActo
1 rnInterfaceOU
1 rnActo
1 rnInterfaceI
outactCoordinat
oeInvalidateAlert(AdtAlertID: dtAlertID): ptBoolean
oeCloseCrisis(AdtCrisisID: dtCrisisID): ptBoolean
oeGetAlertsSet(AetAlertStatus: etAlertStatus): ptBoolean
oeGetCrisisSet(AetCrisisStatus: etCrisisStatus): ptBoolean
oeSetCrisisHandler(AdtCrisisID: dtCrisisID): ptBoolean
oeReportOnCrisis(AdtCrisisID: dtCrisisID, AdtComment: dtComment): ptBoolean
oeSetCrisisStatus(AdtCrisisID: dtCrisisID, AetCrisisStatus: etCrisisStatus): ptBoolean
oeSetCrisisType(AdtCrisisID: dtCrisisID, AetCrisisType: etCrisisType): ptBoolean
oeValidateAlert(AdtAlertID: dtAlertID): ptBoolean


1 rnInterfaceOU
outactMsrCreat
oeCreateSystemAndEnvironment(AqtyComCompanies: ptInteger): ptBoolean
actMsrCreato
init(): ptBoolean
1 rnActo
1 rnActo
1 rnInterfaceI
inactMsrCreat
1 rnInterfaceOU
outactComCompar
1 rnActo
actComCompan
init(): ptBoolean
1 rnInterfaceI
1 rnActo
oeAlert(AetHumanKind: etHumanKind, AdtDate: dtDate, AdtTime: dtTime, AdtPhoneNumber: dtPhoneNumber, AdtGPSLocation: dtGPSLocation, AdtComment: dtComment): ptBoolean
ieSmsSend(AdtPhoneNumber: dtPhoneNumber, AdtSMS: dtSMS): ptBoolean
1 rnInterfaceOU
1 rnActo
outactActivat
actActivato
init(): ptBoolean
oeSollicitateCrisisHandling(): ptBoole
oeSetClock(AcurrentClock: dtDateAndTime): ptBool
1 rnInterfaceI
inactActivat
1 rnActo


1 rnActo
1 rnInterfaceOU
actAdministrat
init(): ptBoolean
1 rnActo
1 rnInterfa.
outactAdministrat
oeAddCoordinator(AdtCoordinatorID:
dtCoordinatorID, AdtLogin: dtLogin,
AdtPassword: dtPassword): ptBoolean
oeDeleteCoordinator(AdtCoordinatorID:
inactAdministrat
ieCoordinatorAdded(): ptBoolean
ieCoordinatorDeleted(): ptBoolean


1 rnInterfaceOU
1 rnActo
actCoordinatc
init(): ptBoolean
1 rnActo
1 rnInterfaceII
outactCoordinat
oeInvalidateAlert(AdtAlertID: dtAlertID): ptBoolean
oeCloseCrisis(AdtCrisisID: dtCrisisID): ptBoolean
oeGetAlertsSet(AetAlertStatus: etAlertStatus): ptBoolean
oeGetCrisisSet(AetCrisisStatus: etCrisisStatus): ptBoolean
oeSetCrisisHandler(AdtCrisisID: dtCrisisID): ptBoolean
oeReportOnCrisis(AdtCrisisID: dtCrisisID, AdtComment: dtComment): ptBoolean
oeSetCrisisStatus(AdtCrisisID: dtCrisisID, AetCrisisStatus: etCrisisStatus): ptBoolean
inactCoordinat
ieSendAnAlert(ActAlert: ctAlert): ptBoolean
ieSendACrisis(ActCrisis: ctCrisis): ptBoolean


1 rnInterfaceOU
outactAuthenticat
1 rnActo
oeLogin(AdtLogin: dtLogin,
AdtPassword: dtPassword): ptBoolean
actAuthentica
init():
1 rnActo
inactAuthenticat
1 rnInterfaceIN
ieMessage(AMessage: ptString): ptBoolean

ctStat

- nextValueForAlertID : dtInteger
- nextValueForCrisisID : dtInteger
- clock : dtDateAndTime
- crisisReminderPeriod : dtSecond
- maxCrisisReminderPeriod : dtSecond
- vpLastReminder : dtDateAndTime
- vpStarted : ptBoolean

init(AnextValueForAlertID: dtInteger, AnextValueForCrisisID: dtInteger, Aclock:

ctAler

id : dtAlertID
status : etAlertStatus
location : dtGPSLocation
instant : dtDateAndTime
comment : dtComment
init(Aid: dtAlertID, Astatus: etAlertStatus,
Alocation: dtGPSLocation, Ainstant:

ctCrisis

- id : dtCrisisID
- type : etCrisisType
- status : etCrisisStatus
- location : dtGPSLocation
- instant : dtDateAndTime
- comment : dtComment
- init(Aid: dtCrisisID, Atype: etCrisisType, Astatus: etCrisisStatus, Alocation: dtGPSLocation, Ainstant: dtDateAndTime, Acomment: dtComment): ptBoolean


[1..1] rnactAdministra
actAdministrat
init(): ptBoolean
actAuthenticat
init(): ptBoolean
actCoordinatc
init(): ptBoolean
[0..*] rnactCoordina
[0..*] rnactAuthentica
1 rnSysten
1 rnSysten
1 rnSysten
ctState
(icrash.concepts.primarytypes.clas
1 rnSysten
1 rnSysten
1 rnSysten
[1..1] rnactMsrCreat
[0..*] rnactComCompa
[1..1] rnactActiva
actMsrCreatc
init(): ptBoolean
actComCompan
init(): ptBoolean
actActivatc
init(): ptBoolean


System
bill
:
oeLogin("bill","password")
out01
ieMessage(You are logged ! Welcome ...)
in01
oeUpdateBio("bill")
out02
ieMessage(Your biometric information updated)
in02
oeLogout()
out03
ieMessage(You are logged out ! Good Bye ...)
in03
oeBioLogin("bill")
out04
ieMessage(You are logged ! Welcome ...)
in04


dtString
(lu.uni.lassy.messir.libraries.str
value : ptString
dtCoordinatorID
dtAlertID
dtLogin
dtPassword
is(): ptBoolean
is(): ptBoolean
dtCoordStatistic
dtComme
is(): ptBoolean
dtLongitude
is(): ptBoolean
dtLatitude
is(): ptBoolean
dtCrisisID
is(): ptBoolean
dtPhoneNumbe
is(): ptBoolean
dtReal
(lu.uni.lassy.messir.librari
math)
value : ptReal
dtGPSLocatior
latitude : dtLatitude
longitude : dtLongitude
is(): ptBoolean
isNearTo(AGPSLocation:
dtGPSLocation): ptBoolean
etCrisisStatu
pending
handled
solved
closed
is(): ptBoolean
etAlertStatu
pending
valid
invalid
is(): ptBoolean
etCrisisType
small
medium
huge
is(): ptBoolean
etHumanKin
witness
victim
anonymous
is(): ptBoolean

System
theCreator : actMsrCre
theClock : actActivatc
bill : actAdministra
tango : actComComp
steve : actCoordina
oeCreateSystemAndEnvironment(
out01
oeSetClock("2017:11:24 - 03:20:0
out02
oeLogin("icrashadmin","7WXC135
out03
ieMessage(You are logged ! Welcome
in01
oeAddCoordinator("1","steve","pwdMessirExcalibur2
out04
ieCoordinatorAddedreturne
in02
oeLogout(
out05
ieMessage(You are logged out ! Good Bye
in03
oeSetClock("2017:11:26 - 10:15:0
out06
oeAlert("witness","2017:11:26","10:10:16","+3
out07
ieSmsSend(+3524666445252,Your alert has been registered. We will handle it and keep yo
in04
oeSetClock("2017:11:26 - 10:30:0
out08
oeSollicitateCrisisHandlin
out09
ieMessage(There are alerts pending since more than the defined de
in05
ieMessage(There are alerts pending since more than the defined delay. Please l
in06
oeLogin("steve","pwdMessirExcalibur20
out10
ieMessage(You are logged ! Welcome
in07
oeGetCrisisSet("pending
out11
ieSendACrisis(crisis with ID 1 deta
in08
oeSetCrisisHandler("1
out12
ieSmsSend(+3524666445252,The handling of your alert by our services is in p
in09
ieMessage(You are now considered as handling the c
in10
oeSetClock("2017:11:26 - 10:45:0
out13
oeValidateAlert("1
out14
ieMessage(The Alert is now declared as va
in11
oeAlert("witness","2017:11:26","10:20:00","+3524666445000","49.627095:6.160251","A car crash jus
out15
ieSmsSend(+3524666445000,Your alert has been registered. We will handle it and keep yo
in12
oeSetClock("2017:11:26 - 12:45:0
out16
oeSetCrisisStatus("1","solve
out17
ieMessage(The crisis status has been updat
in13
oeReportOnCrisis("1","3 victims sent to hospital, 2 cars evacuated and 4 rescue unit
out18
ieMessage(The crisis comment has been updat
in14
oeCloseCrisis("1"
out19
ieMessage(The crisis is now closed
in15


dtAlertI
dtCrisisI
dtPhoneNumb
dtCommen
dtSMS
value : ptString
dtGPSLocatio
latitude : dtLatitude
longitude : dtLongitude
isNearTo(AGPSLocation: dtGPSLocation): ptBoolean
etCrisisSta
pending
handled
solved
etAlertStat
pending
valid
invalid
etCrisisTyp
small
medium
huge
etHumanKin
witness
victim
anonymous
dtDateAndTime (lu.uni.lassy.messir.libraries.cale
date : dtDate
time : dtTime
dtTime (lu.uni.lassy.messir.librari
hour : dtHour
minute : dtMinute
dtDate (lu.uni.lassy.messir.libraries.cale
year : dtYear
month : dtMonth
ptString (lu.uni.lassy.messir.libraries.primi
olean
ni.lassy.messir.libraries.primi
ctStat
nextValueForAlertID : dtInteger
nextValueForCrisisID : dtInteger
clock : dtDateAndTime
crisisReminderPeriod : dtSecond
maxCrisisReminderPeriod : dtSecond
1 rnSysten
[0..*] rnactComCompa
actComCompan
init(): ptBoolean
1 rnSysten
1 rnSysten
1 rnSysten
[1..1] rnactComCompa
[0..*] rnctHum
ctHuman
id : dtPhoneNumber
kind : etHumanKind
init(Aid: dtPhoneNumber, Akind: etHumanKind): ptBoolean
isAcknowledged(): ptBoolean
assctHumanactComCompa
[0..*] rnctHum
[1..1] rnSignal
[0..*] rnctAl
assctAlertctHuma
[1..*]rnSignale
ctAler
id : dtAlertID
status : etAlertStatus
location : dtGPSLocation
instant : dtDateAndTime
comment : dtComment
init(Aid: dtAlertID, Astatus: etAlertStatus, Alocation: dtGPSLocation, Ainstant: dtDateAndTime, Acomment: dtComment): ptBoolean
isSentToCoordinator (AactCoordinator: actCoordinator): ptBoolean
assctAlertctCris
[1..1] rnAlertC
[0..*] rnctCris
ctCrisis
id : dtCrisisID
type : etCrisisType
status : etCrisisStatus
location : dtGPSLocation
instant : dtDateAndTime
comment : dtComment
init(Aid: dtCrisisID, Atype: etCrisisType, Astatus: etCrisisStatus, Alocation: dtGPSLocation, Ainstant: dtDateAndTime, Acomment: dtComment): ptBoolean
handlingDelayPassed(): ptBoolean
maxHandlingDelayPassed(): ptBoolean
isSentToCoordinator(AactCoordinator: actCoordinator): ptBoolean
isAllocatedIfPossible(): ptBoolean


dtAlert
dtCrisisID
dtGPSLocatio
latitude : dtLatitude
longitude : dtLongitude
dtPhoneNu
dtComm
etCrisisSta
pending
handled
solved
closed
etAlertStat
pending
valid
invalid
etCrisisTyp
small
medium
huge
ptString
(lu.uni.lassy.
ptBoolean
(lu.uni.lassy.mess
libraries.primitive
dtSMS
value : ptString
etHumank
nd
witness
victim
anonymous
dtDateAndTime
(lu.uni.lassy.mess
libraries.calendar
date : dtDate
dtDate
(lu.uni.lassy.mess
libraries.calendar
year : dtYear
month : dtMonth
dtTime
(lu.uni.lassy.mess
libraries.calendar
hour : dtHour
minute : dtMinute


1 rnSyste
[0..*] rnactComCompa
ctStat
nextValueForAlertID : dtInteger
nextValueForCrisisID : dtInteger
clock : dtDateAndTime
crisisReminderPeriod : dtSecond
maxCrisisReminderPeriod : dtSecond
actComCompan
init(): ptBoolean
[1..1] rnactComCompa
1 rnSyste
1 rnSyste
[0..*] rnctHum
[0..*] rnctHum
ctHuma
id : dtPhoneNumber
kind : etHumanKind
init(Aid: dtPhoneNumber, Akind: etHumanKind): ptBoolean
isAcknowledged(): ptBoolean
1 rnSyste
[1..1] rnSignal
[0..*] rnctAle
[1..*]rnSignal
ctAler
id : dtAlertID
status : etAlertStatus
location : dtGPSLocation
instant : dtDateAndTime
comment : dtComment
init(Aid: dtAlertID, Astatus: etAlertStatus, Alocation: dtGPSLocation, Ainstant: dtDateAndTime, Acomment: dtComment): ptBoolean
[1..*]rnAler
[1..1] rnCrisis
ctCrisis
id : dtCrisisID
type : etCrisisType
status : etCrisisStatus
location : dtGPSLocation
instant : dtDateAndTime
comment : dtComment
init(Aid: dtCrisisID, Atype: etCrisisType, Astatus: etCrisisStatus, Alocation: dtGPSLocation, Ainstant: dtDateAndTime, Acomment: dtComment): ptBoolean
[0..*] rnctCris


use case system subfuncti
oeCloseCrisis(AdtCrisisID:
oeCloseCrisis
<<primary:
<<active>
actCoordinato


use case system
subfunction
oeSetCrisisHandler
(AdtCrisisID:dtCrisisID
oeSetCrisisHandle
actCoordinato
<<primary>
<<active>
<<secondary>
<<passive>>
<<secondary>
<<passive>>
<<multiple>
actComCompan


use case system
subfunction
oeSollicitateCrisisHandlin
oeSollicitateCrisisHan
ng
<<primary>
<<proactive>
actActivatc
<<secondary>
<<passive>>
<<multiple>
actCoordinatc
<<secondary>
<<passive>>
actAdministrat


oeBioLogin
[1..1]
<<reuse>>
<<reuse>
ugSecurelyUseSys
em
<<reuse>
[1..1
<<primary>>
<<reuse>>
<<active>>
[1..1
[1..*]
<<primary>>
<<active>>
<<primary>>
<<active>>
<<primary>>
<<active>>
<<primary>>
<<active>>
actAuthenticate


actCoordinator
<<primary>>
<<active>>
use case system us
ugAdministrateTh
sfUpdateTim
<<primary>>
<<active>>
[1..*]
ugSecurelyUseSyst
m
<<reuse>>
[1..*
oeAddCoordin
or
<<reuse>
<<reuse>
[1..*
ugAdministrateTheSys
m
<<reuse>
[0..*
actAuthenticate
<<primary:
<<active>
<<primary:
<<active>
<<primary:
<<active>
actAdministrat
<<primary:
<<active>


use case system u
nageCri
sfUpdateTiming...
<<primary:
<<active>
<<reuse>>
[0..*]
<<primary>>
actCoordinato
<<active>>
ugManageCris
s
<<reuse>>
oeValidateAler
[0..*
<<primary>>
<<active>>
<<primary>>
<<active>>
<<reuse>>
oeSetCrisisStat
us
[0..*
<<primary>>
<<active>>
<<primary:
<<active>
<<reuse>>
oeSetCrisisHanc
er
[0..*
<<reuse>>
oeReportOnCris
is
[0..*
<<primary:
<<active>
<<reuse>>
oeCloseCrisis
[0..*
<<primary:
<<active>
<<reuse>>
oeInvalidateAle
t
[0..*


use case system usergo
ugMonitor()
oeGetCrisisSet
<<reuse>
[0..*
ugMonitor
<<reuse>
[0..*
oeGetAlertsSet
<<primary:
<<active>
<<primary:
<<active>
<<primary:
<<active>
actCoordinatc


use case system summa
suGlobalCrisisHandling()
ugSecurelyUseSyste
[1..*
[1..*
ugMonitor
<<reuse>
<<reuse>
suGlobalCrisisHand
ng
[1..*
<<reuse>
ugManageCrisis
actAuthenticate
<<primary:
<<active>
<<primary:
<<active>
<<primary:
<<active>
<<primary:
<<active>
actCoordinato


use case system summary suDeployAndR
oeCreateSystemAndEnvironm
nt
[1..1
suGlobalCrisisHand
ng
<<reuse>
<<reuse>
[1..*
<<reuse>
ugAdministrateTheSy
em
[1..*
suDeployAndRun
<<reuse>
oeSollicitateCrisisHan
ng
[0..*
<<reuse>
[1..*
<<reuse>
oeSetClock
[1..*
oeAlert
<<primary>
<<active>
<<primary>
<<active>
<<primary>
<<active>
<<primary>
<<active>
<<primary>
<<proactive>
<<primary>
<<proactive>
<<primary>
<<active>
actMsrCreato
actCoordinato
actAdministrat
actActivato
actComCompan


System
bill
: actAuthenticat
oeLogin("icrashadmin","7WXC135
out01
ieMessage(You are logged ! Welcome
in01
oeLogout(
out02
ieMessage(You are logged out ! Good Bye
in02


System
theCreator : actMsrCrea
theClock : actActivatc
bill : actAdministr
tango : actComComp
steve : actCoordinato
oeCreateSystemAndEnvironment(
out01
oeSetClock("2017:11:24 - 03:20:0
out02
oeLogin("icrashadmin","7WXC135
out03
ieMessage(You are logged ! Welcome
in01
oeAddCoordinator("1","steve","pwdMessirExcalibur2
out04
ieCoordinatorAddedreturne
in02
oeLogout(
out05
ieMessage(You are logged out ! Good Bye
in03
oeSetClock("2017:11:26 - 10:15:0
out06
oeAlert("witness","2017:11:26","10:10:16","
+3524666445252","49.627675:6.159590","3 car
involved in an accident.")
out07
ieSmsSend(+3524666445252,Your alert has been registered. We will handle it and keep yo
in04
oeSetClock("2017:11:26 - 10:30:0
out08
oeSollicitateCrisisHandlin
out09
ieMessage(There are alerts pending since more than the defined delay. Please
in05
ieMessage(There are alerts pending since more than the defined delay. Please
in06


System
theCreator : actMsrCreato
theClock : actActivato
bill : actAdministra
tango : actComCom
steve : actCoordina
oeLogin("steve","pwdMessirExcalibur20
out01
ieMessage(You are logged ! Welcome
in01
oeGetCrisisSet("pending
out02
ieSendACrisis(crisis with ID 1 deta
in02
oeSetCrisisHandler("1
out03
ieSmsSend(+3524666445252,The handling of your alert by our services is in p
in03
ieMessage(You are now considered as handling the c
in04
oeSetClock("2017:11:26 - 10:45:0
out04
oeValidateAlert("1
out05
ieMessage(The Alert is now declared as va
in05
oeAlert("witness","2017:11:26","10:20:00","
+3524666445000","49.627095:6.160251","A car cra
out06
ieSmsSend(+3524666445000,Your alert has been registered. We will handle it and keep yo
in06
oeSetClock("2017:11:26 - 12:45:0
out07
oeSetCrisisStatus("1","solve
out08
ieMessage(The crisis status has been updat
in07
oeReportOnCrisis("1","3 victims sent to hospital, 2 cars evacuated and 4 rescue unit
out09
ieMessage(The crisis comment has been updat
in08
oeCloseCrisis("1"
out10
ieMessage(The crisis is now closed
in09


System
theCreator : actMsrCrea
theClock : actActivatr
bill : actAdministr
tango : actComCom
steve : actCoordina
oeCreateSystemAndEnvironmen
tsi01
oeSetClock(2017:11:24 - 03:20:
tsi02
oeLogin(icrashadmin,7WXC135
tsi03
ieMessage(You are logged ! Welcome
tsi03
oeAddCoordinator(1,steve,pwdMessirExcalibur2
tsi04
ieCoordinatorAdded
tsi04
oeLogout(
tsi05
ieMessage(You are logged out ! Good Bye
tsi05
oeSetClock(2017:11:26 - 10:15:
tsi06
oeAlert(witness,2017:11:26,10:10:16,+352466644525
49.627675:6.159590,3 cars involved in an accident.)
tsi07
ieSmsSend(+3524666445252,Your alert ha
been registered. We will handle it and keep y
tsi07
oeSollicitateCrisisHandlin
tsi09
ieMessage(There are alerts
pending since more than the de
ieMessage(There are alerts pendin
since more than the defined delay. F
tsi09
tsi09
oeLogin(steve,pwdMessirExcalibur20
tsi10
ieMessage(You are logged ! Welcome
tsi10
oeGetCrisisSet(pendin
tsi11
ieSendACrisis(crisis with ID 1 deta
tsi11
oeSetCrisisHandler(
tsi12
ieSmsSend(+3524666445252,The handling of your alert by our services is in p
tsi12
ieMessage(You are now considered as handling the c
tsi12
oeSetClock(2017:11:26 - 10:45:
tsi13
oeValidateAlert(
tsi14
ieMessage(The Alert is now declared as va
tsi14
oeAlert(witness,2017:11:26,10:20:00,
+3524666445000,49.627095:6.160251,A ca
tsi15
ieSmsSend(+3524666445000,Your alert
been registered. We will handle it and ke
tsi15
oeSetClock(2017:11:26 - 12:45:
tsi16
oeSetCrisisStatus(1,solve
tsi17
ieMessage(The crisis status has been updat
tsi17
oeReportOnCrisis(1,3 victims sent to hospital, 2 cars evacuated and 4 rescue unit
tsi18
ieMessage(The crisis comment has been updat
tsi18
oeCloseCrisis(1
tsi19
ieMessage(The crisis is now closed
tsi19