Таблица – Описание запросов API

Метод	Curl (входные данные)	URL (строка запроса)	Response body (возвращаемый результат)	Код результата
1	2	3	4	5
GET	curl -X GET "https://api.example.com/api/articles?category=weapon&search=Утигатана"	/api/articles?category=weapon&search=Утигатана	[{"id":1,"name":"Утигатана","category":"weapon","type":"Катана","weight":6.0}]	200
GET	curl -X GET "https://api.example.com/api/articles?typeId=5"	/api/articles?typeId=5	[{"id":10,"name":"Железный щит","category":"shield","type":"Малый щит","weight":4.5}]	200
GET	curl -X GET "https://api.example.com/api/articles"	/api/articles	[{"id":1,"name":"Утигатана","category":"weapon","type":"Катана","weight":6.0}, {"id":2,"name":"Клеймор","category":"weapon","type":"Прямой меч","weight":8.0}]	200
GET	curl -X GET "https://api.example.com/api/articles/categories"	/api/articles/categories	[{"category":"weapon","count":15}, {"category":"armor","count":12},{"category":"shield","count":8}]	200

1	2	3	4	5
GET	curl -X GET "https://api.example.com/api/articles/1"	/api/articles/1	{"id":1,"name":"Утигатана","typeId":1,"typeName":"Катана","category":"weapon","weight":6.0,"damageTypeId":1,"damageTypeName":"Стандартный","skillId":1,"skillName":"Освященный клинок","effect":"Быстрые рубящие атаки","obtain":"Выпадает из торговца в Крепости Круглого стола"}	200
GET	curl -X GET "https://api.example.com/api/articles/999"	/api/articles/999	Пусто	404

1	2	3	4	5
PUT	curl -X PUT "https://api.example.com/api/articles/1" -H "Content-Type: application/json" -d '{"name":"Утигатана +6","typeId":1,"weight":6.5,"damageTypeId":1,"skillId":1,"effect":"Усиленные рубящие атаки","obtain":"Улучшена у кузнеца"}'	/api/articles/1	Пусто	204
PUT	curl -X PUT "https://api.example.com/api/articles/1" -H "Content-Type: application/json" -d '{"name":"","typeId":1}'	/api/articles/1	"Название статьи обязательно."	400
PUT	curl -X PUT "https://api.example.com/api/articles/1" -H "Content-Type: application/json" -d '{"name":"Утигатана +6","typeId":999}'	/api/articles/1	"Тип предмета с id=999 не найден."	400

1	2	3	4	5
PUT	curl -X PUT "https://api.example.com/api/articles/1" -H "Content-Type: application/json" -d '{"name":"Клеймор","typeId":2}'	/api/articles/1	"Статья с названием 'Клеймор' уже существует."	409
PUT	curl -X PUT "https://api.example.com/api/articles/999" -H "Content-Type: application/json" -d '{"name":"Новый","typeId":1}'	/api/articles/999	Пусто	404
DELETE	curl -X DELETE "https://api.example.com/api/articles/1"	/api/articles/1	Пусто	204
DELETE	curl -X DELETE "https://api.example.com/api/articles/999"	/api/articles/999	Пусто	404
DELETE	curl -X DELETE "https://api.example.com/api/articles/1" (ошибка внешнего ключа)	/api/articles/1	"Не удалось удалить статью: <сообщение об ошибке БД>"	409

1	2	3	4	5
POST	curl -X POST "https://api.example.com/api/auth/register" -H "Content-Type: application/json" -d '{"login":"player1","password":"secret123"}'	/api/auth/register	{"token":"eyJhbGciOiJIUzI1NiIs...","expiresAt":"2026-10-15T12:00:00Z","userId":5,"login":"player1","roleId":1,"roleName":"player"}	200
POST	curl -X POST "https://api.example.com/api/auth/register" -H "Content-Type: application/json" -d '{"login":"","password":"secret123"}'	/api/auth/register	"Логин обязателен."	400
POST	curl -X POST "https://api.example.com/api/auth/register" -H "Content-Type: application/json" -d '{"login":"player1","password":""}'	/api/auth/register	"Пароль обязателен."	400

1	2	3	4	5
POST	curl -X POST "https://api.example.com/api/auth/register" -H "Content-Type: application/json" -d '{"login":"admin","password":"secret123"}'	/api/auth/register	"Пользователь с логином 'admin' уже существует."	409
POST	curl -X POST "https://api.example.com/api/auth/register" -H "Content-Type: application/json" -d '{"login":"player2","password":"secret123"}' (роль по умолчанию не найдена)	/api/auth/register	"Роль по умолчанию (id=1) не найдена."	500
POST	curl -X POST "https://api.example.com/api/auth/login" -H "Content-Type: application/json" -d '{"login":"player1","password":"secret123"}'	/api/auth/login	{"token":"eyJhbGciOiJIUzI1NiIs...","expiresAt":"2026-10-15T12:00:00Z","userId":5,"login":"player1","roleId":1,"roleName":"player"}	200

1	2	3	4	5
POST	curl -X POST "https://api.example.com/api/auth/login" -H "Content-Type: application/json" -d '{"login":"","password":""}'	/api/auth/login	"Логин и пароль обязательны."	400
POST	curl -X POST "https://api.example.com/api/auth/login" -H "Content-Type: application/json" -d '{"login":"player1","password":"wrong"}'	/api/auth/login	"Неверный логин или пароль."	401
POST	curl -X POST "https://api.example.com/api/auth/login" -H "Content-Type: application/json" -d '{"login":"nonexistent","password":"secret123"}'	/api/auth/login	"Неверный логин или пароль."	401

1	2	3	4	5
GET	curl -X GET "https://api.example.com/api/employees"	/api/employees	[{"id":1,"login":"admin","roleId":3,"roleName":"admin","createdAt":"2026-10-05T06:28:01Z"},{"id":2,"login":"moder","roleId":2,"roleName":"moderator","createdAt":"2026-10-05T06:28:01Z"},{"id":3,"login":"player","roleId":1,"roleName":"player","createdAt":"2026-10-05T06:28:01Z"}]	200
GET	curl -X GET "https://api.example.com/api/employees/1"	/api/employees/1	{"id":1,"login":"admin","roleId":3,"roleName":"admin","createdAt":"2026-10-05T06:28:01Z"}	200
GET	curl -X GET "https://api.example.com/api/employees/999"	/api/employees/999	Пусто	404

1	2	3	4	5
POST	curl -X POST "https://api.example.com/api/employees" -H "Content-Type: application/json" -d '{"login":"newmoder","password":"secret123","roleId":2}'	/api/employees	{"id":4,"login":"newmoder","roleId":2,"roleName":"moderator","createdAt":"2026-10-15T10:00:00Z"}	201
POST	curl -X POST "https://api.example.com/api/employees" -H "Content-Type: application/json" -d '{"login":"","password":"secret123","roleId":1}'	/api/employees	"Логин обязателен."	400
POST	curl -X POST "https://api.example.com/api/employees" -H "Content-Type: application/json" -d '{"login":"newmoder","password":"","roleId":1}'	/api/employees	"Пароль обязателен."	400

1	2	3	4	5
POST	curl -X POST "https://api.example.com/api/employees" -H "Content-Type: application/json" -d '{"login":"admin","password":"secret123","roleId":1}'	/api/employees	"Сотрудник с логином 'admin' уже существует."	409
POST	curl -X POST "https://api.example.com/api/employees" -H "Content-Type: application/json" -d '{"login":"newmoder","password":"secret123","roleId":999}'	/api/employees	"Роль с id=999 не найдена."	400
PUT	curl -X PUT "https://api.example.com/api/employees/2" -H "Content-Type: application/json" -d '{"login":"moder2","roleId":2}'	/api/employees/2	Пусто	204

1	2	3	4	5
PUT	curl -X PUT "https://api.example.com/api/employees/2" -H "Content-Type: application/json" -d '{"login":"moder2","roleId":2,"password":"newpass"}'	/api/employees/2	Пусто	204
PUT	curl -X PUT "https://api.example.com/api/employees/2" -H "Content-Type: application/json" -d '{"login":"","roleId":2}'	/api/employees/2	"Логин обязателен."	400
PUT	curl -X PUT "https://api.example.com/api/employees/999" -H "Content-Type: application/json" -d '{"login":"moder2","roleId":2}'	/api/employees/999	Пусто	404

1	2	3	4	5
PUT	curl -X PUT "https://api.example.com/api/employees/2" -H "Content-Type: application/json" -d '{"login":"admin","roleId":2}'	/api/employees/2	"Сотрудник с логином 'admin' уже существует."	409
PUT	curl -X PUT "https://api.example.com/api/employees/2" -H "Content-Type: application/json" -d '{"login":"moder2","roleId":999}'	/api/employees/2	"Роль с id=999 не найдена."	400
DELETE	curl -X DELETE "https://api.example.com/api/employees/3"	/api/employees/3	Пусто	204
DELETE	curl -X DELETE "https://api.example.com/api/employees/999"	/api/employees/999	Пусто	404

1	2	3	4	5
DELETE	curl -X DELETE "https://api.example.com/api/employees/1" (ошибка внешнего ключа — на пользователя ссылаются билды)	/api/employees/1	"Не удалось удалить сотрудника: <сообщение об ошибке БД>"	409
GET	curl -X GET "https://api.example.com/api/employees"	/api/employees	[{"id":1,"login":"admin","roleId":3,"roleName":"admin","createdAt":"2026-10-05T06:28:01Z"},{"id":2,"login":"moder","roleId":2,"roleName":"moderator","createdAt":"2026-10-05T06:28:01Z"},{"id":3,"login":"player","roleId":1,"roleName":"player","createdAt":"2026-10-05T06:28:01Z"}]	200
GET	curl -X GET "https://api.example.com/api/employees/1"	/api/employees/1	{"id":1,"login":"admin","roleId":3,"roleName":"admin","createdAt":"2026-10-05T06:28:01Z"}	200

1	2	3	4	5
GET	curl -X GET "https://api.example.com/api/employees/999"	/api/employees/999	Пусто	404
POST	curl -X POST "https://api.example.com/api/employees" -H "Content-Type: application/json" -d '{"login":"newmoder","password":"secret123","roleId":2}'	/api/employees	{"id":4,"login":"newmoder","roleId":2,"roleName":"moderator","createdAt":"2026-10-15T10:00:00Z"}	201
POST	curl -X POST "https://api.example.com/api/employees" -H "Content-Type: application/json" -d '{"login":"","password":"secret123","roleId":1}'	/api/employees	"Логин обязателен."	400

1	2	3	4	5
POST	curl -X POST "https://api.example.com/api/employees" -H "Content-Type: application/json" -d '{"login":"newmoder","password":"","roleId":1}'	/api/employees	"Пароль обязателен."	400
POST	curl -X POST "https://api.example.com/api/employees" -H "Content-Type: application/json" -d '{"login":"admin","password":"secret123","roleId":1}'	/api/employees	"Сотрудник с логином 'admin' уже существует."	409
POST	curl -X POST "https://api.example.com/api/employees" -H "Content-Type: application/json" -d '{"login":"newmoder","password":"secret123","roleId":999}'	/api/employees	"Роль с id=999 не найдена."	400

1	2	3	4	5
PUT	curl -X PUT "https://api.example.com/api/employees/2" -H "Content-Type: application/json" -d '{"login":"moder2","roleId":2}'	/api/employees/2	Пусто	204
PUT	curl -X PUT "https://api.example.com/api/employees/2" -H "Content-Type: application/json" -d '{"login":"moder2","roleId":2,"password":"newpass"}'	/api/employees/2	Пусто	204
PUT	curl -X PUT "https://api.example.com/api/employees/2" -H "Content-Type: application/json" -d '{"login":"","roleId":2}'	/api/employees/2	"Логин обязателен."	400

1	2	3	4	5
PUT	curl -X PUT "https://api.example.com/api/employees/999" -H "Content-Type: application/json" -d '{"login":"moder2","roleId":2}'	/api/employees/999	Пусто	404
PUT	curl -X PUT "https://api.example.com/api/employees/2" -H "Content-Type: application/json" -d '{"login":"admin","roleId":2}'	/api/employees/2	"Сотрудник с логином 'admin' уже существует."	409
PUT	curl -X PUT "https://api.example.com/api/employees/2" -H "Content-Type: application/json" -d '{"login":"moder2","roleId":999}'	/api/employees/2	"Роль с id=999 не найдена."	400
DELETE	curl -X DELETE "https://api.example.com/api/employees/3"	/api/employees/3	Пусто	204

1	2	3	4	5
DELETE	curl -X DELETE "https://api.example.com/api/employees/999"	/api/employees/999	Пусто	404
DELETE	curl -X DELETE "https://api.example.com/api/employees/1" (ошибка внешнего ключа — на пользователя ссылаются билды)	/api/employees/1	"Не удалось удалить сотрудника: <сообщение об ошибке БД>"	409
GET	curl -X GET "https://api.example.com/api/employees"	/api/employees	[{"id":1,"login":"admin","roleId":3,"roleName":"admin","createdAt":"2026-10-05T06:28:01Z"},{"id":2,"login":"moder","roleId":2,"roleName":"moderator","createdAt":"2026-10-05T06:28:01Z"},{"id":3,"login":"player","roleId":1,"roleName":"player","createdAt":"2026-10-05T06:28:01Z"}]	200

1	2	3	4	5
GET	curl -X GET "https://api.example.com/api/employees/1"	/api/employees/1	{"id":1,"login":"admin","roleId":3,"roleName":"admin","createdAt":"2026-10-05T06:28:01Z"}	200
GET	curl -X GET "https://api.example.com/api/employees/999"	/api/employees/999	Пусто	404
POST	curl -X POST "https://api.example.com/api/employees" -H "Content-Type: application/json" -d '{"login":"newmoder","password":"secret123","roleId":2}'	/api/employees	{"id":4,"login":"newmoder","roleId":2,"roleName":"moderator","createdAt":"2026-10-15T10:00:00Z"}	201
POST	curl -X POST "https://api.example.com/api/employees" -H "Content-Type: application/json" -d '{"login":"","password":"secret123","roleId":1}'	/api/employees	"Логин обязателен."	400

1	2	3	4	5
POST	curl -X POST "https://api.example.com/api/employees" -H "Content-Type: application/json" -d '{"login":"newmoder","password":"","roleId":1}'	/api/employees	"Пароль обязателен."	400
POST	curl -X POST "https://api.example.com/api/employees" -H "Content-Type: application/json" -d '{"login":"admin","password":"secret123","roleId":1}'	/api/employees	"Сотрудник с логином 'admin' уже существует."	409
POST	curl -X POST "https://api.example.com/api/employees" -H "Content-Type: application/json" -d '{"login":"newmoder","password":"secret123","roleId":999}'	/api/employees	"Роль с id=999 не найдена."	400

1	2	3	4	5
PUT	curl -X PUT "https://api.example.com/api/employees/2" -H "Content-Type: application/json" -d '{"login":"moder2","roleId":2}'	/api/employees/2	Пусто	204
PUT	curl -X PUT "https://api.example.com/api/employees/2" -H "Content-Type: application/json" -d '{"login":"moder2","roleId":2,"password":"newpass"}'	/api/employees/2	Пусто	204
PUT	curl -X PUT "https://api.example.com/api/employees/2" -H "Content-Type: application/json" -d '{"login":"","roleId":2}'	/api/employees/2	"Логин обязателен."	400

1	2	3	4	5
PUT	curl -X PUT "https://api.example.com/api/employees/999" -H "Content-Type: application/json" -d '{"login":"moder2","roleId":2}'	/api/employees/999	Пусто	404
PUT	curl -X PUT "https://api.example.com/api/employees/2" -H "Content-Type: application/json" -d '{"login":"admin","roleId":2}'	/api/employees/2	"Сотрудник с логином 'admin' уже существует."	409
GET	curl -X GET "https://api.example.com/api/profile/3"	/api/profile/3	{"id":3,"login":"player","roleId":1,"roleName":"player","createdAt":"2026-10-05T06:28:01Z","buildsCount":1}	200
GET	curl -X GET "https://api.example.com/api/profile/999"	/api/profile/999	Пусто	404

1	2	3	4	5
PUT	curl -X PUT "https://api.example.com/api/profile/3" -H "Content-Type: application/json" -d '{"login":"player_new"}'	/api/profile/3	Пусто	204
PUT	curl -X PUT "https://api.example.com/api/profile/3" -H "Content-Type: application/json" -d '{"login":""}'	/api/profile/3	"Логин обязателен."	400
PUT	curl -X PUT "https://api.example.com/api/profile/999" -H "Content-Type: application/json" -d '{"login":"player_new"}'	/api/profile/999	Пусто	404
PUT	curl -X PUT "https://api.example.com/api/profile/3" -H "Content-Type: application/json" -d '{"login":"admin"}'	/api/profile/3	"Логин 'admin' уже занят."	409