# Vidyavardhini's College of Engineering and Technology Department of Artificial Intelligence & Data Science

<b>Experiment</b>	No.	1
	<b>-</b> 10.	_

Truth table of various logic gates using ICs.

Name: Saloni Sutar

Roll Number: 58

Date of Performance:

Date of Submission:



## Vidyavardhini's College of Engineering and Technology

### Department of Artificial Intelligence & Data Science

**Aim -** To verify the truth table of various logic gates using ICs.

#### **Objective** -

- 1. Understand how to use the breadboard to patch up, test your logic design and debug it.
- 2. The principal objective of this experiment is to fully understand the function and use of logic gates.
- **3.** Understand how to implement simple circuits based on a schematic diagram using logic gates.

#### **Components required -**

- 1. IC's 7408, 7432, 7404
- 2. Bread Board.
- 3. Connecting wires.

#### Theory -

In digital electronics, a gate is logic circuits with one output and one or more inputs. Logic gates are available as integrated circuits.

#### AND gate:

AND gate performs logical multiplication, more commonly known as AND operation. The AND gate output will be in high state only when all the inputs are in high state.7408 is a Quad 2 input AND gate.

#### OR gate:


It performs logical addition. Its output become high if any of the inputs is in logic high. 7432 is a Quad 2 input OR gate.

#### **NOT** gate:


It performs basic logic function for inversion or complementation. The purpose of the inverter is to change one logic level to the opposite level. IC 7404 is a Hex inverter.

#### Circuit Diagram, Truth Table -

#### **AND Gate -**



A	В	Y(A.B)
0	0	0
0	1	0
1	0	0
1	1	1







# Vidyavardhini's College of Engineering and Technology

## Department of Artificial Intelligence & Data Science

#### OR Gate -



#### **NOT Gate -**



#### **Procedure:**


- 1.Test all the components in the Ic packages using a digital IC tester. Also assure whether all the connecting wires are in good condition by testing for the continuity using a Multimeter or a trainer kit.
- 2. Verify the dual in line package (DIP) inout of the IC before feeding the inputs.
- 3.Set up the circuits and observe the outputs.

#### **Output:**



# Vidyavardhini's College of Engineering and Technology

# **Department of Artificial Intelligence & Data Science**



#### Conclusion -

I have learned some basic gates like "and" "or" "nand" "nor" "not" "xor" "xnor". Hence the above experiment is verified and performed.