

Face Recognition (Image Processing) Based Door Lock Using OpenCV, Python and Arduino

Saloni Sharma^[1], Saquib Qureshi^[2], Saiel Wadwekar^[3],
Yashasvi Sharma^[4], Yashraj Sharma^[5], Yuvraj Singh Panwar^[6], Pawan Kumar Gupta^[7]

Information Technology, Acropolis Institute of Technology and Research, India

sharmasaloni987@gmail.com^[1], saquibqureshi17@gmail.com^[2], saiel69@gmail.com^[3],
sharmayashasvi.124@gmail.com^[4],
yashrajsharma141@gmail.com^[5], yuvrajsinghpanwar12@gmail.com^[6],
pawankumargupta@cropolis.in^[7].


Abstract

This is the era of Technology; this era belongs to us. The word Internet of Things will be like our new family member soon, it can be implemented in different aspects of our daily lives to make the result accurate and desirable. The term Face Recognition and detection is like an ocean of research and innovation with the applications of image analysis and algorithm-based understanding which can be called as computer vision. Security is a right which no one can deny and justify this right lots of works and researches are taking place in this world. With the development of IoT home security has been developed in recent years with different advancements. We have, Face Recognition as our project. Facial recognition involves the detection and identification of the image. It uses an image capturing technique in the system. The camera catches the facial picture and compares it with the image which is stored in the database. If the picture is matched with the database the gate will open or else a notification will be sent. The recognition algorithms will be from the OpenCV library.

Keywords: *Face Recognition, Image Processing, Internet of Things, Open Cv, Image Capturing.*

• Introduction

Home and personal security cannot be ignored now, we cannot trust the conventional methods namely types of lock or a manual latch at the door, we need something more and innovative. So, to solve the problem we need to make the things better and efficient. Image processing (Face Recognition) will provide the better security feature than the conventional access system may be through RFID or passwords because it's intrusive.



Detecting Faces- Face detection is used nowadays in many kinds of applications like smartphone cameras, human computer interaction, social media and surveillance. It can be done using various pre-trained models which can do the heavy lifting for us to detect faces.

Here the frame work that we have used is OpenCV. This framework has an in- built Face Detector that works in roughly 90-95% of clear photos of a person looking forward at the camera OpenCV was started at Intel in 1999 by Gary Bradski for the purposes of accelerating research in and commercial applications of computer vision in the world and, for Intel, creating a demand for evermore powerful computers by such applications.

OpenCV

It has the advantage of being a multi-platform framework; it supports both Windows and Linux, and more recently, Mac OS X. OpenCV has so many capabilities it can seem overwhelming at first. A good understanding of how these methods work is the key to getting good results when using OpenCV. Fortunately, only a select few need to be known beforehand to get started.

OpenCV's functionality that will be used for facial recognition is contained within several modules. Following is a short description of the key namespaces:

- **CXCORE** namespace contains basic data type definitions, linear algebra and statistics methods, the persistence functions and the error handlers. Somewhat oddly, the graphics functions for drawing on images are located here as well.
- **CV** namespace contains image processing and camera calibration methods. The computational geometry functions are also located here.
- **CVAUX** namespace is described in OpenCV's documentation as containing obsolete and experimental code. However, the simplest interfaces for face recognition are in this module. The code behind them is specialized for face recognition, and they're widely used for that purpose.
- **ML** namespace contains machine- learning interfaces.

Recognize Face - Recognizing a face is a crucial part in any algorithm, this consist of basically three phases which are watch, identification, and verification. In these three parts verifications i.e. validating a face from the dataset is the most imperative part of an algorithm. If the verification stage returns a positive result, only then access is granted to the user otherwise it is denied.

Hardware Used

- Arduino Uno Board
- Capacitor
- Voltage Regulator
- Esp6266
- Servo Motor

- **Motivation**

The motivation of this project is to use the Face Detection and Face Recognition Techniques to develop an advanced and robust algorithm that can provide the home security more efficiently.

- Implement a more reliable way in door lock system.
- Eliminate intrusion threats by making the user aware about them.
- Hassle-free and user-friendly way to access the door.
- Technologies Used
- Coupling Hardware and Software for better Security Feature
- To come up with more innovative solution than the conventional method.
- Broadening the horizon of the application of the face recognition technique

• Scope

The main focus of this project is to come up with the optimum solution to the problem of human safety and his/ assets with the support of Technology. The project has been created using the OpenCV Python library along with the integration of Hardware and Software, which goes like the webcam sends video frames to OpenCV running on a Windows PC. If OpenCV detects a face it will track it and calculate its center's X, Y coordinates. The coordinates are then passed on to the Arduino via a serial USB connection. The Arduino controls the movement of the webcam with the help of two pan/tilt servos to follow the detected faces. OpenCV (Open Source Computer Vision) Library is an open-source library that includes several hundreds of real-time computer vision algorithms. The image processing C++ code samples are provided with the OpenCV library. The images of the users are pre-entered in the database to allow the access to the specific user, the admin will get a notification in the form of SMS if an unauthorized person tries to access the door, this has increased the security and has solved a problem which was faced from a long time with the application of Internet of Things.

• Related Work

A lot of research is currently carried out by experts of computational field. The previous works that we found were using different face detecting algorithm to detect the face of the user. There has been ample amount of Research that has been taken place in the domain of Face Recognition and its various techniques and algorithms.

AUTHOR	TITLE	PROBLEM TACKLED	FEATURE	DRAWBACKS
Sourav Roy, Nasir Uddin, Md Jahidul Kabir, 2018 [1]	“Design and Implementation of the Smart Door Lock System with Face Recognition	Linux platform for tackling face recognition in doors.	Raspberry Pi for door opening.	Detection in congestion.

	Method using the Linux Platform Raspberry Pi”.			
J. W. Lee, C. D. Kee, and U. K. Yi,2012 [2]	“Face Recognition Based on Magnetic Door Lock System	Microcontroller used for face recognition.	Controlled face recognition access.	Other better ways were later invented.

	Using Microcontroller”.			
Toshihiro Mori, Takashi Suehiro and Tetsuo Tomizawa, 2017 [3]	“Development of Intelligent Automatic Door System”.	Automated locks instead of normal locks.	Face recognition locks.	
Harnani Hassan, Raudah Abu Bakar, Ahmad Thaqib Fawwaz Mokhtar,2012 [4]	“Face recognition based door unlocking system using Raspberry Pi”	Cost effective.	Feasible for most people.	Efficiency.
C. J. Chen, B. Wu, W. H. Lin,2014 [5]	“Embedded image capturing system using Raspberry PI”	Cost effective	Feasible for most people	Efficiency.
Suchit and Shanvi, 2016 [6]	“Secured Room Access Module”	Theoretical analysis.	Theoretical analysis.	Theoretical analysis.
H. Xu and H. Li,2017 [7]	“IoT based Home security through Digital Image Process Algorithms.”	Locking system other than traditional locks.	Innovative ways to secure home.	Diversity.
J.-G. Wang, C.-J. Lin, and S.-M. Chen,2017 [8]	“Real-Time Implementation of face recognition system”		Face recognition system.	Later faster and better technologies were discovered.
Shavi Suchit 2017	“Secured	Only study		

[9]	Room Access Module 2017.”	Module.		
Umm-e-Laila, Muzammid Ahmad Khan, Muhammad Kashif Shaikh and Syed Anas Bin Mazhar. 2017 [10]	“Comparative Analysis for a Real Time Face Recognition System Using Raspberry Pi”.	Cost Effective.	Feasible.	Efficiency.
A. Beatrice Dorothy, Dr. S. Britto Ramesh	“IOT based Facial Recognition	Facial Recognition	Successful demo model.	Only implemented till demo model.

Kumar J. Jerlin Sharmila, 2017 [11]	Door Access Control Home Security System”	Door Access Control.		
Omkar Pawar, Prathamesh Lonkar, Randhir Singh, Vivek Salunke, Prof. D.M. Ujlambkar, 2019 [12]	“Door Lock System using Facial Recognition”.	Efficient.	Still in use.	
Zaier Zaidi, Essam Radwan and Rami Harb, 2017 [13]	“Development of Face Recognition on Raspberry Pi for Security Enhancement of Smart Home System”.	Cost Effective.	Feasible.	Efficiency.
Tejas Saraf, Ketan Shukla, Harish Balkhande, Ajinkya Deshmukh, 2018 [14]	“Automated door access control using face recognition.”	Increased efficiency.	Congestion was removed.	Still in use.
Samuel Lukas, Aditya Rama Mitra, Ririn Ikana Desanti, Dion Krisnadi, 2017	“Student attendance system in classroom	Unconventional way to record attendance.	Use of technology in recording students attendance.	Convergence rate was low.

[15]	using face recognition technique”			
Ratnawati Ibrahim and Zalkan Mohd Zin, 2016 [16]	“Study of Automated Face Recognition System for Office Door Access Control Application”	Unconventional way to record office attendance.	Innovative way to maintain office attendance records.	Later, efficient ways were discovered.
Lerato Masupha, Tranos Zuva, Selemang Ngwira, Omobayo Esan Tshwane, 2013 [17]	“Face Recognition Techniques, their Advantages, Disadvantages		Theoretical analysis.	

	and Performance Evaluation”			
Yong Ma, Xiaoqing Ding, 2019 [18]	“Robust Real-Time Face Detection”.	Efficient	Still used.	
Janarbek Matai, Ali Irturk and Ryan Kastner, 2018 [19]	“Design and Implementation of an FPGA based real-Time Based Face Recognition System”.	Extremely fast.	FPGA based.	High cost.

- **Project Description**

- **Goal**

The Goal of our project is to increase the security measures for the personal use and to go one step above the conventional door locking. It will not just increase the security feature it will also free the User from worrying about forgetting the password or the key of the door. The Data Set image will be provided to the system which will act as a key to access and get inside.

This Face Recognition Technique can also have its application in the Vault door to keep all the precious assets safe and secure from any unauthorized access.

- **Simulation**
- **Classical Face Recognition Technique**

The basic face recognition technique for our system includes-

- **Phase 1: Pre-processing:** Pre-processing of the image refers to the gathering of the image data from the camera module. But we do not need to save whole image in the dataset. We will only need a part of the face from whole captured image. For this, we will have to detect the area of the face in the image. A short code for face detection is developed. This code is also useful for other modules in the system. This detected part of the image will be cropped and saved in the data folder. Also, care has to be taken to align the images if they are shot from a different angle.


- **Phase 2: Feature Extraction:** Once we have got the images for training, we can use the image algorithm to learn on this dataset. Depending on the size of data samples, the accuracy of the classifier will vary. In this phase, we will generate local binary patterns as we discussed earlier in the paper. We applied the LBP method on image pixels by thresholding the 3×3 neighborhood of each pixel with the center value and considering the result as a binary number. Finally, we applied

the histogram method to concatenate the new cells description and obtain a new representation for each training image, which helps to reduce the computation time.


- **Phase 3: Classification:** This phase is nothing but the testing of our face recognizer. We will do a real time video check to verify the correctness of the trained model. Whenever a new face is as an input to our model, it will first extract its features and generate binary patterns same as we did for the training images. After its completion, the input is given to the trained recognizer to classify the image according to its training. This phase exploits the powerfulness of the classifier.

- **Software Design**


The flowchart of the proposed face recognition system. First, it reads ultrasonic sensor to detect the human presence, which could be set to check every second (configurable). If the human presence is detected, then the camera will capture the face image. The face detection routine will localize and segment the face region only. The face image is then fed in to the face recognition routine. If the recognized face is detected, the system will unlock the door by turning off the magnetic lock. After 30 seconds (configurable), the system will lock again the door by turning on the magnetic lock. The system will then start from the beginning.



- Algorithm Design** -The proposed face recognition algorithm. The face detection algorithm will detect and segment the face from the overall image. Then, it does the necessary aligning and further cropping and conversion from color to grayscale. The eigenfaces feature vector will be extracted from this process. After that, the classification algorithm will do an analysis to compare the input feature vector with the database, in which it will decide whether the input face image is similar with the registered face image. If it is recognized, then the system will turn on the servo motor to unlock the door



- **Hardware Design**




- **Implementation**

The prototype of face recognition security system. The box contains the Arduino Board, Servo Motor, Esp6266, Capacitor, LEDs and the power input and output. The prototype will be placed beside a door and connected to a lock which is turned off/unlock when the authorized user accesses the system. If unauthorized personnel try to access the door will stay locked.

On the software part, Arduino UNO is used as the operating systems for. Next the Python and OpenCV library was installed for the algorithm implementation. To train the faces into the library, we use the “train.py” algorithm in the OpenCV library. The training data should be loaded into the script. These images will be captured using the code “capture-positives.py”. This code will continuously capture images into the training data folder. Sets of 10 images for each person is trained at a time and “train.py” script is executed. Sample of the training images. The training data given will produce an output named “training.xml” file which contains the positive data processed into it.

- **Experimental Testing of the System**


Here in the image below is the captured Trained image of the User that was stored in the system as the key for the door, the particular User can now get the access through the door.




When the User wants the access to the door again, the System will detect the image and will recognize the authenticity of it from the database it has and it will provide the access.

Here around 30 images are captured once.

The following Snapshots show the image detection frame of the User.



a



b

.

The image will match with the database the matching accuracy is configurable depending on the quality of the camera we are using and the power management that we can provide.

The coding displayed here is for the capturing the Face IDs as the dataset, that enables the storing of the dataset if its not been created before. Hence the image is detected and captured.

```

face_dataset.py - E:\FRDL Major\FRDL\Face_dataset.py (2.7.10)
File Edit Format Run Options Window Help
'''
Capture multiple Faces from multiple users to be stored on a DataBase (dataset dir)
==> Faces will be stored on a directory: dataset/ (if does not exist, pls :
==> Each face will have a unique numeric integer ID as 1, 2, 3, etc

Based on original code by Anirban Kar: https://github.com/theocodacus/Face-Recognition
Developed by Marcelo Rowai - MVRoBot.org @ 21Feb18
'''
import cv2
import os

cam = cv2.VideoCapture(0)
cam.set(3, 640) # set video width
cam.set(4, 480) # set video height

face_detector = cv2.CascadeClassifier('haarcascade_frontalface_default.xml')

# For each person, enter one numeric face id
face_id = input('\n enter user id end press <return> ==> ')

print("\n [INFO] Initializing face capture. Look the camera and wait ...")
# Initialize individual sampling face count
count = 0

while(True):
    ret, img = cam.read()
    # img = cv2.flip(img, -1) # flip video image vertically
    gray = cv2.cvtColor(img, cv2.COLOR_BGR2GRAY)
    faces = face_detector.detectMultiScale(gray, 1.3, 5)

    for (x,y,w,h) in faces:
        cv2.rectangle(img, (x,y), (x+w,y+h), (255,0,0), 2)
        count += 1

    # Save the captured image into the datasets folder

Python 2.7.10 Shell
File Edit Shell Debug Options Window Help
>>> ===== RESTART =====
>>>
enter user id end press <return> ==> 2

[INFO] Initializing face capture. Look the camera and wait ...
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30


[INFO] Exiting Program and cleanup stuff
>>>
>>>

```

a

.

Trained image is the output of the following code that which defines the pathway for the image database.



```
'''
Training Multiple Faces stored on a DataBase:
==> Each face should have a unique numeric integer ID as 1, 2, 3, etc
==> LBPH computed model will be saved on trainer/ directory. (if it does not exist, pls create one)
==> for using PIL, install pillow library with "pip install pillow"

Based on original code by Anirban Kar: https://github.com/theodacus/Face-Recognition
Developed by Marcelo Roval - MJRoBot.org @ 21Feb18
'''

import cv2
import numpy as np
from PIL import Image
import os

# Path for face image database
path = 'database'

recognizer = cv2.face.LBPHFaceRecognizer_create()
detector = cv2.CascadeClassifier("haarcascade_frontalface_default.xml");

# function to get the images and label data
def getImagesAndLabels(path):

    imagePaths = [os.path.join(path,f) for f in os.listdir(path)]
    faceSamples=[]
    ids = []

    for imagePath in imagePaths:

        PIL_img = Image.open(imagePath).convert('L') # convert it to grayscale
        img_numpy = np.array(PIL_img,'uint8')

        id = int(os.path.split(imagePath)[-1].split(".")[1])
        faces = detector.detectMultiScale(img_numpy)

        for (x,y,w,h) in faces:
            faceSamples.append(img_numpy[y:y+h,x:x+w])
            ids.append(id)
```

b

.

• Conclusion

This paper has presented a Race Recognition (Image Processing) system using Arduino UNO, Python and OpenCV was used to implement the feature extraction and classifier, in which we used Face Recognition algorithm The prototype design for real world implementation has been elaborated, in which the output of face recognition algorithm will lock or unlock the door using the servo motor in the circuit. This proposed system could be connected using Internet to the smarthome system for the added security capability.

• Acknowledgement

The authors would like to express their gratitude to their Guide Mr. Pawan K, Gupta for his immense support and direction for our project.

• References

- (2017) “Comparative Analysis for a Real Time Face Recognition System Using RaspberryPi” Muhammad Kashif Shaikh, Syed Annas Bin Mazhar.
- (2017)” Secured Room Access Module” SuchitShavi.

- (2017) “Automatic Semantic Face Recognition”: Mark S. Nixon University of SouthamptonSouthampton, United Kingdom
- (2017) “Real-Time Implementation of face recognition system” by Neel Ramakant Borkarand SoniaKuwelkar, India
- (2017) “IoT based Home security through Digital Image Process Algorithms” by A. Beatrice, Dr S. Britto Ramesh Kumar and J. Jerlin Sharmila,India
- (2017) “Secured Room Access Module” by Suchit and Shanvi,India
- (2017) Door locking system via web application”CharoenVongchumyen,WatjanapongKasemsiri, KiatnarongTongprasert, AranyaWalairacht,Pattaya.
- (2016) “Arduino Based Door Unlocking System with RealTime Control” Somjit Nath, Paramita Banerjee, Rathindra Nath, Biswas, Swarup Kumar,Mitra.
- (2014) K.Gopalakrishnan, V.Sathish Kumar “embedded image capturing system using theaspberry pi system” internationalJournal.
- (2014) “Development of Intelligent Automatic Door System” Daiki Nishida, Kumiko Tsuzura1, Shunsuke Kudoh1, Kazuo Takai, TatsuhiroMomodori.
- (2012) “Face Recognition Based on Magnetic Door Lock System Using Microcontroller”Harnani Hassan, Raudah, Abu Bakar Ahmad Faculty of ElectricalEngineering.
- (2005) “Real-time Embedded Face Recognition for Smart Home” by F. Zuo and P. H. N.de.
- (2000) “Automatic Door Opener” Pik-Yiu Chan, John D. Enderle.