

# TubesTefaKel1

## Execution Environment

Host name	salsa_arifah - localhost
Local OS	Mac OS X 64bit
Katalon version	8.6.5.208
Browser	Chrome 115.0.0.0

## Summary

ID	Test Suites/TubesTefaKel1		
Description			
Total	10		
Passed	10	Failed	0
Error	0	Incomplete	0
Skipped	0		
Start	2023-08-09 00:08:39	End	2023-08-09 00:11:46
Elapsed	3m - 6.979s		

#	ID	Description	Status
1	Test Cases/AddRecruitment/NegativeCase/Recruitment with Email is invalid		PASSED
2	Test Cases/AddRecruitment/NegativeCase/Recruitment with Contact Number is invalid		PASSED
3	Test Cases/AddRecruitment/NegativeCase/Recruitment with Blank firstname, middlename, and last name		PASSED
4	Test Cases/AddRecruitment/PositiveCase/Add Candidates		PASSED
5	Test Cases/Login/NegativeCase/Login with username blank and enter password		PASSED
6	Test Cases/Login/NegativeCase/Login with password blank and enter username		PASSED
7	Test Cases/Login/NegativeCase/Login with a valid password but invalid username	Verify the user can succesfully log in with a valid password but invalid username	PASSED
8	Test Cases/Login/NegativeCase/Login with a valid username and invalid password	Verify the user can succesfully log in with a valid username and invalid password	PASSED
9	Test Cases/Login/PositiveCase/Login With Enter		PASSED
10	Test Cases/Login/PositiveCase/Login With Button Login	Verify that user can succesfully log in with a valid username and password	PASSED

# Recruitment with Email is invalid

## Information

ID	Test Cases/AddRecruitment/NegativeCase/Recruitment with Email is invalid		
Description			
Tag			
Start	2023-08-09 00:08:39	End	2023-08-09 00:09:10
Elapsed	30.140s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	<div>openBrowser("https://opensource-demo.orangehrmlive.com/web/index.php/auth/login")</div> <div>Browser is opened with url: 'https://opensource-demo.orangehrmlive.com/web/index.php/auth/login'</div>	12.219s	PASSED
2	<div>navigateToUrl("https://opensource-demo.orangehrmlive.com/web/index.php/auth/login")</div> <div>Navigate to 'https://opensource-demo.orangehrmlive.com/web/index.php/auth/login' successfully</div>	0.780s	PASSED
3	<div>setText(findTestObject("LoginCase/Page_OrangeHRM/input_Username_username"), "Admin")</div> <div>Text 'Admin' is set on object 'Object Repository/LoginCase/Page_OrangeHRM/input_Username_username'</div>	2.299s	PASSED
4	<div>setText(findTestObject("LoginCase/Page_OrangeHRM/input_Password_password"), "admin123")</div> <div>Text 'admin123' is set on object 'Object Repository/LoginCase/Page_OrangeHRM/input_Password_password'</div>	0.809s	PASSED
5	<div>click(findTestObject("LoginCase/Page_OrangeHRM/button_Login"))</div> <div>Object: 'Object Repository/LoginCase/Page_OrangeHRM/button_Login' is clicked on</div>	1.836s	PASSED
6	<div>click(findTestObject("RecruitmentCase/Page_OrangeHRM/a_Recruitment"))</div> <div>Object: 'Object Repository/RecruitmentCase/Page_OrangeHRM/a_Recruitment' is clicked on</div>	3.252s	PASSED

## Recruitment with Email is invalid

#	Description	Elapsed	Status
7	click(findTestObject("RecruitmentCase/Page_OrangeHRM/button_Add"))  Object: 'Object Repository/RecruitmentCase/Page_OrangeHRM/button_Add' is clicked on	1.888s	PASSED
8	setText(findTestObject("RecruitmentCase/Page_OrangeHRM/input_Full Name_firstName"), "Udin")  Text 'Udin' is set on object 'Object Repository/RecruitmentCase/Page_OrangeHRM/input_Full Name_firstName'	1.547s	PASSED
9	setText(findTestObject("RecruitmentCase/Page_OrangeHRM/input_Full Name_middleName"), "Joko")  Text 'Joko' is set on object 'Object Repository/RecruitmentCase/Page_OrangeHRM/input_Full Name_middleName'	0.895s	PASSED
10	setText(findTestObject("RecruitmentCase/Page_OrangeHRM/input_Full Name_lastName"), "Asep")  Text 'Asep' is set on object 'Object Repository/RecruitmentCase/Page_OrangeHRM/input_Full Name_lastName'	0.774s	PASSED
11	setText(findTestObject("RecruitmentCase/Page_OrangeHRM/input_Email_oxd-input oxd-input--focus"), "udinsedunia")  Text 'udinsedunia' is set on object 'Object Repository/RecruitmentCase/Page_OrangeHRM/input_Email_oxd-input oxd-input--focus'	0.903s	PASSED
12	setText(findTestObject("RecruitmentCase/Page_OrangeHRM/input_Contact Number_oxd-input oxd-input--focus"), "0812345678")  Text '0812345678' is set on object 'Object Repository/RecruitmentCase/Page_OrangeHRM/input_Contact Number_oxd-input oxd-input--focus'	0.903s	PASSED
13	check(findTestObject("RecruitmentCase/Page_OrangeHRM/span_Consent to keep data_oxd-checkbox-input oxd-checkbox-input--active --label-right oxd-checkbox-input"))  Object 'Object Repository/RecruitmentCase/Page_OrangeHRM/span_Consent to keep data_oxd-checkbox-input oxd-checkbox-input--active --label-right oxd-checkbox-input' is checked	0.533s	PASSED

# Recruitment with Email is invalid

---

#	Description	Elapsed	Status
14	click(findTestObject("RecruitmentCase/Page_OrangeHRM/button_Save"))  Object: 'Object Repository/RecruitmentCase/Page_OrangeHRM/button_Save' is clicked on	0.444s	PASSED

# Recruitment with Contact Number is invalid

## Information

ID	Test Cases/AddRecruitment/NegativeCase/Recruitment with Contact Number is invalid		
Description			
Tag			
Start	2023-08-09 00:09:10	End	2023-08-09 00:09:33
Elapsed	23.450s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	openBrowser("https://opensource-demo.orangehrmlive.com/web/index.php/auth/login")  Browser is opened with url: 'https://opensource-demo.orangehrmlive.com/web/index.php/auth/login'	7.476s	PASSED
2	navigateToUrl("https://opensource-demo.orangehrmlive.com/web/index.php/auth/login")  Navigate to 'https://opensource-demo.orangehrmlive.com/web/index.php/auth/login' successfully	0.756s	PASSED
3	setText(findTestObject("LoginCase/Page_OrangeHRM/input_Username_username"), "Admin")  Text 'Admin' is set on object 'Object Repository/LoginCase/Page_OrangeHRM/input_Username_username'	1.587s	PASSED
4	setText(findTestObject("LoginCase/Page_OrangeHRM/input_Password_password"), "admin123")  Text 'admin123' is set on object 'Object Repository/LoginCase/Page_OrangeHRM/input_Password_password'	0.798s	PASSED
5	click(findTestObject("LoginCase/Page_OrangeHRM/button_Login"))  Object: 'Object Repository/LoginCase/Page_OrangeHRM/button_Login' is clicked on	1.665s	PASSED
6	click(findTestObject("RecruitmentCase/Page_OrangeHRM/a_Recruitment"))  Object: 'Object Repository/RecruitmentCase/Page_OrangeHRM/a_Recruitment' is clicked on	3.147s	PASSED

## Recruitment with Contact Number is invalid

#	Description	Elapsed	Status
7	click(findTestObject("RecruitmentCase/Page_OrangeHRM/button_Add"))  Object: 'Object Repository/RecruitmentCase/Page_OrangeHRM/button_Add' is clicked on	1.615s	PASSED
8	setText(findTestObject("RecruitmentCase/Page_OrangeHRM/input_Full Name_firstName"), "Udin")  Text 'Udin' is set on object 'Object Repository/RecruitmentCase/Page_OrangeHRM/input_Full Name_firstName'	1.445s	PASSED
9	setText(findTestObject("RecruitmentCase/Page_OrangeHRM/input_Full Name_middleName"), "Joko")  Text 'Joko' is set on object 'Object Repository/RecruitmentCase/Page_OrangeHRM/input_Full Name_middleName'	0.914s	PASSED
10	setText(findTestObject("RecruitmentCase/Page_OrangeHRM/input_Full Name_lastName"), "Asep")  Text 'Asep' is set on object 'Object Repository/RecruitmentCase/Page_OrangeHRM/input_Full Name_lastName'	0.782s	PASSED
11	setText(findTestObject("RecruitmentCase/Page_OrangeHRM/input_Email_oxd-input oxd-input--focus"), "udinsedunia@gmail.com")  Text 'udinsedunia@gmail.com' is set on object 'Object Repository/RecruitmentCase/Page_OrangeHRM/input_Email_oxd-input oxd-input--focus'	0.912s	PASSED
12	setText(findTestObject("RecruitmentCase/Page_OrangeHRM/input_Contact Number_oxd-input oxd-input--focus"), "asasalms")  Text 'asasalms' is set on object 'Object Repository/RecruitmentCase/Page_OrangeHRM/input_Contact Number_oxd-input oxd-input--focus'	0.918s	PASSED
13	check(findTestObject("RecruitmentCase/Page_OrangeHRM/span_Consent to keep data_oxd-checkbox-input oxd-checkbox-input--active --label-right oxd-checkbox-input"))  Object 'Object Repository/RecruitmentCase/Page_OrangeHRM/span_Consent to keep data_oxd-checkbox-input oxd-checkbox-input--active --label-right oxd-checkbox-input' is checked	0.454s	PASSED

## Recruitment with Contact Number is invalid

---

#	Description	Elapsed	Status
14	click(findTestObject("RecruitmentCase/Page_OrangeHRM/button_Save"))  Object: 'Object Repository/RecruitmentCase/Page_OrangeHRM/button_Save' is clicked on	0.468s	PASSED

# Recruitment with Blank firstname, middlename, and last name

## Information

ID	Test Cases/AddRecruitment/NegativeCase/Recruitment with Blank firstname, middlename, and last name		
Description			
Tag			
Start	2023-08-09 00:09:33	End	2023-08-09 00:09:56
Elapsed	23.307s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	openBrowser("https://opensource-demo.orangehrmlive.com/web/index.php/auth/login")  Browser is opened with url: 'https://opensource-demo.orangehrmlive.com/web/index.php/auth/login'	7.551s	PASSED
2	navigateToUrl("https://opensource-demo.orangehrmlive.com/web/index.php/auth/login")  Navigate to 'https://opensource-demo.orangehrmlive.com/web/index.php/auth/login' successfully	0.732s	PASSED
3	setText(findTestObject("LoginCase/Page_OrangeHRM/input_username_username"), "Admin")  Text 'Admin' is set on object 'Object Repository/LoginCase/Page_OrangeHRM/input_username_username'	1.551s	PASSED
4	setText(findTestObject("LoginCase/Page_OrangeHRM/input_Password_password"), "admin123")  Text 'admin123' is set on object 'Object Repository/LoginCase/Page_OrangeHRM/input_Password_password'	0.831s	PASSED
5	click(findTestObject("LoginCase/Page_OrangeHRM/button_Login"))  Object: 'Object Repository/LoginCase/Page_OrangeHRM/button_Login' is clicked on	1.635s	PASSED



## Recruitment with Blank firstname, middlename, and last name

#	Description	Elapsed	Status
6	click(findTestObject("RecruitmentCase/Page_OrangeHRM/a_Recruitment"))  Object: 'Object Repository/RecruitmentCase/Page_OrangeHRM/a_Recruitment' is clicked on	3.229s	PASSED
7	click(findTestObject("RecruitmentCase/Page_OrangeHRM/button_Add"))  Object: 'Object Repository/RecruitmentCase/Page_OrangeHRM/button_Add' is clicked on	1.661s	PASSED
8	setText(findTestObject("RecruitmentCase/Page_OrangeHRM/input_Full Name_firstName"), "")  Text " " is set on object 'Object Repository/RecruitmentCase/Page_OrangeHRM/input_Full Name_firstName'	1.360s	PASSED
9	setText(findTestObject("RecruitmentCase/Page_OrangeHRM/input_Full Name_middleName"), "")  Text " " is set on object 'Object Repository/RecruitmentCase/Page_OrangeHRM/input_Full Name_middleName'	0.818s	PASSED
10	setText(findTestObject("RecruitmentCase/Page_OrangeHRM/input_Full Name_lastName"), "")  Text " " is set on object 'Object Repository/RecruitmentCase/Page_OrangeHRM/input_Full Name_lastName'	0.726s	PASSED
11	setText(findTestObject("RecruitmentCase/Page_OrangeHRM/input_Email_oxd-input oxd-input--focus"), "udinsedunia@gmail.com")  Text 'udinsedunia@gmail.com' is set on object 'Object Repository/RecruitmentCase/Page_OrangeHRM/input_Email_oxd-input oxd-input--focus'	0.894s	PASSED
12	setText(findTestObject("RecruitmentCase/Page_OrangeHRM/input_Contact Number_oxd-input oxd-input--focus"), "0812345678")  Text '0812345678' is set on object 'Object Repository/RecruitmentCase/Page_OrangeHRM/input_Contact Number_oxd-input oxd-input--focus'	0.963s	PASSED

## Recruitment with Blank firstname, middlename, and last name

---

#	Description	Elapsed	Status
13	<pre>check(findTestObject("RecruitmentCase/Page_OrangeHRM/span_Consent to keep data_oxd-checkbox-input oxd-checkbox-input--active --label-right oxd-checkbox-input"))</pre> <p>Object 'Object Repository/RecruitmentCase/Page_OrangeHRM/span_Consent to keep data_oxd-checkbox-input oxd-checkbox-input--active --label-right oxd-checkbox-input' is checked</p>	0.446s	PASSED
14	<pre>click(findTestObject("RecruitmentCase/Page_OrangeHRM/button_Save"))</pre> <p>Object: 'Object Repository/RecruitmentCase/Page_OrangeHRM/button_Save' is clicked on</p>	0.449s	PASSED

# Add Candidates

## Information

ID	Test Cases/AddRecruitment/PositiveCase/Add Candidates		
Description			
Tag			
Start	2023-08-09 00:09:56	End	2023-08-09 00:10:25
Elapsed	28.606s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	openBrowser("https://opensource-demo.orangehrmlive.com/web/index.php/auth/login")  Browser is opened with url: 'https://opensource-demo.orangehrmlive.com/web/index.php/auth/login'	9.608s	PASSED
2	navigateToUrl("https://opensource-demo.orangehrmlive.com/web/index.php/auth/login")  Navigate to 'https://opensource-demo.orangehrmlive.com/web/index.php/auth/login' successfully	0.628s	PASSED
3	setText(findTestObject("LoginCase/Page_OrangeHRM/input_Username_username"), "Admin")  Text 'Admin' is set on object 'Object Repository/LoginCase/Page_OrangeHRM/input_Username_username'	2.297s	PASSED
4	setText(findTestObject("LoginCase/Page_OrangeHRM/input_Password_password"), "admin123")  Text 'admin123' is set on object 'Object Repository/LoginCase/Page_OrangeHRM/input_Password_password'	0.786s	PASSED
5	click(findTestObject("LoginCase/Page_OrangeHRM/button_Login"))  Object: 'Object Repository/LoginCase/Page_OrangeHRM/button_Login' is clicked on	1.769s	PASSED
6	click(findTestObject("RecruitmentCase/Page_OrangeHRM/a_Recruitment"))  Object: 'Object Repository/RecruitmentCase/Page_OrangeHRM/a_Recruitment' is clicked on	3.356s	PASSED

## Add Candidates

#	Description	Elapsed	Status
7	click(findTestObject("RecruitmentCase/Page_OrangeHRM/button_Add"))  Object: 'Object Repository/RecruitmentCase/Page_OrangeHRM/button_Add' is clicked on	2.807s	PASSED
8	setText(findTestObject("RecruitmentCase/Page_OrangeHRM/input_Full Name_firstName"), "Udin")  Text 'Udin' is set on object 'Object Repository/RecruitmentCase/Page_OrangeHRM/input_Full Name_firstName'	1.414s	PASSED
9	setText(findTestObject("RecruitmentCase/Page_OrangeHRM/input_Full Name_middleName"), "Joko")  Text 'Joko' is set on object 'Object Repository/RecruitmentCase/Page_OrangeHRM/input_Full Name_middleName'	0.841s	PASSED
10	setText(findTestObject("RecruitmentCase/Page_OrangeHRM/input_Full Name_lastName"), "Asep")  Text 'Asep' is set on object 'Object Repository/RecruitmentCase/Page_OrangeHRM/input_Full Name_lastName'	1.056s	PASSED
11	setText(findTestObject("RecruitmentCase/Page_OrangeHRM/input_Email_oxd-input oxd-input--focus"), "udinsedunia@gmail.com")  Text 'udinsedunia@gmail.com' is set on object 'Object Repository/RecruitmentCase/Page_OrangeHRM/input_Email_oxd-input oxd-input--focus'	1.210s	PASSED
12	setText(findTestObject("RecruitmentCase/Page_OrangeHRM/input_Contact Number_oxd-input oxd-input--focus"), "0812345678")  Text '0812345678' is set on object 'Object Repository/RecruitmentCase/Page_OrangeHRM/input_Contact Number_oxd-input oxd-input--focus'	1.219s	PASSED
13	check(findTestObject("RecruitmentCase/Page_OrangeHRM/span_Consent to keep data_oxd-checkbox-input oxd-checkbox-input--active --label-right oxd-checkbox-input"))  Object 'Object Repository/RecruitmentCase/Page_OrangeHRM/span_Consent to keep data_oxd-checkbox-input oxd-checkbox-input--active --label-right oxd-checkbox-input' is checked	0.584s	PASSED

## Add Candidates

---

#	Description	Elapsed	Status
14	click(findTestObject("RecruitmentCase/Page_OrangeHRM/button_Save"))  Object: 'Object Repository/RecruitmentCase/Page_OrangeHRM/button_Save' is clicked on	0.653s	PASSED

# Login with username blank and enter password

## Information

ID	Test Cases/Login/NegativeCase/Login with username blank and enter password		
Description			
Tag			
Start	2023-08-09 00:10:25	End	2023-08-09 00:10:37
Elapsed	11.617s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	openBrowser("https://opensource-demo.orangehrmlive.com/web/index.php/auth/login")  Browser is opened with url: 'https://opensource-demo.orangehrmlive.com/web/index.php/auth/login'	7.343s	PASSED
2	navigateToUrl("https://opensource-demo.orangehrmlive.com/web/index.php/auth/login")  Navigate to 'https://opensource-demo.orangehrmlive.com/web/index.php/auth/login' successfully	0.813s	PASSED
3	setText(findTestObject("LoginCase/Page_OrangeHRM/input_Username_username"), "")  Text " " is set on object 'Object Repository/LoginCase/Page_OrangeHRM/input_Username_username'	1.239s	PASSED
4	setText(findTestObject("LoginCase/Page_OrangeHRM/input_Password_password"), "admin123")  Text 'admin123' is set on object 'Object Repository/LoginCase/Page_OrangeHRM/input_Password_password'	1.014s	PASSED
5	click(findTestObject("LoginCase/Page_OrangeHRM/button_Login"))  Object: 'Object Repository/LoginCase/Page_OrangeHRM/button_Login' is clicked on	0.466s	PASSED

# Login with password blank and enter username

## Information

ID	Test Cases/Login/NegativeCase/Login with password blank and enter username		
Description			
Tag			
Start	2023-08-09 00:10:37	End	2023-08-09 00:10:49
Elapsed	12.048s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	openBrowser("https://opensource-demo.orangehrmlive.com/web/index.php/auth/login")  Browser is opened with url: 'https://opensource-demo.orangehrmlive.com/web/index.php/auth/login'	7.568s	PASSED
2	navigateToUrl("https://opensource-demo.orangehrmlive.com/web/index.php/auth/login")  Navigate to 'https://opensource-demo.orangehrmlive.com/web/index.php/auth/login' successfully	0.545s	PASSED
3	setText(findTestObject("LoginCase/Page_OrangeHRM/input_Username_username"), "Admin")  Text 'Admin' is set on object 'Object Repository/LoginCase/Page_OrangeHRM/input_Username_username'	2.117s	PASSED
4	setText(findTestObject("LoginCase/Page_OrangeHRM/input_Password_password"), "")  Text " is set on object 'Object Repository/LoginCase/Page_OrangeHRM/input_Password_password'	0.743s	PASSED
5	click(findTestObject("LoginCase/Page_OrangeHRM/button_Login"))  Object: 'Object Repository/LoginCase/Page_OrangeHRM/button_Login' is clicked on	0.393s	PASSED

# Login with a valid password but invalid username

## Information

ID	Test Cases/Login/NegativeCase/Login with a valid password but invalid username		
Description	Verify the user can succesfully log in with a valid password but invalid username		
Tag			
Start	2023-08-09 00:10:49	End	2023-08-09 00:11:02
Elapsed	13.132s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	openBrowser("https://opensource-demo.orangehrmlive.com/web/index.php/auth/login")  Browser is opened with url: 'https://opensource-demo.orangehrmlive.com/web/index.php/auth/login'	7.501s	PASSED
2	navigateToUrl("https://opensource-demo.orangehrmlive.com/web/index.php/auth/login")  Navigate to 'https://opensource-demo.orangehrmlive.com/web/index.php/auth/login' successfully	0.735s	PASSED
3	setText(findTestObject("LoginCase/Page_OrangeHRM/input_Username_username"), "admin")  Text 'admin' is set on object 'Object Repository/LoginCase/Page_OrangeHRM/input_Username_username'	1.820s	PASSED
4	setText(findTestObject("LoginCase/Page_OrangeHRM/input_Password_password"), "admin123")  Text 'admin123' is set on object 'Object Repository/LoginCase/Page_OrangeHRM/input_Password_password'	0.796s	PASSED
5	click(findTestObject("LoginCase/Page_OrangeHRM/button_Login"))  Object: 'Object Repository/LoginCase/Page_OrangeHRM/button_Login' is clicked on	1.834s	PASSED



# Login with a valid username and invalid password

## Information

ID	Test Cases/Login/NegativeCase/Login with a valid username and invalid password		
Description	Verify the user can succesfully log in with a valid username and invalid password		
Tag			
Start	2023-08-09 00:11:02	End	2023-08-09 00:11:16
Elapsed	14.097s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	openBrowser("https://opensource-demo.orangehrmlive.com/web/index.php/auth/login")  Browser is opened with url: 'https://opensource-demo.orangehrmlive.com/web/index.php/auth/login'	8.788s	PASSED
2	navigateToUrl("https://opensource-demo.orangehrmlive.com/web/index.php/auth/login")  Navigate to 'https://opensource-demo.orangehrmlive.com/web/index.php/auth/login' successfully	0.849s	PASSED
3	setText(findTestObject("LoginCase/Page_OrangeHRM/input_Username_username"), "Admin")  Text 'Admin' is set on object 'Object Repository/LoginCase/Page_OrangeHRM/input_Username_username'	1.755s	PASSED
4	setText(findTestObject("LoginCase/Page_OrangeHRM/input_Password_password"), "Admin123")  Text 'Admin123' is set on object 'Object Repository/LoginCase/Page_OrangeHRM/input_Password_password'	0.790s	PASSED
5	click(findTestObject("LoginCase/Page_OrangeHRM/button_Login"))  Object: 'Object Repository/LoginCase/Page_OrangeHRM/button_Login' is clicked on	1.584s	PASSED

# Login With Enter

## Information

ID	Test Cases/Login/PositiveCase/Login With Enter		
Description			
Tag			
Start	2023-08-09 00:11:16	End	2023-08-09 00:11:29
Elapsed	12.720s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	openBrowser("https://opensource-demo.orangehrmlive.com/web/index.php/auth/login")  Browser is opened with url: 'https://opensource-demo.orangehrmlive.com/web/index.php/auth/login'	7.437s	PASSED
2	navigateToUrl("https://opensource-demo.orangehrmlive.com/web/index.php/auth/login")  Navigate to 'https://opensource-demo.orangehrmlive.com/web/index.php/auth/login' successfully	0.790s	PASSED
3	setText(findTestObject("LoginCase/Page_OrangeHRM/input_Username_username"), "Admin")  Text 'Admin' is set on object 'Object Repository/LoginCase/Page_OrangeHRM/input_Username_username'	1.515s	PASSED
4	setText(findTestObject("LoginCase/Page_OrangeHRM/input_Password_password"), "admin123")  Text 'admin123' is set on object 'Object Repository/LoginCase/Page_OrangeHRM/input_Password_password'	0.716s	PASSED
5	sendKeys(findTestObject("LoginCase/Page_OrangeHRM/button_Login"), Keys.chord(ENTER))  Keys 'ENTER + ' sent to object: 'Object Repository/LoginCase/Page_OrangeHRM/button_Login'	1.685s	PASSED

# Login With Button Login

## Information

ID	Test Cases/Login/PositiveCase/Login With Button Login		
Description	Verify that user can succesfully log in with a valid username and password		
Tag			
Start	2023-08-09 00:11:29	End	2023-08-09 00:11:44
Elapsed	15.059s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	openBrowser("https://opensource-demo.orangehrmlive.com/web/index.php/auth/login")  Browser is opened with url: 'https://opensource-demo.orangehrmlive.com/web/index.php/auth/login'	9.014s	PASSED
2	navigateToUrl("https://opensource-demo.orangehrmlive.com/web/index.php/auth/login")  Navigate to 'https://opensource-demo.orangehrmlive.com/web/index.php/auth/login' successfully	0.604s	PASSED
3	setText(findTestObject("LoginCase/Page_OrangeHRM/input_Username_username"), "Admin")  Text 'Admin' is set on object 'Object Repository/LoginCase/Page_OrangeHRM/input_Username_username'	2.239s	PASSED
4	setText(findTestObject("LoginCase/Page_OrangeHRM/input_Password_password"), "admin123")  Text 'admin123' is set on object 'Object Repository/LoginCase/Page_OrangeHRM/input_Password_password'	0.935s	PASSED
5	click(findTestObject("LoginCase/Page_OrangeHRM/button_Login"))  Object: 'Object Repository/LoginCase/Page_OrangeHRM/button_Login' is clicked on	1.603s	PASSED