




deneme 0 , method normal method




deneme 0 , method with median




deneme 0 , method K-means with outlier




deneme 0 , method K-means center with outlier




deneme 1 , method normal method




deneme 1 , method with median




deneme 1 , method K-means with outlier




deneme 1 , method K-means center with outlier




deneme 2 , method normal method




deneme 2 , method with median




deneme 2 , method K-means with outlier




deneme 2 , method K-means center with outlier




deneme 3 , method normal method




deneme 3 , method with median




deneme 3 , method K-means with outlier




deneme 3 , method K-means center with outlier




deneme 4 , method normal method




deneme 4 , method with median




deneme 4 , method K-means with outlier




deneme 4 , method K-means center with outlier




deneme 5 , method normal method




deneme 5 , method with median




deneme 5 , method K-means with outlier




deneme 5 , method K-means center with outlier




deneme 6 , method normal method




deneme 6 , method with median




deneme 6 , method K-means with outlier




deneme 6 , method K-means center with outlier




deneme 7 , method normal method




deneme 7 , method with median




deneme 7 , method K-means with outlier




deneme 7 , method K-means center with outlier




deneme 8 , method normal method




deneme 8 , method with median




deneme 8 , method K-means with outlier




deneme 8 , method K-means center with outlier




deneme 9 , method normal method




deneme 9 , method with median




deneme 9 , method K-means with outlier




deneme 9 , method K-means center with outlier




deneme 10 , method normal method




deneme 10 , method with median




deneme 10 , method K-means with outlier




deneme 10 , method K-means center with outlier




deneme 11 , method normal method




deneme 11 , method with median




deneme 11 , method K-means with outlier




deneme 11 , method K-means center with outlier




deneme 12 , method normal method




deneme 12 , method with median




deneme 12 , method K-means with outlier




deneme 12 , method K-means center with outlier




deneme 13 , method normal method




deneme 13 , method with median




deneme 13 , method K-means with outlier




deneme 13 , method K-means center with outlier




deneme 14 , method normal method




deneme 14 , method with median




deneme 14 , method K-means with outlier




deneme 14 , method K-means center with outlier




deneme 15 , method normal method




deneme 15 , method with median




deneme 15 , method K-means with outlier




deneme 15 , method K-means center with outlier




deneme 16 , method normal method




deneme 16 , method with median




deneme 16 , method K-means with outlier




deneme 16 , method K-means center with outlier




deneme 17 , method normal method




deneme 17 , method with median




deneme 17 , method K-means with outlier




deneme 17 , method K-means center with outlier




deneme 18 , method normal method




deneme 18 , method with median




deneme 18 , method K-means with outlier




deneme 18 , method K-means center with outlier




deneme 19 , method normal method




deneme 19 , method with median




deneme 19 , method K-means with outlier




deneme 19 , method K-means center with outlier




deneme 20 , method normal method




deneme 20 , method with median




deneme 20 , method K-means with outlier




deneme 20 , method K-means center with outlier




deneme 21 , method normal method




deneme 21 , method with median




deneme 21 , method K-means with outlier




deneme 21 , method K-means center with outlier




deneme 22 , method normal method




deneme 22 , method with median




deneme 22 , method K-means with outlier




deneme 22 , method K-means center with outlier




deneme 23 , method normal method




deneme 23 , method with median




deneme 23 , method K-means with outlier




deneme 23 , method K-means center with outlier




deneme 24 , method normal method




deneme 24 , method with median




deneme 24 , method K-means with outlier




deneme 24 , method K-means center with outlier




deneme 25 , method normal method




deneme 25 , method with median




deneme 25 , method K-means with outlier




deneme 25 , method K-means center with outlier




deneme 26 , method normal method




deneme 26 , method with median




deneme 26 , method K-means with outlier




deneme 26 , method K-means center with outlier




deneme 27 , method normal method




deneme 27 , method with median




deneme 27 , method K-means with outlier




deneme 27 , method K-means center with outlier




deneme 28 , method normal method




deneme 28 , method with median




deneme 28 , method K-means with outlier




deneme 28 , method K-means center with outlier




deneme 29 , method normal method




deneme 29 , method with median




deneme 29 , method K-means with outlier




deneme 29 , method K-means center with outlier




deneme 30 , method normal method




deneme 30 , method with median




deneme 30 , method K-means with outlier




deneme 30 , method K-means center with outlier




deneme 31 , method normal method




deneme 31 , method with median




deneme 31 , method K-means with outlier




deneme 31 , method K-means center with outlier




deneme 32 , method normal method




deneme 32 , method with median




deneme 32 , method K-means with outlier




deneme 32 , method K-means center with outlier




deneme 33 , method normal method




deneme 33 , method with median




deneme 33 , method K-means with outlier




deneme 33 , method K-means center with outlier




deneme 34 , method normal method




deneme 34 , method with median




deneme 34 , method K-means with outlier




deneme 34 , method K-means center with outlier




deneme 35 , method normal method




deneme 35 , method with median




deneme 35 , method K-means with outlier




deneme 35 , method K-means center with outlier




deneme 36 , method normal method




deneme 36 , method with median




deneme 36 , method K-means with outlier




deneme 36 , method K-means center with outlier




deneme 37 , method normal method




deneme 37 , method with median




deneme 37 , method K-means with outlier




deneme 37 , method K-means center with outlier




deneme 38 , method normal method




deneme 38 , method with median




deneme 38 , method K-means with outlier




deneme 38 , method K-means center with outlier




deneme 39 , method normal method




deneme 39 , method with median




deneme 39 , method K-means with outlier




deneme 39 , method K-means center with outlier




deneme 40 , method normal method




deneme 40 , method with median




deneme 40 , method K-means with outlier




deneme 40 , method K-means center with outlier




deneme 41 , method normal method




deneme 41 , method with median




deneme 41 , method K-means with outlier




deneme 41 , method K-means center with outlier




deneme 42 , method normal method




deneme 42 , method with median




deneme 42 , method K-means with outlier




deneme 42 , method K-means center with outlier




deneme 43 , method normal method




deneme 43 , method with median




deneme 43 , method K-means with outlier




deneme 43 , method K-means center with outlier




deneme 44 , method normal method




deneme 44 , method with median




deneme 44 , method K-means with outlier




deneme 44 , method K-means center with outlier




deneme 45 , method normal method




deneme 45 , method with median




deneme 45 , method K-means with outlier




deneme 45 , method K-means center with outlier




deneme 46 , method normal method




deneme 46 , method with median




deneme 46 , method K-means with outlier




deneme 46 , method K-means center with outlier




deneme 47 , method normal method







deneme 47 , method K-means with outlier




deneme 47 , method K-means center with outlier




deneme 48 , method normal method




deneme 48 , method with median




deneme 48 , method K-means with outlier




deneme 48 , method K-means center with outlier




deneme 49 , method normal method




deneme 49 , method with median




deneme 49 , method K-means with outlier




deneme 49 , method K-means center with outlier




deneme 50 , method normal method




deneme 50 , method with median




deneme 50 , method K-means with outlier




deneme 50 , method K-means center with outlier




deneme 51 , method normal method




deneme 51 , method with median




deneme 51 , method K-means with outlier




deneme 51 , method K-means center with outlier




deneme 52 , method normal method




deneme 52 , method with median




deneme 52 , method K-means with outlier




deneme 52 , method K-means center with outlier




deneme 53 , method normal method




deneme 53 , method with median




deneme 53 , method K-means with outlier




deneme 53 , method K-means center with outlier




deneme 54 , method normal method




deneme 54 , method with median




deneme 54 , method K-means with outlier




deneme 54 , method K-means center with outlier




deneme 55 , method normal method




deneme 55 , method with median




deneme 55 , method K-means with outlier




deneme 55 , method K-means center with outlier




deneme 56 , method normal method




deneme 56 , method with median




deneme 56 , method K-means with outlier




deneme 56 , method K-means center with outlier




deneme 57 , method normal method




deneme 57 , method with median




deneme 57 , method K-means with outlier




deneme 57 , method K-means center with outlier




deneme 58 , method normal method




deneme 58 , method with median




deneme 58 , method K-means with outlier




deneme 58 , method K-means center with outlier




deneme 59 , method normal method




deneme 59 , method with median




deneme 59 , method K-means with outlier




deneme 59 , method K-means center with outlier




deneme 60 , method normal method




deneme 60 , method with median




deneme 60 , method K-means with outlier




deneme 60 , method K-means center with outlier




deneme 61 , method normal method




deneme 61 , method with median




deneme 61 , method K-means with outlier




deneme 61 , method K-means center with outlier




deneme 62 , method normal method




deneme 62 , method with median




deneme 62 , method K-means with outlier




deneme 62 , method K-means center with outlier




deneme 63 , method normal method




deneme 63 , method with median




deneme 63 , method K-means with outlier




deneme 63 , method K-means center with outlier




deneme 64 , method normal method




deneme 64 , method with median




deneme 64 , method K-means with outlier




deneme 64 , method K-means center with outlier




deneme 65 , method normal method




deneme 65 , method with median




deneme 65 , method K-means with outlier




deneme 65 , method K-means center with outlier




deneme 66 , method normal method




deneme 66 , method with median




deneme 66 , method K-means with outlier




deneme 66 , method K-means center with outlier




deneme 67 , method normal method




deneme 67 , method with median




deneme 67 , method K-means with outlier




deneme 67 , method K-means center with outlier




deneme 68 , method normal method




deneme 68 , method with median




deneme 68 , method K-means with outlier




deneme 68 , method K-means center with outlier




deneme 69 , method normal method




deneme 69 , method with median




deneme 69 , method K-means with outlier




deneme 69 , method K-means center with outlier




deneme 70 , method normal method




deneme 70 , method with median




deneme 70 , method K-means with outlier




deneme 70 , method K-means center with outlier




deneme 71 , method normal method




deneme 71 , method with median




deneme 71 , method K-means with outlier




deneme 71 , method K-means center with outlier




deneme 72 , method normal method




deneme 72 , method with median




deneme 72 , method K-means with outlier




deneme 72 , method K-means center with outlier




deneme 73 , method normal method




deneme 73 , method with median




deneme 73 , method K-means with outlier




deneme 73 , method K-means center with outlier




deneme 74 , method normal method




deneme 74 , method with median




deneme 74 , method K-means with outlier




deneme 74 , method K-means center with outlier




deneme 75 , method normal method




deneme 75 , method with median




deneme 75 , method K-means with outlier




deneme 75 , method K-means center with outlier




deneme 76 , method normal method




deneme 76 , method with median




deneme 76 , method K-means with outlier




deneme 76 , method K-means center with outlier




deneme 77 , method normal method




deneme 77 , method with median




deneme 77 , method K-means with outlier




deneme 77 , method K-means center with outlier




deneme 78 , method normal method




deneme 78 , method with median




deneme 78 , method K-means with outlier




deneme 78 , method K-means center with outlier




deneme 79 , method normal method




deneme 79 , method with median




deneme 79 , method K-means with outlier




deneme 79 , method K-means center with outlier




deneme 80 , method normal method




deneme 80 , method with median




deneme 80 , method K-means with outlier




deneme 80 , method K-means center with outlier




deneme 81 , method normal method




deneme 81 , method with median




deneme 81 , method K-means with outlier




deneme 81 , method K-means center with outlier




deneme 82 , method normal method




deneme 82 , method with median




deneme 82 , method K-means with outlier




deneme 82 , method K-means center with outlier




deneme 83 , method normal method




deneme 83 , method with median




deneme 83 , method K-means with outlier




deneme 83 , method K-means center with outlier




deneme 84 , method normal method




deneme 84 , method with median




deneme 84 , method K-means with outlier




deneme 84 , method K-means center with outlier




deneme 85 , method normal method




deneme 85 , method with median




deneme 85 , method K-means with outlier




deneme 85 , method K-means center with outlier




deneme 86 , method normal method




deneme 86 , method with median




deneme 86 , method K-means with outlier




deneme 86 , method K-means center with outlier




deneme 87 , method normal method




deneme 87 , method with median




deneme 87 , method K-means with outlier




deneme 87 , method K-means center with outlier




deneme 88 , method normal method




deneme 88 , method with median




deneme 88 , method K-means with outlier




deneme 88 , method K-means center with outlier




deneme 89 , method normal method




deneme 89 , method with median




deneme 89 , method K-means with outlier




deneme 89 , method K-means center with outlier




deneme 90 , method normal method




deneme 90 , method with median




deneme 90 , method K-means with outlier




deneme 90 , method K-means center with outlier




deneme 91 , method normal method




deneme 91 , method with median




deneme 91 , method K-means with outlier




deneme 91 , method K-means center with outlier




deneme 92 , method normal method




deneme 92 , method with median




deneme 92 , method K-means with outlier




deneme 92 , method K-means center with outlier




deneme 93 , method normal method




deneme 93 , method with median




deneme 93 , method K-means with outlier




deneme 93 , method K-means center with outlier




deneme 94 , method normal method




deneme 94 , method with median




deneme 94 , method K-means with outlier




deneme 94 , method K-means center with outlier




deneme 95 , method normal method




deneme 95 , method with median




deneme 95 , method K-means with outlier




deneme 95 , method K-means center with outlier




deneme 96 , method normal method




deneme 96 , method with median




deneme 96 , method K-means with outlier




deneme 96 , method K-means center with outlier




deneme 97 , method normal method




deneme 97 , method with median




deneme 97 , method K-means with outlier




deneme 97 , method K-means center with outlier




deneme 98 , method normal method




deneme 98 , method with median




deneme 98 , method K-means with outlier




deneme 98 , method K-means center with outlier




deneme 99 , method normal method



deneme 99 , method with median



deneme 99 , method K-means with outlier



deneme 99 , method K-means center with outlier

