deneme 0 , method normal method

deneme 0 , method with median

deneme 0 , method K-means with outlier

deneme 0 , method K-means center with outlier

deneme 1 , method normal method

deneme 1 , method with median

deneme 1 , method K-means with outlier

deneme 1 , method K-means center with outlier

deneme 2 , method normal method

deneme 2 , method with median

deneme 2 , method K-means with outlier

deneme 2 , method K-means center with outlier

deneme 3 , method normal method

deneme 3 , method with median

deneme 3 , method K-means with outlier

deneme 3 , method K-means center with outlier

deneme 4 , method normal method

deneme 4 , method with median

deneme 4 , method K-means with outlier

deneme 4 , method K-means center with outlier

deneme 5 , method normal method

deneme 5 , method with median

deneme 5 , method K-means with outlier

deneme 5 , method K-means center with outlier

deneme 6 , method normal method

deneme 6 , method with median

deneme 6 , method K-means with outlier

deneme 6 , method K-means center with outlier

deneme 7 , method normal method

deneme 7 , method with median

deneme 7 , method K-means with outlier

deneme 7 , method K-means center with outlier

deneme 8 , method normal method

deneme 8 , method with median

deneme 8 , method K-means with outlier

deneme 8 , method K-means center with outlier

deneme 9 , method normal method

deneme 9 , method with median

deneme 9 , method K-means with outlier

deneme 9 , method K-means center with outlier

deneme 10 , method normal method

deneme 10 , method with median

deneme 10 , method K-means with outlier

deneme 10 , method K-means center with outlier

deneme 11 , method normal method

deneme 11 , method with median

deneme 11 , method K-means with outlier

deneme 11 , method K-means center with outlier

deneme 12 , method normal method

deneme 12 , method with median

deneme 12 , method K-means with outlier

deneme 12 , method K-means center with outlier

deneme 13 , method normal method

deneme 13 , method with median

deneme 13 , method K-means with outlier

deneme 13 , method K-means center with outlier

deneme 14 , method normal method

deneme 14 , method with median

deneme 14 , method K-means with outlier

deneme 14 , method K-means center with outlier

deneme 15 , method normal method

deneme 15 , method with median

deneme 15 , method K-means with outlier

deneme 15 , method K-means center with outlier

deneme 16 , method normal method

deneme 16 , method with median

deneme 16 , method K-means with outlier

deneme 16 , method K-means center with outlier

deneme 17 , method normal method

deneme 17 , method with median

deneme 17 , method K-means with outlier

deneme 17 , method K-means center with outlier

deneme 18 , method normal method

deneme 18 , method with median

deneme 18 , method K-means with outlier

deneme 18 , method K-means center with outlier

deneme 19 , method normal method

deneme 19 , method with median

deneme 19 , method K-means with outlier

deneme 19 , method K-means center with outlier

deneme 20 , method normal method

deneme 20 , method with median

deneme 20 , method K-means with outlier

deneme 20 , method K-means center with outlier

deneme 21 , method normal method

deneme 21 , method with median

deneme 21 , method K-means with outlier

deneme 21 , method K-means center with outlier

deneme 22 , method normal method

deneme 22 , method with median

deneme 22 , method K-means with outlier

deneme 22 , method K-means center with outlier

deneme 23 , method normal method

deneme 23 , method with median

deneme 23 , method K-means with outlier

deneme 23 , method K-means center with outlier

deneme 24 , method normal method

deneme 24 , method with median

deneme 24 , method K-means with outlier

deneme 24 , method K-means center with outlier

deneme 25 , method normal method

deneme 25 , method with median

deneme 25 , method K-means with outlier

deneme 25 , method K-means center with outlier

deneme 26 , method normal method

deneme 26 , method with median

deneme 26 , method K-means with outlier

deneme 26 , method K-means center with outlier

deneme 27 , method normal method

deneme 27 , method with median

deneme 27 , method K-means with outlier

deneme 27 , method K-means center with outlier

deneme 28 , method normal method

deneme 28 , method with median

deneme 28 , method K-means with outlier

deneme 28 , method K-means center with outlier

deneme 29 , method normal method

deneme 29 , method with median

deneme 29 , method K-means with outlier

deneme 29 , method K-means center with outlier

deneme 30 , method normal method

deneme 30 , method with median

deneme 30 , method K-means with outlier

deneme 30 , method K-means center with outlier

deneme 31 , method normal method

deneme 31 , method with median

deneme 31 , method K-means with outlier

deneme 31 , method K-means center with outlier

deneme 32 , method normal method

deneme 32 , method with median

deneme 32 , method K-means with outlier

deneme 32 , method K-means center with outlier

deneme 33 , method normal method

deneme 33 , method with median

deneme 33 , method K-means with outlier

deneme 33 , method K-means center with outlier

deneme 34 , method normal method

deneme 34 , method with median

deneme 34 , method K-means with outlier

deneme 34 , method K-means center with outlier

deneme 35 , method normal method

deneme 35 , method with median

deneme 35 , method K-means with outlier

deneme 35 , method K-means center with outlier

deneme 36 , method normal method

deneme 36 , method with median

deneme 36 , method K-means with outlier

deneme 36 , method K-means center with outlier

deneme 37 , method normal method

deneme 37 , method with median

deneme 37 , method K-means with outlier

deneme 37 , method K-means center with outlier

deneme 38 , method normal method

deneme 38 , method with median

deneme 38 , method K-means with outlier

deneme 38 , method K-means center with outlier

deneme 39 , method normal method

deneme 39 , method with median

deneme 39 , method K-means with outlier

deneme 39 , method K-means center with outlier

deneme 40 , method normal method

deneme 40 , method with median

deneme 40 , method K-means with outlier

deneme 40 , method K-means center with outlier

deneme 41 , method normal method

deneme 41 , method with median

deneme 41 , method K-means with outlier

deneme 41 , method K-means center with outlier

deneme 42 , method normal method

deneme 42 , method with median

deneme 42 , method K-means with outlier

deneme 42 , method K-means center with outlier

deneme 43 , method normal method

deneme 43 , method with median

deneme 43 , method K-means with outlier

deneme 43 , method K-means center with outlier

deneme 44 , method normal method

deneme 44 , method with median

deneme 44 , method K-means with outlier

deneme 44 , method K-means center with outlier

deneme 45 , method normal method

deneme 45 , method with median

deneme 45 , method K-means with outlier

deneme 45 , method K-means center with outlier

deneme 46 , method normal method

deneme 46 , method with median

deneme 46 , method K-means with outlier

deneme 46 , method K-means center with outlier

deneme 47 , method normal method

deneme 47 , method with median

deneme 47 , method K-means with outlier

deneme 47 , method K-means center with outlier

deneme 48 , method normal method

deneme 48 , method with median

deneme 48 , method K-means with outlier

deneme 48 , method K-means center with outlier

deneme 49 , method normal method

deneme 49 , method with median

deneme 49 , method K-means with outlier

deneme 49 , method K-means center with outlier

deneme 50 , method normal method

deneme 50 , method with median

deneme 50 , method K-means with outlier

deneme 50 , method K-means center with outlier

deneme 51 , method normal method

deneme 51 , method with median

deneme 51 , method K-means with outlier

deneme 51 , method K-means center with outlier

deneme 52 , method normal method

deneme 52 , method with median

deneme 52 , method K-means with outlier

deneme 52 , method K-means center with outlier

deneme 53 , method normal method

deneme 53 , method with median

deneme 53 , method K-means with outlier

deneme 53 , method K-means center with outlier

deneme 54 , method normal method

deneme 54 , method with median

deneme 54 , method K-means with outlier

deneme 54 , method K-means center with outlier

deneme 55 , method normal method

deneme 55 , method with median

deneme 55 , method K-means with outlier

deneme 55 , method K-means center with outlier

deneme 56 , method normal method

deneme 56 , method with median

deneme 56 , method K-means with outlier

deneme 56 , method K-means center with outlier

deneme 57 , method normal method

deneme 57 , method with median

deneme 57 , method K-means with outlier

deneme 57 , method K-means center with outlier

deneme 58 , method normal method

deneme 58 , method with median

deneme 58 , method K-means with outlier

deneme 58 , method K-means center with outlier

deneme 59 , method normal method

deneme 59 , method with median

deneme 59 , method K-means with outlier

deneme 59 , method K-means center with outlier

deneme 60 , method normal method

deneme 60 , method with median

deneme 60 , method K-means with outlier

deneme 60 , method K-means center with outlier

deneme 61 , method normal method

deneme 61 , method with median

deneme 61 , method K-means with outlier

deneme 61 , method K-means center with outlier

deneme 62 , method normal method

deneme 62 , method with median

deneme 62 , method K-means with outlier

deneme 62 , method K-means center with outlier

deneme 63 , method normal method

deneme 63 , method with median

deneme 63 , method K-means with outlier

deneme 63 , method K-means center with outlier

deneme 64 , method normal method

deneme 64 , method with median

deneme 64 , method K-means with outlier

deneme 64 , method K-means center with outlier

deneme 65 , method normal method

deneme 65 , method with median

deneme 65 , method K-means with outlier

deneme 65 , method K-means center with outlier

deneme 66 , method normal method

deneme 66 , method with median

deneme 66 , method K-means with outlier

deneme 66 , method K-means center with outlier

deneme 67 , method normal method

deneme 67 , method with median

deneme 67 , method K-means with outlier

deneme 67 , method K-means center with outlier

deneme 68 , method normal method

deneme 68 , method with median

deneme 68 , method K-means with outlier

deneme 68 , method K-means center with outlier

deneme 69 , method normal method

deneme 69 , method with median

deneme 69 , method K-means with outlier

deneme 69 , method K-means center with outlier

deneme 70 , method normal method

deneme 70 , method with median

deneme 70 , method K-means with outlier

deneme 70 , method K-means center with outlier

deneme 71 , method normal method

deneme 71 , method with median

deneme 71 , method K-means with outlier

deneme 71 , method K-means center with outlier

deneme 72 , method normal method

deneme 72 , method with median

deneme 72 , method K-means with outlier

deneme 72 , method K-means center with outlier

deneme 73 , method normal method

deneme 73 , method with median

deneme 73 , method K-means with outlier

deneme 73 , method K-means center with outlier

deneme 74 , method normal method

deneme 74 , method with median

deneme 74 , method K-means with outlier

deneme 74 , method K-means center with outlier

deneme 75 , method normal method

deneme 75 , method with median

deneme 75 , method K-means with outlier

deneme 75 , method K-means center with outlier

deneme 76 , method normal method

deneme 76 , method with median

deneme 76 , method K-means with outlier

deneme 76 , method K-means center with outlier

deneme 77 , method normal method

deneme 77 , method with median

deneme 77 , method K-means with outlier

deneme 77 , method K-means center with outlier

deneme 78 , method normal method

deneme 78 , method with median

deneme 78 , method K-means with outlier

deneme 78 , method K-means center with outlier

deneme 79 , method normal method

deneme 79 , method with median

deneme 79 , method K-means with outlier

deneme 79 , method K-means center with outlier

deneme 80 , method normal method

deneme 80 , method with median

deneme 80 , method K-means with outlier

deneme 80 , method K-means center with outlier

deneme 81 , method normal method

deneme 81 , method with median

deneme 81 , method K-means with outlier

deneme 81 , method K-means center with outlier

deneme 82 , method normal method

deneme 82 , method with median

deneme 82 , method K-means with outlier

deneme 82 , method K-means center with outlier

deneme 83 , method normal method

deneme 83 , method with median

deneme 83 , method K-means with outlier

deneme 83 , method K-means center with outlier

deneme 84 , method normal method

deneme 84 , method with median

deneme 84 , method K-means with outlier

deneme 84 , method K-means center with outlier

deneme 85 , method normal method

deneme 85 , method with median

deneme 85 , method K-means with outlier

deneme 85 , method K-means center with outlier

deneme 86 , method normal method

deneme 86 , method with median

deneme 86 , method K-means with outlier

deneme 86 , method K-means center with outlier

deneme 87 , method normal method

deneme 87 , method with median

deneme 87 , method K-means with outlier

deneme 87 , method K-means center with outlier

deneme 88 , method normal method

deneme 88 , method with median

deneme 88 , method K-means with outlier

deneme 88 , method K-means center with outlier

deneme 89 , method normal method

deneme 89 , method with median

deneme 89 , method K-means with outlier

deneme 89 , method K-means center with outlier

deneme 90 , method normal method

deneme 90 , method with median

deneme 90 , method K-means with outlier

deneme 90 , method K-means center with outlier

deneme 91 , method normal method

deneme 91 , method with median

deneme 91 , method K-means with outlier

deneme 91 , method K-means center with outlier

deneme 92 , method normal method

deneme 92 , method with median

deneme 92 , method K-means with outlier

deneme 92 , method K-means center with outlier

deneme 93 , method normal method

deneme 93 , method with median

deneme 93 , method K-means with outlier

deneme 93 , method K-means center with outlier

deneme 94 , method normal method

deneme 94 , method with median

deneme 94 , method K-means with outlier

deneme 94 , method K-means center with outlier

deneme 95 , method normal method

deneme 95 , method with median

deneme 95 , method K-means with outlier

deneme 95 , method K-means center with outlier

deneme 96 , method normal method

deneme 96 , method with median

deneme 96 , method K-means with outlier

deneme 96 , method K-means center with outlier

deneme 97 , method normal method

deneme 97 , method with median

deneme 97 , method K-means with outlier

deneme 97 , method K-means center with outlier

deneme 98 , method normal method

deneme 98 , method with median

deneme 98 , method K-means with outlier

deneme 98 , method K-means center with outlier

deneme 99 , method normal method

deneme 99 , method with median

deneme 99 , method K-means with outlier

deneme 99 , method K-means center with outlier

solution rates