

Logic Palet

Product presentation



About us

LogicPalet Certification



(12) SOLICITUD INTERNACIONAL PUBLICADA EN VIRTUD DEL TRATADO DE COOPERACIÓN EN MATERIA DE PATENTES (PCT)

(19) Organización Mundial de la Propiedad Intelectual
Oficina internacional

(43) Fecha de publicación internacional
24 de julio de 2014 (24.07.2014)

WIPO | PCT

(10) Número de Publicación Internacional
WO 2014/111610 A1

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau

(43) International Publication Date
2 May 2013 (02.05.2013)

WIPO | PCT

(10) International Publication Number
WO 2013/060900 A2

LogicPalet was awarded the Gold medal at the International invention event in Geneva in April 2015 and the best Spanish invention award by OEPM (Patent and Brand Spanish Once). Our removable and repairable pallet allows for logistic and storage savings with our 3 to 1 ratio per trailer, with a reduced impact on the carbon footprint given less fuel usage on transportation.

The price of the “For Life Pallet” is more competitive than conventional plastic and wood pallets given the number of rounds it can achieve. And being repairable by just replacing the damaged part it’s easier and cheaper to maintain.

Fast Response to custom fit customer needs and their distribution centers. In all avaiable pallet configurations in the market in both plastic and wood.

Internationally recognized Spanish patent

About us



REDUCE, REUSE, RECYCLE

The possibility of using Logicpalet, a pallet made of recycled plastic material, as many times as you want, **reduces and minimizes contamination from its source.**

LOGIC PALET

LogicPalets Qualities

Weidner

LOGC PALET

BIG LOGISTIC SAVINGS

Low logistics costs over long distances. Great savings in return logistics 1 to 3 ratio.

100% ECOLOGICAL

Thanks to the recycled plastic pallet reuse system, we avoid felling millions of trees.

UNDEFINED LIFE CYCLE

The damaged parts of the Logicpalet are easily replaceable since they are two different components

PREVENT CONTAMINATION

It contributes to preventing Biological Contamination (undesirable living organisms in an environment, which can generate different diseases).

EASY TO CLEAN

We avoid cleaning transport to the pool, thanks to the fact that our assembly and disassembly machines incorporate a cleaning system for the parts before assembly.

MAXIMUM HYGIENE

It is not necessary to comply with the ISPM-15 (International Standard of Phytosanitary Measures No. 15) because they provide the maximum hygiene conditions.

WIDE DIMENSIONAL RANGE

Wide dimensional range depending on the client's needs. We can make any measurement and customize your pallet.

LESS CARBON FOOTPRINT

Reduction of all greenhouse gases emitted by direct or indirect effect of an individual, organization, event or product.

CHEMICAL RESISTANCE

The recycled plastic alloy that we use in the manufacture of Logicpalet is resistant to acids, fats and other chemicals.

Two simple basic pieces

Weidner

The Patent is focused on a structure based on the combination of only **two basic pieces**, capable of being assembled and disassembled indefinitely, resulting in a pallet. These two basic pieces, multiplied in number and arranged in a certain position (longitudinally and transversely), are assembled into a solid structure without requiring any other connecting element.





Given the composition of our Logicpalet, made from **recycled plastic**, our clients continually notice the ease of transporting their goods, in addition to the main assembly feature, which makes it unique in everyone's eyes. Logicpalet was awarded in 2015 as "**The Best Spanish Invention**" and was a great excitement for all those attending the **Gulfood Manufacturing Dubai Exhibition**, given its properties mainly designed for the food industry.

LOGIC PALET

unique in everyone's eyes

Logistical advantages

"BOX" TRAILER

Weight / TARE	8.600 Kg
Loading capacity	31.400 Kg
Inner lenght	13'62 m
Width	2'46 m
Height	2'70 m
Door width	2'46 m
Door opening height	2'70 m

Conventional Palet

Storage in a 14m box trailer:

- Unstacked conventional pallets: 595 units
- Stacked conventional pallets: 882 units

LogicPalet



Storage in a 14m box trailer:

- LogicPalet pallets: 1135 disassembled pallets
  24 Stringers and 11 boards
- **Storage capacity optimized by 48% and 22% compared to conventional pallets**

Recycled plastic material

Logicpalet is made of an alloy of recycled material from plastic waste, which we can get from three different sources.

01 Waste from the Recycling Plant

02 Waste produced by the client in its manufacture

03 Recovery of our own Waste

LOGICPALET

Reduce, Reuse, Recycle

Cost reduction in the event of breakage, when replacing loose parts, and the amount of waste.

Reduction of the carbon footprint by using less fuel and energy in its transport and cleaning (no pool cleaning system is necessary).

Logicpalet is focused on reuse by having an **indefinite life cycle**, its useful life, as a unit, is infinite

Manufactured using recycled material of plastic waste from recycling plants, waste produced by the client and from our own waste.

Weidner

More hygienic and effective

We solve the problem that conventional pallets present in the internal and external logistics of any sector, but especially the food sector which is forced to follow a series of requirements (such as adaptation to the NINF-15 regulation on phytosanitary measures). With pallets made of wood are difficult to comply with, since the entry of bacteria and microorganisms is quite easy.

Hygienic

Weidner

Easy assembly, space saving and great adaptability



As it is a deconstructible pallet, a large amount of space in warehouse and transport can be saved because it occupies a third of the space than a normal empty pallet load would. Which means that, where three trucks were needed, with Logicpalet we would use only one; Also reducing the cost of transport and the carbon footprint, since less CO2 is emitted by consuming less fuel. In addition to this great saving in cost and space, **Logicpalet is highly adaptable to customer needs**, since it allows the production of pallets of unlimited sizes by assembling its two components in different ways, achieving a length or width that was impossible up to now with traditional pallets.

LOGIC PALET

Its assembly and disassembly is so simple that even a child can do it

About our collaboration

The collaboration between **Weidner** and **LogicPalet** guarantees our customers the highest product quality through the innovation.

Our commitment to the environment and our broad specialization on feasible and profitable solutions help manufacturing adapt to their needs and create savings for our customers by facilitating **effectiveness and efficiency.**

Weidner

LOGIC PALET

The most versatile recycled pallet



Business model

LOGC PALET

Weidner

WITHOUT CONTINUOUS INNOVATION THERE IS "NO FUTURE"

At Weidner, Innovation is crucial. Through innovation we **minimize technological, technical, and marketing uncertainty.** For Weidner "Innovation is synonymous to attitude, aptitude, ambition and out of the box thinking". Manufacturing innovation is a process that creates wealth. Three key phases of the innnovation process: "idea, implementation, diffusion".

INTERNATIONALIZATION

We provide complete logistic solutions. We have the full support of the Weidner Group with production plants in **Germany, France, Slovenia, Spain and Mexico.**

CIRCULAR ECONOMY AND SUSTAINABILITY

FOR LIFE pallets, are the result of interrelation between **the circular economy and sustainability**, increasing the value of products, materials, and resources (Water, energy, etc) in a way that remains in the **economy** for the longest time possible (**wood pallets = 30 cycles, plastic pallets = 150 cycles, our pallet = 450 cycles**), at the same time we are reducing waste generation to the minimum.

Strategic Axis

Weidner

LOGC ALET

Required features on pallets

- Strength
- Rigidity
- Price
- Durability
- Functionality



Weidner

Pallets' Value-Added Features

- Strength
- Sustainability
- Custom fit
- Circular Economy
- Pallet for Life

Weidner

CERTIFIED ISO 9001 GUARANTEE

CERTIFIED ISO 14001 GUARANTEE

Weidner Pallets Qualities

Undefined Life Cycle
Easily replaceable parts

Sustainability
100% recyclable and easy to clean

Logistics Savings
Efficient and responsible transportation

Reduction of carbon footprint
Environmentally friendly

Chemical Resistance
Great durability in any environment

Custom Fit
By customer Demand

Quick and easy Assembly
Multiple configurations available

Traceability
Geolocation



Our Products

LOGIC PALET

Weidner

Weidner

Pallets for Life

Removable Pallets

The quality and consistency of the plastic pallet display type with 4 entry points, Is ideal for automatic systems. The great advantage of being a modular pallet is that is allows the use of spare parts, making it **the only “Pallet for Life”.**

LOGIPALET

Assembly process

In 3 easy steps







01.

Assembling our pallets is a quick and easy process. First you set two stringers in one direction and the central stringer in the opposite direction

02.

Next you place all deck boards except the central one. Once they are all in position, you need to hammer the stringers with a plastic mallet as per the image above.

03.

Last you place the central deck board a and hammer in the direction the image is showing. Pallet has been assembled and is ready to use.

Pallet V5



Dimensions:
1200 x 1000 mm
1200 x 800 mm

Weidner

Specifications

Dimensions in millimeters

Long	Width	Height
1200±6	1000±4	155±4

Pallet window/inlet - in millimeters

	Width	Height
1000 mm Side	315±2.5	90±1.5
1200 mm Side	350±2.5	115±1.5

Nominal load capacity and weight

Empty weight	24±0.5 kg

Configuration and stacking

Weidner recommends a maximum ratio1000 kg in PP, not exceeding 4500 kg when loaded pallets are stacked in a solid surface.
Static load max 6500 Kg
Dynamic load max 1800 Kg
The pallets can be placed in the rack on the outer blocks with a load of 1200 Kg (on the 1200 mm side) to temperatures up to 40 ° C for one month without producing a deflection greater than 23 mm.
Suitable for temperatures from 0 ° C to -25ºC for PP COPO depending on whether the material is recycled or virgin.
In the wash we get up to 80 ° C.

Materials

Both virgin and recycled PP. The Non-slip surface of the pallet offers high resistance to the movement of the goods during transportation.

Pallet VSR





Dimensions:
1200 x 1000 mm

Weidner

Specifications

Dimensions in millimeters

Long	Width	Height
1200±6	1000±4	155±4

Pallet window/inlet - in millimeters

	Width	Height
1000 mm Side	315±2.5	90±1.5
1200 mm Side	350±2.5	115±1.5

Nominal load capacity and weight

Empty weight 24±0.5 kg

Configuration and stacking

Weidner recommends a maximum ratio1000 kg in PP, not exceeding 4500 kg when loaded pallets are stacked in a solid surface.
Static load max 6500 Kg
Dynamic load max 1800 Kg
The pallets can be placed in the rack on the outer blocks with a load of 1200 Kg (on the 1200 mm side) to temperatures up to 40 ° C for one month without producing a deflection greater than 23 mm.
Suitable for temperatures from 0 ° C to -25ºC for PP COPO depending on whether the material is recycled or virgin.
In the wash we get up to 80 ° C.

Materials

Both virgin and recycled PP. The Non-slip surface of the pallet offers high resistance to the movement of the goods during transportation.

Pallet VS CP





Dimensions:
1200 x 1000 mm

Weidner

Specifications

Dimensions in millimeters

Long	Width	Height
1200±6	1000±4	155±4

Pallet window/inlet - in millimeters

	Width	Height
1000 mm Side	315±2.5	90±1.5
1200 mm Side	350±2.5	115±1.5

Nominal load capacity and weight

Empty weight	24±0.5 kg

Configuration and stacking

Weidner recommends a maximum ratio1000 kg in PP, not exceeding 4500 kg when loaded pallets are stacked in a solid surface.
Static load max 6500 Kg
Dynamic load max 1800 Kg
The pallets can be placed in the rack on the outer blocks with a load of 1200 Kg (on the 1200 mm side) to temperatures up to 40 ° C for one month without producing a deflection greater than 23 mm.
Suitable for temperatures from 0 ° C to -25ºC for PP COPO depending on whether the material is recycled or virgin.
In the wash we get up to 80 ° C.

Materials

Both virgin and recycled PP. The Non-slip surface of the pallet offers high resistance to the movement of the goods during transportation.

Pallet V8



Dimensions:

1200 x 1000 mm

1200 x 800 mm

Weidner

Specifications

Dimensions in millimeters

Long	Width	Height
1200±6	1000±4	159±1

Pallet window/inlet - in millimeters

		Width	Height
1200 mm	Side	315±2.5	98±1.5
1000 mm	Side	350±2.5	112±1.5

Nominal load capacity and weight

Empty weight	22.6±0.5 kg

Configuration and stacking

Weidner Pallets recommends a ratio 1500 kg maximum in PEHD // PP, not exceeding 6000 kg when stacking loaded pallets in a solid surface.
The pallets can be placed in the rack on the outer blocks with a load of 1500 kg (on the 1200 mm side) at temperatures up to 40ºC for a month without the suffering a deflection greater than 23 mm

Materials

PP or HDPE both virgin and recycled. The non-slip surface of the paddle offers high resistance to movement of the goods during transport

Half Pallet V5 / V5R







Dimensions:

V5: 600 x 800 mm

V5R: 600 x 1000 mm

Weidner

Specifications

Dimensions in millimeters

	Long	Width	Height
V5	600	800	153
V5R	600	1000	153

Pallet window/inlet - in millimeters

	Width	Height
1000 mm Side	315	100
1200 mm Side	280	100

Nominal load capacity and weight

Empty weight V5	11 kg
Empty weight V5R	12 kg

Configuration and stacking

Weidner Pallets recommends a maximum ratio of 800 kg in PP, without exceeding 4500 kg when stacking pallets loaded on a solid surface. The pallets can be placed in the rack on the outer blocks with a load of 800 Kg (on the 600 mm side) at temperatures up to 40ºC for one month without deflection greater than 23 mm.

Materials

Both virgin and recycled PP. The non-slip surface of the paddle offers high resistance to the movement of the goods during transport.

Ready for a new experience?

Discover the benefits and savings offered by the **best**, **strongest**, most **versatile**, most **hygienic** and most **durable** pallet on the market, with the added value that you will be **taking care of the environment.**

LOGIC PALET



BUY YOUR LOGICPALET NOW AND START SAVING WHILE **TAKING CARE OF THE ENVIRONMENT**

Weidner

Contact us...

Weidner

LOGIC PALET

LogicPalet

C/Pedrapiquers, 12.
C.P. 46014 Valencia
Spain

E-mail:
comercial@logicpalet.es

Teléfono:
+34 656 45 77 76

Weidner Ibérica

Pol. Industrial Ciutat de Carlet
C/Tramuntana 8, C.P. 46240
Carlet (Valencia), Spain.

E-mail:
info@weidneriberica.com

Teléfono:
+34 605 93 79 90

Weidner Pallets

Calle dos No. 350, Parque Industrial Millennium, Zona Industrial.
C.P. 78395 San Luis Potosí, SLP. México

E-mail:
laura.lapuente@weidnerpallets.mx

Teléfono:
+52 55 62 01 79 36

Thanks for your time

And thanks for your attention