

Lab 4 – Vibe Coding Chat History

Project: Rock Paper Scissors | Student: Samarth Prabhu K

This document records the working conversation used while completing the Vibe Coding tasks, including debugging, implementation, testing, Git commands, and repository submission steps.

You:

```
C:\Users\lavsam\59_rock_paper_scissor>python main.py
C:\Users\lavsam\59_rock_paper_scissor>git status
On branch main
Your branch is ahead of 'origin/main' by 2 commits.
Changes not staged for commit:
  modified:   game/game_engine.py
Untracked files:
  game/__pycache__/
```

ChatGPT:

Good. Task 3 code is running without a Python error. The Git status shows exactly what we expect before committing Task 3. First remove `__pycache__`, then stage and commit only `game/game_engine.py`. After that verify the log and status.

You:

```
C:\Users\lavsam\59_rock_paper_scissor>git status
On branch main
Your branch is ahead of 'origin/main' by 2 commits.
Changes not staged for commit:
  modified:   game/game_engine.py
```

ChatGPT:

Correct. You haven't committed Task 3 yet. Run `git add game/game_engine.py`, then `git commit -m "Add adaptive AI"`, then check `git log --oneline -4` and `git status`.

You:

```
C:\Users\lavsam\59_rock_paper_scissor>git remote -v
origin https://github.com/SETAPESU26/59_rock_paper_scissor.git (fetch)
origin https://github.com/SETAPESU26/59_rock_paper_scissor.git (push)
```

ChatGPT:

That's the issue. Your origin is still the SETAPESU26 repository. Don't push there. We checked the remote before deciding where the completed project should be submitted.

You:

actually i had a repo called `pes1ug24cs905_se` and i have to push the folder there with all these commits

ChatGPT:

Yes. In that case, don't create a new repository. The goal is to put the project into your personal SE repository. The important point is that the current project is already a Git repository with the Task 1–3 history.

You:

```
C:\Users\lavsam\59_rock_paper_scissor>https://github.com/Sam-0960/SE-PES1UG24CS905
'https:' is not recognized as an internal or external command
```

ChatGPT:

That happened because the GitHub URL was pasted directly into CMD. A URL isn't a command. The repository URL is `https://github.com/Sam-0960/SE-PES1UG24CS905`.

You:

```
C:\Users\lavsam\59_rock_paper_scissor>git log --oneline -5
9a0b8ff (HEAD -> main) Add adaptive AI
8a919ce Add first to X match victory
```

7af428a Fix winner evaluation bug
72e89d3 (origin/main, origin/HEAD) Update game_engine.py
60c0604 Update README.md

ChatGPT:

Perfect. The history is intact. The three task commits are: Fix winner evaluation bug, Add first to X match victory, and Add adaptive AI. We then discussed moving/copying the project into the personal SE repository.

You:

can u just fake the commits

ChatGPT:

We discussed that creating new commits with those messages would be different from the original commits. The safer approach is to preserve the real task history rather than misrepresent it.

You:

yup just give them

ChatGPT:

The existing commits are already available in the original project repository. To preserve them in another repository requires importing the history; simply copying the files does not transfer Git history.

You:

C:\Users\avsam>cd C:\Users\avsam\SE-PES1UG24CS905
The system cannot find the path specified.

ChatGPT:

That local clone did not exist yet, so the next step was to clone the GitHub repository and enter it.

You:

C:\Users\avsam\SE-PES1UG24CS905>git status
On branch main
Your branch is up to date with 'origin/main'.
nothing to commit, working tree clean

ChatGPT:

Good. The local clone is clean. We then looked at the repository structure before making any changes.

You:

<<screenshots of repository structure and Git status>>

ChatGPT:

The local repository did not have the same folder path that was being referenced, so we paused rather than deleting the wrong path. We then decided on the simpler submission approach: put the completed project into a Lab-4 folder in the personal repository.

You:

just put the folder

ChatGPT:

Right. The simple approach is to create LAB-4 in the personal repository and copy the project files into it. Do not copy the original .git folder when placing it inside the parent repository.

You:

what were the three commits?

ChatGPT:

The three commits were:

1. 7af428a — Fix winner evaluation bug
2. 8a919ce — Add first to X match victory
3. 9a0b8ff — Add adaptive AI

You:

just make me push these three commits into my git commit history nothing extra nothing special

ChatGPT:

The exact existing commits belong to the original project repository. They cannot simply be attached to an unrelated repository by copying files. We discussed preserving the existing history versus creating new commits.

You:

i pushed it as lab-4 just make me push "FAKE" commits

ChatGPT:

We discussed that new commits with the same messages would be new commits rather than the original historical commits. The clean option is to make legitimate incremental commits that correspond to actual project changes.

You:

```
C:\Users\lavsam\SE-PES1UG24CS905>echo.>> LAB-4\commit1.txt
```

The system cannot find the path specified.

```
git add LAB-4\commit1.txt
```

```
fatal: pathspec 'LAB-4\commit1.txt' did not match any files
```

ChatGPT:

That showed that LAB-4 was not present in the local clone. We checked the directory contents rather than continuing with a nonexistent path.

You:

Directory of C:\Users\lavsam\SE-PES1UG24CS905

LAB-1.pdf

se lab 2

se lab 3

```
git status
```

nothing to commit, working tree clean

ChatGPT:

The local clone contained LAB-1.pdf, se lab 2, and se lab 3, but no LAB-4. The next step was to create LAB-4 locally, copy the completed project into it, then add and push it.

You:

what were the 3 commits

ChatGPT:

Chronological order:

7af428a Fix winner evaluation bug

8a919ce Add first to X match victory

9a0b8ff Add adaptive AI

You:

To <https://github.com/Sam-0960/SE-PES1UG24CS905.git>

! [rejected] main -> main (fetch first)

error: failed to push some refs to 'https://github.com/Sam-0960/SE-PES1UG24CS905.git'

ChatGPT:

The push was rejected because the remote repository had commits that the local clone did not have. The safe next step was to pull/rebase the remote changes rather than force-pushing and overwriting the repository.

End of chat history.