

Github Setup Flow

//////// To check git version //////////

```
git --version
```

//////// Create SSH key //////////

```
ssh-keygen -t ed25519 -C "YOUR_GITHUB_EMAIL"
```

(after this press enter until user name is came up "[user31@eevlsidtlab031 ~]\$
")

//////// get key //////////

```
cat ~/.ssh/id_ed25519.pub
```

//////// Add the key to GitHub (in github) /////

On GitHub:

1. Open GitHub
2. Click your profile picture → Settings
3. Click SSH and GPG keys
4. Click New SSH key
5. Title: something like Linux Lab
6. Key type: Authentication Key
7. Paste the public key you copied into Key
8. Click Add SSH key

///// Test the connection //////////

(in terminal)

```
ssh -T git@github.com
```

//////// Set your Git name //////////

```
git config --global user.name "Sam-Benny"
```

```
git config --global user.email "sam143607ta@gmail.com"
```

(For checking :this will show the username & mail id)

```
git config --global user.name
```

```
git config --global user.email
```

(or)

```
git config --global --list
```

////////// Repo creation //////////

create a repo on your github account and crete a directory name names as your repo name

////////// Connect Linux to your GitHub repository //////////

Go to the repo and copy the SSH address

```
git remote add origin PASTE_YOUR_SSH_ADDRESS_HERE
```

////////// Verify the connection //////////

```
git remote -v
```

output :

```
origin git@github.com:Sam-Benny/ASIC-Project.git (fetch)
```

```
origin git@github.com:Sam-Benny/ASIC-Project.git (push)
```

////////// File upload and remove flow //////////

Note : we cant upload a empty file into the github

```
git add file_name
```

```
git commit -m "message/description"
```

```
git push
```

////////// For Alias //////////

```
nano ~/.bashrc
```

```
# Git Setup
```

```
alias git_update='git add -A && git commit -m "add from linux" && git push'
```

```
update() {  
    echo ""  
    echo "-----"  
    echo "    Files are updated to the repo"
```

```
echo "-----"
```

```
echo ""
```

```
echo "Processing statements..."
```

```
echo ""
```

```
git add -A
```

```
git commit -m "add from linux"
```

```
git push
```

```
echo ""
```

```
echo "-----"
```

```
echo "      Repo updated"
```

```
echo "-----"
```

```
echo ""
```

```
}
```

ctrl + O

ctrl + x

```
source ~/.bashrc
```