

# Cross Reference for Project 2

You are to fill-in with where located in code

| Chapter | #        | Section | Topic                            | Where Line #'s  | Pts | Notes                          |
|---------|----------|---------|----------------------------------|-----------------|-----|--------------------------------|
| 13      |          |         | Classes                          |                 |     |                                |
|         | 1 to 3   |         | Instance of a Class              | Player.h - 10   | 4   |                                |
|         |          | 4       | Private Data Members             | Player.h - 31   | 4   | Never Public                   |
|         |          | 5       | Specification vs. Implementation | 67              | 4   | .h vs. .cpp files Always split |
|         |          | 6       | Inline                           | Player.h - 19   | 4   |                                |
|         | 7, 8, 10 |         | Constructors                     | 51              | 4   | Overloading                    |
|         |          | 9       | Destructors                      | 61              | 4   |                                |
|         |          | 12      | Arrays of Objects                | Player.h - 18   | 4   |                                |
|         |          | 16      | UML                              | Uml.txt         | 4   |                                |
| 14      |          |         | More about Classes               |                 |     |                                |
|         |          | 1       | Static                           | Card.h -36      | 5   |                                |
|         |          | 2       | Friends                          | Player.h - 12   | 2   |                                |
|         |          | 4       | Copy Constructors                | Player.h - 16   | 5   |                                |
|         |          | 5       | Operator Overloading             | Card.h - 40     | 8   | Overload 3 operators           |
|         |          | 7       | Aggregation                      | Player.h - 18   | 6   |                                |
| 15      |          |         | Inheritance                      |                 |     |                                |
|         |          | 1       | Protected members                | Player.h - 39   | 6   |                                |
|         | 2 to 5   |         | Base Class to Derived            | NPCPlayer.h - 8 | 6   |                                |
|         |          | 6       | Polymorphic associations         | Player.h - 29   | 6   |                                |
|         |          | 7       | Abstract Classes                 | Player.h - 20   | 6   |                                |
| 16      |          |         | Advanced Classes                 |                 |     |                                |
|         |          | 1       | Exceptions                       | 520             | 6   |                                |
|         | 2 to 4   |         | Templates                        | Scores.h - 10   | 6   |                                |
|         |          | 5       | STL                              | Player.h - 5    | 6   |                                |
|         |          |         |                                  |                 |     |                                |
|         |          |         | Sum                              |                 | 100 |                                |