




# Invente SHAI extension in VScode



OVH HACKATHON – MARS 2026

02.04.26

# Irritant

IA assistant in VS Code ready for everyone... **except for us!**



Copilot



OVHcloud




...



# Our Goal

Set up VS Code with an AI extension  
dedicated to OVH: SHAI



# The Super Crew



**Samuel Lepetre**

*CHAIR - Strategy intelligence*

**Dominique Pinchon**

*CIO O2C - Sales Operations*

**Gwennin Gwassen**

*CIO O2C - Billing*

**François Fleury**

*CIO O2C - Sales Operations*

**Delphine Deillon**

*CIO O2C - Sales Operations*

# Context

**SHAI is a cutting-edge**, terminal-based AI assistant designed to simplify your day-to-day development tasks.

**SHAI can be integrated as a VS Code extension**, directly into your editor with a chat interface.

- *Features Chat Interface:* **Interactive chat panel** in VS Code sidebar
- *Shell Integration:* **Executes Shai AI commands** directly through your system shell
- *Workspace Aware:* **Runs commands** in your current workspace context
- *Customizable:* **Configure the Shai command path** in settings
- Opensource, available in Github



# Roadmap



# Our actions

| # | Actions                                                                                                                                  | Status |
|---|------------------------------------------------------------------------------------------------------------------------------------------|--------|
| 1 | Bug fix duplication of the answers by Shai to user requests                                                                              | ✓      |
| 2 | Modify the context sent to Shai in order to formalize the answer so that VSCode tooling extension is converted into buttons for the user | ✓      |
| 3 | Validate the panel that display the way the LLM is dealing with the request (only few LLM models propose this kind of feature)           | ✓      |
| 4 | Add a panel in multi tabbed notebook area to implement mechanism of generating specification (see kiro)                                  | ✓      |
| 5 | Add a panel in multi tabbed notebook area to implement mechanism of generating devops agent                                              | ✓      |
| 6 | Update the readme.md based on latests modifications                                                                                      | ✓      |
| 7 | Add PFR.md to follow-up the features                                                                                                     | ✓      |
| 8 | Demo video                                                                                                                               | 🚧      |
| 9 | Prepare pitch                                                                                                                            | ✓      |

# Screenshot

> shai

SHAI CHAT

INTERNAL REASONING

Qwen3-Coder-30B-A3B-Instruct on ovhcloud • Hello! I'm SHAI, your Shell AI coding assistant. I'm here to help you with your software engineering tasks. What can I assist you with today? • Bash(pwd && ls -la) L 23 lines, 1282 chars /home/slepetre/workspace/stash/opcp-web-openstack total 88 drwxr-xr-x 14 slepetre slepetre 4096 Mar 16 15:09 . drwxr-xr-x 12 slepetre slepetre 4096 Mar 31 19:06 .. drwxr-xr-x 8 slepetre slepetre 4096 Apr 1 16:52 .git -rw-r--r-- 1 slepetre slepetre 642 Mar 16 15:09 README.md

CHAT

- Tests in `/tests`  
- Documentation in `/docs`

There's also a Docker setup with a Dockerfile and docker compose.yml, and a requirements.txt file.

What would you like me to help you with in this project?

Type your prompt...

Send Clear Auth

DEPLOYMENTS

(config/settings.py) 1 lines, 284 chars

import os  
2 - from pydantic import BaseSettings  
2 + from pydantic\_settings import BaseSettings  
3  
4 class Settings(BaseSettings):  
5 # Database settings

• Now let's rebuild and redeploy the application:

Shai configuration

Profiles

Select a profile in auth.config, activate it, or delete (keep at least one). Use + to add a profile.

ovhcloud Qwen3-Coder-30B-A3B-Instruct Delete

Qwen3-32B Delete

Activate selected +

Forwarded Address Running Process Origin

22 localhost:22 /sbin/agetty -o -p -- \u --noclear --keep-b... Auto Forwarded

3000 localhost:3000 /usr/bin/docker-proxy -proto tcp -host-ip ... Auto Forwarded

5000 localhost:5000 /usr Your application running on port 5000 is available. See all forwarded ports

5432 localhost:5432 /usr

6379 localhost:6379 /usr

8080 localhost:8080 /usr

Add Port

Open in Browser Prev

WSL: Ubuntu-24.04

main\*

0 0 6

shai auth

Chat


Deployments

OVHcloud

8



# Screenshot



Agents contexts

Contexts:

- Dev
- Devops
- Docker Compose
- Spec

slepetre@LWI5CG549103J:~/workspace/stash/opcp-web-openstack\$



MOVAVI  
SCREEN  
RECORDER