

Test Flow Options

CN#:

Date Mod: 07/16/2017

Mask: 36036

Revision: D

Version: 0

Status: PEND

Time Mod: 21:03:54

Change Comment: Add flow for BM78SPP05MC2-0004AA and BM78SPPS5MC2-0004AA

User Mod: b09335

Flow Group: COM BT BM78SPP05MC2-0002AA ANRITSU

STD

Flow # 289161 COM BT BM78SPP05MC2-0002AA ANRITSU (FFQ)

STD

Strip Flow = 'No'

Subcon = 'No'

Monitor = 'No'

FT1@25C	Checksum Rule:	N/A	Programming Type:	OTP	Recipe Time:	0	Instr:
<u>Tester</u>	<u>Prgm ID</u>		<u>Description</u>	NOTE: Please see "Program Revs by Mask" report for program details.			
BENCH_BOX	129708		BENCH_BOX.36036.BM78SPP05MC2-0002AA-MPMF.msf				

FT2@25C	Checksum Rule:	N/A	Programming Type:	OTP	Recipe Time:	0	Instr:
<u>Tester</u>	<u>Prgm ID</u>		<u>Description</u>	NOTE: Please see "Program Revs by Mask" report for program details.			
ANRITSU	129709		ANRITSU.36036.BM78SPP05MC2-0002AA-MPRF.msf				

QC1@25C	Checksum Rule:	N/A	Programming Type:	OTP	Recipe Time:	0	Instr:
<u>Tester</u>	<u>Prgm ID</u>		<u>Description</u>	NOTE: Please see "Program Revs by Mask" report for program details.			
ANRITSU	129710		ANRITSU.36036.BM78SPP05MC2-0002AA-QC.msf				

RSN

Flow # 289167 COM BT BM78SPP05MC2-0002AA ANRITSU [RSN] (RQ)

RSN

Strip Flow = 'No'

Subcon = 'No'

Monitor = 'No'

RT1@25C	Checksum Rule:	N/A	Programming Type:	OTP	Recipe Time:	0	Instr:
<u>Tester</u>	<u>Prgm ID</u>		<u>Description</u>	NOTE: Please see "Program Revs by Mask" report for program details.			
ANRITSU	129710		ANRITSU.36036.BM78SPP05MC2-0002AA-QC.msf				

QC1@25C	Checksum Rule:	N/A	Programming Type:	OTP	Recipe Time:	0	Instr:
<u>Tester</u>	<u>Prgm ID</u>		<u>Description</u>	NOTE: Please see "Program Revs by Mask" report for program details.			
ANRITSU	129710		ANRITSU.36036.BM78SPP05MC2-0002AA-QC.msf				

Flow Group: COM BT BM78SPP05MC2-0004AA ANRITSU

STD

Flow # 290366 COM BT BM78SPP05MC2-0004AA ANRITSU (FFQ)

STD

Strip Flow = 'No'

Subcon = 'No'

Monitor = 'No'

FT1@25C	Checksum Rule:	N/A	Programming Type:	OTP	Recipe Time:	0	Instr:
<u>Tester</u>	<u>Prgm ID</u>		<u>Description</u>	NOTE: Please see "Program Revs by Mask" report for program details.			
BENCH_BOX	129967		BENCH_BOX.BM78SPP05MC2-0004AA-MPMF.msf				

FT2@25C	Checksum Rule:	N/A	Programming Type:	OTP	Recipe Time:	0	Instr:
<u>Tester</u>	<u>Prgm ID</u>		<u>Description</u>	NOTE: Please see "Program Revs by Mask" report for program details.			
ANRITSU	129969		ANRITSU.BM78SPP05MC2-0004AA-MPRF.msf				

QC1@25C	Checksum Rule:	N/A	Programming Type:	OTP	Recipe Time:	0	Instr:
<u>Tester</u>	<u>Prgm ID</u>		<u>Description</u>	NOTE: Please see "Program Revs by Mask" report for program details.			
ANRITSU	129970		ANRITSU.BM78SPP05MC2-0004AA-QC.msf				

RSN

Flow # 290376 COM BT BM78SPP05MC2-0004AA ANRITSU [RSN] (RQ)

RSN

Strip Flow = 'No'

Subcon = 'No'

Monitor = 'No'

RT1@25C	Checksum Rule:	N/A	Programming Type:	OTP	Recipe Time:	0	Instr:
<u>Tester</u>	<u>Prgm ID</u>		<u>Description</u>	NOTE: Please see "Program Revs by Mask" report for program details.			
ANRITSU	129970		ANRITSU.BM78SPP05MC2-0004AA-QC.msf				

QC1@25C	Checksum Rule:	N/A	Programming Type:	OTP	Recipe Time:	0	Instr:
<u>Tester</u>	<u>Prgm ID</u>		<u>Description</u>	NOTE: Please see "Program Revs by Mask" report for program details.			
ANRITSU	129970		ANRITSU.BM78SPP05MC2-0004AA-QC.msf				

Test Flow Options

CN#:

Date Mod: 07/16/2017

Mask: 36036

Revision: D

Version: 0

Status: PEND

Time Mod: 21:03:54

Change Comment: Add flow for BM78SPP05MC2-0004AA and BM78SPPS5MC2-0004AA

User Mod: b09335

Flow Group: COM BT BM78SPPS5MC2-0002AA ANRITSU

STD

Flow # 289163 COM BT BM78SPPS5MC2-0002AA ANRITSU (FFQ)

STD

Strip Flow = 'No'

Subcon = 'No'

Monitor = 'No'

FT1@25C	Checksum Rule:	N/A	Programming Type:	OTP	Recipe Time:	0	Instr:
<u>Tester</u>	<u>Prgm ID</u>		<u>Description</u>	NOTE: Please see "Program Revs by Mask" report for program details.			
BENCH_BOX	129711		BENCH_BOX.36036.BM78SPPS5MC2-0002AA-MPMF-20160302.				
FT2@25C	Checksum Rule:	N/A	Programming Type:	OTP	Recipe Time:	0	Instr:
<u>Tester</u>	<u>Prgm ID</u>		<u>Description</u>	NOTE: Please see "Program Revs by Mask" report for program details.			
ANRITSU	129712		ANRITSU.36036.BM78SPPS5MC2-0002AA-MPRF-1-20150308.				
QC1@25C	Checksum Rule:	N/A	Programming Type:	OTP	Recipe Time:	0	Instr:
<u>Tester</u>	<u>Prgm ID</u>		<u>Description</u>	NOTE: Please see "Program Revs by Mask" report for program details.			
ANRITSU	129713		ANRITSU.36036.BM78SPPS5MC2-0002AA-QC-20160302.msf				

RSN

Flow # 289168 COM BT BM78SPPS5MC2-0002AA ANRITSU [RSN] (RQ)

RSN

Strip Flow = 'No'

Subcon = 'No'

Monitor = 'No'

RT1@25C	Checksum Rule:	N/A	Programming Type:	OTP	Recipe Time:	0	Instr:
<u>Tester</u>	<u>Prgm ID</u>		<u>Description</u>	NOTE: Please see "Program Revs by Mask" report for program details.			
ANRITSU	129713		ANRITSU.36036.BM78SPPS5MC2-0002AA-QC-20160302.msf				
QC1@25C	Checksum Rule:	N/A	Programming Type:	OTP	Recipe Time:	0	Instr:
<u>Tester</u>	<u>Prgm ID</u>		<u>Description</u>	NOTE: Please see "Program Revs by Mask" report for program details.			
ANRITSU	129713		ANRITSU.36036.BM78SPPS5MC2-0002AA-QC-20160302.msf				

Flow Group: COM BT BM78SPPS5MC2-0004AA ANRITSU

STD

Flow # 290367 COM BT BM78SPPS5MC2-0004AA ANRITSU (FFQ)

STD

Strip Flow = 'No'

Subcon = 'No'

Monitor = 'No'

FT1@25C	Checksum Rule:	N/A	Programming Type:	OTP	Recipe Time:	0	Instr:
<u>Tester</u>	<u>Prgm ID</u>		<u>Description</u>	NOTE: Please see "Program Revs by Mask" report for program details.			
BENCH_BOX	129972		BENCH_BOX.BM78SPPS5MC2-0004AA-MPMF.msf				
FT2@25C	Checksum Rule:	N/A	Programming Type:	OTP	Recipe Time:	0	Instr:
<u>Tester</u>	<u>Prgm ID</u>		<u>Description</u>	NOTE: Please see "Program Revs by Mask" report for program details.			
ANRITSU	129973		ANRITSU.BM78SPPS5MC2-0004AA-MPRF.msf				
QC1@25C	Checksum Rule:	N/A	Programming Type:	OTP	Recipe Time:	0	Instr:
<u>Tester</u>	<u>Prgm ID</u>		<u>Description</u>	NOTE: Please see "Program Revs by Mask" report for program details.			
ANRITSU	129975		ANRITSU.BM78SPPS5MC2-0004AA-QC.msf				

RSN

Flow # 290377 COM BT BM78SPPS5MC2-0004AA ANRITSU [RSN] (RQ)

RSN

Strip Flow = 'No'

Subcon = 'No'

Monitor = 'No'

RT1@25C	Checksum Rule:	N/A	Programming Type:	OTP	Recipe Time:	0	Instr:
<u>Tester</u>	<u>Prgm ID</u>		<u>Description</u>	NOTE: Please see "Program Revs by Mask" report for program details.			
ANRITSU	129975		ANRITSU.BM78SPPS5MC2-0004AA-QC.msf				
QC1@25C	Checksum Rule:	N/A	Programming Type:	OTP	Recipe Time:	0	Instr:
<u>Tester</u>	<u>Prgm ID</u>		<u>Description</u>	NOTE: Please see "Program Revs by Mask" report for program details.			
ANRITSU	129975		ANRITSU.BM78SPPS5MC2-0004AA-QC.msf				

Test Flow Options

CN#:

Date Mod: 07/16/2017

Mask: 36036

Revision: D

Version: 0

Status: PEND

Time Mod: 21:03:54

Change Comment: Add flow for BM78SPP05MC2-0004AA and BM78SPPS5MC2-0004AA

User Mod: b09335

Flow Group: COM BT RN4678APL-V/RM1005 ANRITSU

STD

Flow # 289164 COM BT RN4678APL-V/RM1005 ANRITSU (FFQ)

STD

Strip Flow = 'No'

Subcon = 'No'

Monitor = 'No'

FT1@25C	Checksum Rule:	N/A	Programming Type:	OTP	Recipe Time:	0	Instr:
<u>Tester</u>	<u>Prgm ID</u>		<u>Description</u>		NOTE: Please see "Program Revs by Mask" report for program details.		
BENCH_BOX	129714		BENCH_BOX.36036.RN4678APL-V1005_DEC152016-MPMF.msf				

FT2@25C	Checksum Rule:	N/A	Programming Type:	OTP	Recipe Time:	0	Instr:
<u>Tester</u>	<u>Prgm ID</u>		<u>Description</u>		NOTE: Please see "Program Revs by Mask" report for program details.		
ANRITSU	129715		ANRITSU.36036.RN4678APL-V1005_DEC152016-MPRF.msf				

QC1@25C	Checksum Rule:	N/A	Programming Type:	OTP	Recipe Time:	0	Instr:
<u>Tester</u>	<u>Prgm ID</u>		<u>Description</u>		NOTE: Please see "Program Revs by Mask" report for program details.		
ANRITSU	129716		ANRITSU.36036.RN4678APL-V1005_DEC152016-QC.msf				

RSN

Flow # 289169 COM BT RN4678APL-V/RM1005 ANRITSU [RSN] (RQ)

RSN

Strip Flow = 'No'

Subcon = 'No'

Monitor = 'No'

RT1@25C	Checksum Rule:	N/A	Programming Type:	OTP	Recipe Time:	0	Instr:
<u>Tester</u>	<u>Prgm ID</u>		<u>Description</u>		NOTE: Please see "Program Revs by Mask" report for program details.		
ANRITSU	129716		ANRITSU.36036.RN4678APL-V1005_DEC152016-QC.msf				

QC1@25C	Checksum Rule:	N/A	Programming Type:	OTP	Recipe Time:	0	Instr:
<u>Tester</u>	<u>Prgm ID</u>		<u>Description</u>		NOTE: Please see "Program Revs by Mask" report for program details.		
ANRITSU	129716		ANRITSU.36036.RN4678APL-V1005_DEC152016-QC.msf				

Flow Group: COM BT RN4678APL-V/RM111 ANRITSU

STD

Flow # 289165 COM BT RN4678APL-V/RM111 ANRITSU (FFQ)

STD

Strip Flow = 'No'

Subcon = 'No'

Monitor = 'No'

FT1@25C	Checksum Rule:	N/A	Programming Type:	OTP	Recipe Time:	0	Instr:
<u>Tester</u>	<u>Prgm ID</u>		<u>Description</u>		NOTE: Please see "Program Revs by Mask" report for program details.		
BENCH_BOX	129717		BENCH_BOX.36036.RN4678APL-V111_MAY222017-MPMF.msf				

FT2@25C	Checksum Rule:	N/A	Programming Type:	OTP	Recipe Time:	0	Instr:
<u>Tester</u>	<u>Prgm ID</u>		<u>Description</u>		NOTE: Please see "Program Revs by Mask" report for program details.		
ANRITSU	129718		ANRITSU.36036.RN4678APL-V111_MAY222017-MPRF.msf				

QC1@25C	Checksum Rule:	N/A	Programming Type:	OTP	Recipe Time:	0	Instr:
<u>Tester</u>	<u>Prgm ID</u>		<u>Description</u>		NOTE: Please see "Program Revs by Mask" report for program details.		
ANRITSU	129719		ANRITSU.36036.RN4678APL-V111_MAY222017-QC.msf				

RSN

Flow # 289170 COM BT RN4678APL-V/RM111 ANRITSU [RSN] (RQ)

RSN

Strip Flow = 'No'

Subcon = 'No'

Monitor = 'No'

RT1@25C	Checksum Rule:	N/A	Programming Type:	OTP	Recipe Time:	0	Instr:
<u>Tester</u>	<u>Prgm ID</u>		<u>Description</u>		NOTE: Please see "Program Revs by Mask" report for program details.		
ANRITSU	129719		ANRITSU.36036.RN4678APL-V111_MAY222017-QC.msf				

QC1@25C	Checksum Rule:	N/A	Programming Type:	OTP	Recipe Time:	0	Instr:
<u>Tester</u>	<u>Prgm ID</u>		<u>Description</u>		NOTE: Please see "Program Revs by Mask" report for program details.		
ANRITSU	129719		ANRITSU.36036.RN4678APL-V111_MAY222017-QC.msf				

Test Flow Options

CN#:

Date Mod: 07/16/2017

Mask: 36036

Revision: D

Version: 0

Status: PEND

Time Mod: 21:03:54

Change Comment: Add flow for BM78SPP05MC2-0004AA and BM78SPPS5MC2-0004AA

User Mod: b09335

Flow Group: COM BT RN4678-V/RM1005 ANRITSU

STD

Flow # 289166 COM BT RN4678-V/RM1005 ANRITSU (FFQ)

STD

Strip Flow = 'No'

Subcon = 'No'

Monitor = 'No'

FT1@25C	Checksum Rule:	N/A	Programming Type:	OTP	Recipe Time:	0	Instr:
<u>Tester</u>	<u>Prgm ID</u>		<u>Description</u>		NOTE: Please see "Program Revs by Mask" report for program details.		
BENCH_BOX	129720		BENCH_BOX.36036.RN4678-V1005_MAR272017-MPMF.msf				

FT2@25C	Checksum Rule:	N/A	Programming Type:	OTP	Recipe Time:	0	Instr:
<u>Tester</u>	<u>Prgm ID</u>		<u>Description</u>		NOTE: Please see "Program Revs by Mask" report for program details.		
ANRITSU	129721		ANRITSU.36036.RN4678-V1005_MAR272017-MPRF.msf				

QC1@25C	Checksum Rule:	N/A	Programming Type:	OTP	Recipe Time:	0	Instr:
<u>Tester</u>	<u>Prgm ID</u>		<u>Description</u>		NOTE: Please see "Program Revs by Mask" report for program details.		
ANRITSU	129722		ANRITSU.36036.RN4678-V1005_MAR272017-QC.msf				

RSN

Flow # 289171 COM BT RN4678-V/RM1005 ANRITSU [RSN] (RQ)

RSN

Strip Flow = 'No'

Subcon = 'No'

Monitor = 'No'

RT1@25C	Checksum Rule:	N/A	Programming Type:	OTP	Recipe Time:	0	Instr:
<u>Tester</u>	<u>Prgm ID</u>		<u>Description</u>		NOTE: Please see "Program Revs by Mask" report for program details.		
ANRITSU	129722		ANRITSU.36036.RN4678-V1005_MAR272017-QC.msf				

QC1@25C	Checksum Rule:	N/A	Programming Type:	OTP	Recipe Time:	0	Instr:
<u>Tester</u>	<u>Prgm ID</u>		<u>Description</u>		NOTE: Please see "Program Revs by Mask" report for program details.		
ANRITSU	129722		ANRITSU.36036.RN4678-V1005_MAR272017-QC.msf				

Flow Group: COMM BLUETOOTH DUAL MODE SOC IS1678SM-151

STD

Flow # 288740 BLUETOOTH BR/EDR,LE IS1678SM-151 [MTAI] (FR)

STD

Strip Flow = 'No'

Subcon = 'No'

Monitor = 'No'

FT1@25C	Checksum Rule:	N/A	Programming Type:	OTP	Recipe Time:	0	Instr:
<u>Tester</u>	<u>Prgm ID</u>		<u>Description</u>		NOTE: Please see "Program Revs by Mask" report for program details.		
LTX_D10RF	129607		LTX_D10RF.36036_IS1678_F1-PRD-STD_25C				

RT1@25C	Checksum Rule:	N/A	Programming Type:	OTP	Recipe Time:	0	Instr:
<u>Tester</u>	<u>Prgm ID</u>		<u>Description</u>		NOTE: Please see "Program Revs by Mask" report for program details.		
LTX_D10RF	129608		LTX_D10RF.36036_IS1678_Q1-PRD-STD_25C				

RSN

Flow # 288742 BLUETOOTH BR/EDR,LE IS1678SM-151 [MTAI-RSN] (FQ)

RSN

Strip Flow = 'No'

Subcon = 'No'

Monitor = 'No'

FT1@25C	Checksum Rule:	N/A	Programming Type:	OTP	Recipe Time:	0	Instr:
<u>Tester</u>	<u>Prgm ID</u>		<u>Description</u>		NOTE: Please see "Program Revs by Mask" report for program details.		
LTX_D10RF	129607		LTX_D10RF.36036_IS1678_F1-PRD-STD_25C				

QC1@25C	Checksum Rule:	N/A	Programming Type:	OTP	Recipe Time:	0	Instr:
<u>Tester</u>	<u>Prgm ID</u>		<u>Description</u>		NOTE: Please see "Program Revs by Mask" report for program details.		
LTX_D10RF	129608		LTX_D10RF.36036_IS1678_Q1-PRD-STD_25C				

Flow Group: ISSC NOT INTEGRATED

STD

Test Flow Options

CN#:

Date Mod: 07/16/2017

Mask: 36036

Revision: D

Version: 0

Status: PEND

Time Mod: 21:03:54

Change Comment: Add flow for BM78SPP05MC2-0004AA and BM78SPPS5MC2-0004AA

User Mod: b09335

Flow # 288749 ISSC NOT INTEGRATED (Y)**STD***Strip Flow = 'No'**Subcon = 'No'**Monitor = 'No'*

YY1@25C Checksum Rule: N/A Programming Type: OTP Recipe Time: 0 Instr:
Tester Prgm ID Description NOTE: Please see "Program Revs by Mask" report for program details.

Flow Group: NO INTERNAL TEST REQUIREMENT

STD

Flow # 263782 NO INTERNAL TEST REQUIREMENT (Y)**STD***Strip Flow = 'No'**Subcon = 'Yes'**Monitor = 'No'*

YY1@25C Checksum Rule: N/A Programming Type: OTP Recipe Time: 0 Instr:
Tester Prgm ID Description NOTE: Please see "Program Revs by Mask" report for program details.