

11/03/26

Exp. No: 05

System Calls

Aim:

To perform the system call programs and execute all and write the outputs.

program 1: fork.c

```
#include <stdio.h>
#include <unistd.h>
int main()
{
    if (fork() == 0)
    {
        printf("This is parent child process\n");
    }
    else {
        printf("This is parent process\n");
    }
    printf("PID: %d\n", getpid());
    return 0;
}
```

op:

This is parent process
PID: 4608
This is child process
PID: 4612

program 2: opendir.c

```
#include <stdio.h>
#include <dirent.h>
int main()
{
    DIR *dir;
    dir = opendir(".");
```

```

if (dir == NULL)
{
    printf ("Failed to open directory \n");
    return 1;
}
printf ("Directory opened successfully ! \n");
closedir (dir);
return 0;
}

```

op:

Directory opened successfully.

program 3 : Pid.c

```

#include <stdio.h>
#include <unistd.h>
int main ()
{
    printf ("PID: %d \n", getpid());
    printf ("PPID: %d \n", getppid());
    return 0;
}

```

op:

PID: 3422

PPID: 3421

program 4: readdir.c

```

#include <stdio.h>
#include <dirent.h>
int main ()

```




```

{
    DIR *dir;
    struct dirent *entry;
    dir = opendir(".");
    if (dir == NULL)
    {
        printf("Can't open\n");
        return 1;
    }
    printf("Files in dir: \n");
    while ((entry = readdir(dir)) != NULL)
    {
        printf("%s\n", entry->d_name);
    }
    closedir(dir);
    return 0;
}

```

Op:

Files in dir :
 ..
 a.out
 main.c
 ..

Result: 

The system calls programs are executed successfully.