

06/03/26

Exp. no: 4

AWK Script

Aim:

To study and execute awk script commands.

1. Read a file

output: A 34 5000
B 51 6000
C 23 3000

: \$ awk '{print \$0}' rr.awk (command to be executed)

2. Accessing fields

: \$ awk '{print \$1}' rr.awk

output => A
B
C

3. Using NR and NF

: \$ awk '{print NR \$1}' rr.awk

output => 1 A
2 B
3 C

4. Using Begin and End

\$ awk 'BEGIN { Employee Report } { print { \$2 } }
END { print " completed " }

=> Employee Report
34 5000
51 6000
23 3000
Completed

5. Using variable and Arithmetic

```
: $ awk 'BEGIN { total=0 } { total = total + $3 }  
END { print total } ' rr.awk
```

output $\Rightarrow$ 14000

6. Find average salary.

```
: $ awk 'BEGIN { total=0; Count=0 }  
{ total = total + $3 ; Count = Count + 1 }  
END { print total/Count } ' rr.awk
```

Output $\Rightarrow$ 14000 3

7. Using Condition

```
: $ awk '{ if ( $3 > 5000 ) print $1 $2 $3  
"Yes" ; else $1 $2 $3 "no" } ' rr.awk
```

output $\Rightarrow$

A	34	5000	no
B	57	6000	yes
C	23	8000	yes

8. Using Logical operator

```
: $ awk '{ if ( $3 > 5000 && $3 < 8000 )  
print $1 $2 $3 "Yes" ; else $1 $2 $3  
"no" } ' rr.awk
```

output $\Rightarrow$

A	34	5000	no
B	57	6000	yes
C	23	8000	no

9. Using or operator:

```
: $ awk '{ if ($3 > 5000 || $3 != 0)
print $1 $2 $3 "Yes"; else $1 $2 $3
"no" }' rr.awk
```

output =>


A	34	5000	yes
B	57	6000	yes
C	23	8000	yes

10. Total Names:

```
: $ awk 'BEGIN { print "Name" " " "Age"
" " "Salary" " " "result" } { if ($3 > 5000)
print $1 " " $2 " " $3 " " "yes"; else
print $1 " " $2 " " $3 " " "no" }' rr.awk
```

output =>

Name	Age	Salary	result
A	34	5000	yes
B	57	6000	yes
C	23	8000	yes



Result:

Thus the AWK Script program was executed successfully.