

Esc → Shift + i - insert at start of line

Esc → Shift + a - insert at end of line

x - delete a character (Esc → x)

n - replace a character (Esc → n)

u - undo (Esc → u)

:e! - undo all changes (Esc → :e!)

Ctrl + n - redo (Esc → Ctrl + n)

dd - delete one line (Esc → dd)

```
started editing          Q = x
~
~
~
~
--Insert--              2,1 All
```

15dd - delete 15 lines (Esc → 15dd)

p - paste after line (Esc → p)

Shift + p - paste before line (Esc → Shift + p)

Shift + v - select whole line (Esc → Shift + v)

v - select characters (Esc → v)

y - copy (Esc → y)

Search

Esc : /word - search from top, press n for next match

```
started editing          Q = x
~
~
~
~
~
search hit Bottom, Continuing at Top  1,1 All
```

eg: Esc : /started

Esc : ? word - search from bottom, press n for previous match

Replace

Esc : %s/current/new/g - replace all occurrences in file

```
starting editing          Q ≡ X
~
~
~
~
: %s/started/starting/g  1,1 All
```

Esc : 1s/current/new/g - replace all occurrences in first line

Esc : 1s/current/new/1 - replace first occurrence in first line

Esc : 2,4s/current/new/g - replace from line 2 to 4


Esc : 2,\$s/current/new/g - replace from line 2 to end of file

Line Numbers

Esc : set nu - show line numbers

```
1 starting editing      Q ≡ X
2
~
~
~
~
: set nu                1,1 All
```

Esc : set nonu - remove line numbers



SED (Stream Editor)

used to modify files without opening them

- sed - stream editor command
- n - line specific output
- e - multiple expressions
- s - substitute
- g - global
- d - delete
- p - print

Print Operations

sed -n '3p' data -print 3rd line

eg: \$ sed -n '1p' edit

starting editing

sed -n '\$p' data -print last line

eg: \$ sed -n '\$p' edit

this is the third line

sed -n '2,3p' data -print 2nd to 3rd line

eg: \$ sed -n '1,3p' edit

starting editing

this is the second line

this is the third line

sed -n '/this/p' data -print lines containing this

eg: \$ sed -n '/this/p' edit

this is the second line

this is the third line

sed -n -e '1p' -e '4p' data -print 1st and 4th line

eg: \$ sed -n -e '1p' -e '3p' edit

starting editing

this is the third line

Replace Operations

`sed 's/old/new/g' data` - replace old with new (display only)

eg: `$ sed 's/the/a/g' edit`

starting editing

this is a second line

this is a third line

`sed -i 's/old/new/g' data` - replace old with new in original file

eg: `$ sed -i 's/the/a/g' edit`

`sed '4s/old/new/g' data` - replace in 4th line only

eg: `$ sed '2s/a/the/g' edit`

starting editing

this is the second line

this is a third line

`sed '2,6s/old/new/g' data` - replace from line 2 to 6

eg: `$ sed '2,3s/line/lines/g' edit`

starting editing

this is a second lines

this is a third lines

`sed '$s/old/new/g' data` - replace only in last line

eg: `$ sed '$s/a/the/g' edit`

starting editing

this is a second line

this is the third line

Note: if I use `sed -i` data it will make changes in the original file or else it won't.

Delete Operations:

sed '4d' data - delete 4th line

eg: \$ sed '3d' edit

starting editing

this is a second line

sed '\$d' data - delete last line

eg: \$ sed '\$d' edit

starting editing

this is a second line

sed '2,6d' data - delete line 2 to 6

eg: \$ sed '2,3d' edit

starting editing

sed '1d;3d' data - delete 1st and 3rd line

eg: \$ sed '1d;3d' edit

this is a second line

NANO Editor

sudo apt-get update -y && sudo apt-get install nano -y
install nano editor

nano demo

open file in nano

```
user@localhost: ~/Sample - nano demo
GNU nano 5.6.1 demo
[Read 0 lines]
^G Help      ^O Write Out  ^W Where Is   ^K Cut        ^T Execute    ^C Location
^X Exit      ^R Read File  ^\ Replace    ^U Paste      ^J Justify    ^_ Go To Line
```

Ctrl + o - save file
Ctrl + x - exit editor
Ctrl + k - cut line
Ctrl + u - paste line
Alt + u - undo
Alt + e - redo
Ctrl + w - search

Result:

Thus the commands of different editors are executed successfully.