

09/01/2026

Ex-1

Basic Linux Commands

General Purpose Commands

date - shows the current date with day, month, time and the year.

eg: \$ date

Friday 23 January 2026 03:01:45pm IST

date +%m - month number

eg: \$ date +%m

01

date +%h - month name

eg: \$ date +%h

Jan

date +%y - last 2 digits of year

eg: \$ date +%y

26

date +%H - hours

eg: \$ date +%H

21

date +%M - minutes

eg: \$ date +%M

33

date +%S - seconds

eg: \$ date +%S

37

echo "message" - print message on screen

eg: \$ echo "Hi Linux"

Hi Linux

cal [month] [year] - show the calendar

eg: \$ cal Jan 2026

January 2026

Su	Mo	Tu	We	Th	Fr	Sa
				1	2	3
4	5	6	7	8	9	10
11	12	13	14	15	16	17
18	19	20	21	22	23	24
25	26	27	28	29	30	31

bc -l - calculator (press Ctrl + C to exit)

eg: \$ bc -l

bc 1.07.1

Copyright 1991-1994, 1997, 1998, 2000, 2004, 2006, 2008, 2012-2017 Free Software Foundation, Inc.

This is free software with ABSOLUTELY NO WARRANTY.
For details type 'warranty'.

10 + 10

20

who - show the list of users

eg: \$ who

user1	seat0	2026-01-27	21:18 (login screen)
user1	tty2	2026-01-27	21:18 (tty2)

whoami - show the login user

eg: \$ whoami

user1

clear - clear the terminal screen

eg: \$ clear

23/01/2026

File Commands

touch [file name] - create an empty file

eg: \$ touch Sample

cat [filename] - display the content of a file

eg: \$ cat Sample

head [filename] - display first 10 lines of a file

eg: \$ head Sample

tail [filename] - display last 10 lines of a file

eg: \$ tail Sample

cp [source file] [destination file] - copy content of source file to destination file

eg: \$ cp Sample Sample1

rm [filename] - remove or delete a file

eg: \$ rm Sample

mv [old file name] [new file name] - rename a file

eg: \$ mv Sample1 Sample

mv [filename] [path] - move file to a new location

eg: \$ mv Sample Doc

file [filename] - display the type of file

eg: \$ file Sample

Sample: empty

wc -l [filename] - display number of lines

eg: \$ wc -l Sample

0 Sample

Directory Commands

`pwd` - shows the current working directory

eg: `$pwd`

`/home/user1`

`mkdir [directory name]` - create a directory

eg: `$mkdir Doc`

`cd [directory name]` - move inside a directory

eg: `$ cd Doc`

`[user1@localhost Doc]`

`cd ..` - move back to parent directory

eg: `$ cd ..`

`[user1@localhost ~]`

`ls` - list all files and directories

eg: `$ls`

Desktop	Documents	Music	Public	Templates
Doc	Downloads	Pictures	Sample	Videos

`ls -l` - list files and directories with details

eg: `$ls -l`

total 0

<code>drwxr-xr-x</code>	<code>-x</code>	2	user1	user1	6	Jan	9	05:18	Desktop
<code>drwxr-xr-x</code>	<code>-x</code>	2	user1	user1	6	Jan	27	22:00	Doc

.....

<code>drwxr-xr-x</code>	<code>-x</code>	2	user1	user1	6	Jan	9	05:18	Videos
-------------------------	-----------------	---	-------	-------	---	-----	---	-------	--------

`ls -a` list all hidden files and folders eg: `$ls -a`

`rmdir [directory name]` - delete a directory (only if it is empty)

eg: `$rmdir Doc`

man [command] - provide manual for a command

eg: \$ man

Name

cal - display a calendar

Synopsis

cal [options] [[day] month] year

cal [options] [timestamp] [monthname]

Options

-1, --one

Display a single month output

-3, --three

Display three months spanning the date.

-n, --months number

Display number of months, starting from the month containing the date.

-S, --span (-S Capital letter)

Display months spanning the date.

-S, --sunday

Display Sunday as the first day of the week.

-m, --monday

Display Monday as the first day of the week.

-v, --vertical

Display using a vertical layout (aka real(i) mode).

-y, --year

Display a calendar for the whole year.

etc.

(press q to exit from manual)

wc -c [filename] - display number of characters

eg: \$ wc -c Sample

0 Sample

wc -w [filename] - display number of words

eg: \$ wc -w Sample

0 Sample

File / Directory Permissions

d - directory

r - read

w - write

x - execute

-- no permission

-rw-r--r-- -type user group other

chmod symbols

u - user

g - group

o - other

a - all

chmod a+rx file.txt

give read, write, execute permission to all

chmod u-rw file.txt

remove read and write permission from user

Octal Method

0 - no permission

1 - execute

2 - write

3- write and execute

4- read

5- read and execute


6- read and write

7- read, write and execute

Chmod 777 filename

000 - no permission for user, group and other

777 - full permission to user, group and other



Result:

Thus the Basic Linux Commands have been studied and executed successfully.