Un article reproductible avec Papaja

Samuel Guay¹ & Eric Lacourse²

- ¹ Département de psychologie, Université de Montréal
- ² Département de sociologie, Université de Montréal
 - Ceci est l'exemple produit par papaja quelque peu modifié.

Author Note

- Add complete departmental affiliations for each author here. Each new line herein must be indented, like this line.
- Enter author note here.
- The authors made the following contributions. Samuel Guay: Conceptualization,
- Writing Original Draft Preparation, Writing Review & Editing; Eric Lacourse: Writing -
- 12 Review & Editing.

1

- Correspondence concerning this article should be addressed to Samuel Guay, Postal
- 4 address. E-mail: my@email.com

15 Abstract

One or two sentences providing a basic introduction to the field, comprehensible to a 16 scientist in any discipline. Two to three sentences of more detailed background, 17 comprehensible to scientists in related disciplines. One sentence clearly stating the general 18 **problem** being addressed by this particular study. One sentence summarizing the main 19 result (with the words "here we show" or their equivalent). Two or three sentences 20 explaining what the main result reveals in direct comparison to what was thought to be 21 the case previously, or how the main result adds to previous knowledge. One or two 22 sentences to put the results into a more general context. Two or three sentences to provide a broader perspective, readily comprehensible to a scientist in any discipline.

25 Keywords: keywords

Word count: 300

27

Un article reproductible avec Papaja

```
## # A tibble: 6 x 16
28
                                               health region province country
        case id provincial case~ age
  ##
                                         sex
29
  ##
          <dbl>
                            <dbl> <chr> <chr> <chr>
                                                              <chr>
                                                                        <chr>
30
  ## 1
              1
                                               Toronto
                                1 50-59 Male
                                                              Ontario
                                                                        Canada
31
              2
                                2 50-59 Fema~ Toronto
  ## 2
                                                              Ontario
                                                                        Canada
32
                                              Not Reported
                                                              BC
  ## 3
              3
                                1 40-49 Male
                                                                        Canada
33
                                3 20-29 Fema~ Middlesex-Lo~ Ontario
  ## 4
              4
                                                                        Canada
  ## 5
              5
                                2 50-59 Fema~ Vancouver Co~
                                                                        Canada
                                3 30-39 Male Not Reported
  ## 6
              6
                                                                        Canada
        ... with 9 more variables: date report <chr>, report week <chr>,
  ## #
          travel yn <chr>, travel history country <chr>, locally acquired <chr>,
  ## #
38
          case_source <chr>, additional_info <chr>, additional_source <chr>,
          method_note <dbl>
  ## #
```

41 Methods

We report how we determined our sample size, all data exclusions (if any), all manipulations, and all measures in the study.


44 Participants

- 45 Material
- 46 Procedure
- 47 Data analysis
- We used R (Version 4.0.3; R Core Team, 2020) and the R-packages dplyr (Version 1.0.2; Wickham et al., 2020), extrafont (Version 0.17; Winston Chang, 2014), forcats

- (Version 0.5.0; Wickham, 2020a), ggplot2 (Version 3.3.2; Wickham, 2016), ggthemes
- 51 (Version 4.2.0; Arnold, 2019), papaja (Version 0.1.0.9997; Aust & Barth, 2020), purrr
- ⁵² (Version 0.3.4; Henry & Wickham, 2020), readr (Version 1.3.1; Wickham, Hester, &
- Francois, 2018), stringr (Version 1.4.0; Wickham, 2019), sysfonts (Version 0.8.1; Qiu & See
- ⁵⁴ file AUTHORS for details., 2020), tibble (Version 3.0.3; Müller & Wickham, 2020), tidyr
- ⁵⁵ (Version 1.1.2; Wickham, 2020b), tidyverse (Version 1.3.0; Wickham, Averick, et al., 2019),
- tvthemes (Version 1.1.0; Nakagawara, 2019), and xkcd (Version 0.0.6; Torres-Manzanera,
- 57 2018) for all our analyses.

58 Results

Il y avait 15082 cas après avoir effacé tous les cas dont l'âge n'était pas assez précis pour cette image.



Discussion



References

- Arnold, J. B. (2019). Gathemes: Extra themes, scales and geoms for 'applot2'. 64 Retrieved from https://CRAN.R-project.org/package=ggthemes 65 Aust, F., & Barth, M. (2020). papaja: Create APA manuscripts with R Markdown. 66 Retrieved from https://github.com/crsh/papaja 67 Henry, L., & Wickham, H. (2020). Purr: Functional programming tools. Retrieved from https://CRAN.R-project.org/package=purrr 69 Müller, K., & Wickham, H. (2020). Tibble: Simple data frames. Retrieved from 70 https://CRAN.R-project.org/package=tibble 71 Nakagawara, R. (2019). Tythemes: TV show themes and color palettes for 'applot2' 72 graphics. Retrieved from https://CRAN.R-project.org/package=tvthemes 73 Qiu, Y., & See file AUTHORS for details. (2020). Sysfonts: Loading fonts into r. 74 Retrieved from https://CRAN.R-project.org/package=sysfonts 75 R Core Team. (2020). R: A language and environment for statistical computing. Vienna, Austria: R Foundation for Statistical Computing. Retrieved from 77 https://www.R-project.org/ 78 Torres-Manzanera, E. (2018). Xkcd: Plotting ggplot2 graphics in an xkcd style. 79 Retrieved from https://CRAN.R-project.org/package=xkcd 80 Wickham, H. (2016). Gaplot2: Elegant graphics for data analysis. Springer-Verlag 81 New York. Retrieved from https://ggplot2.tidyverse.org 82 Wickham, H. (2019). String: Simple, consistent wrappers for common string 83 operations. Retrieved from https://CRAN.R-project.org/package=stringr 84 Wickham, H. (2020a). Forcats: Tools for working with categorical variables 85
 - (factors). Retrieved from https://CRAN.R-project.org/package=forcats

86

- Wickham, H. (2020b). *Tidyr: Tidy messy data*. Retrieved from https://CRAN.R-project.org/package=tidyr
- Wickham, H., Averick, M., Bryan, J., Chang, W., McGowan, L. D., François, R., ...

 Yutani, H. (2019). Welcome to the tidyverse. *Journal of Open Source Software*,

 4(43), 1686. https://doi.org/10.21105/joss.01686
- Wickham, H., François, R., Henry, L., & Müller, K. (2020). Dplyr: A grammar of
 data manipulation. Retrieved from https://CRAN.R-project.org/package=dplyr
- Wickham, H., Hester, J., & Francois, R. (2018). Readr: Read rectangular text data.

 Retrieved from https://CRAN.R-project.org/package=readr
- Winston Chang. (2014). Extrafont: Tools for using fonts. Retrieved from https://CRAN.R-project.org/package=extrafont