Team Number:	**308**
Project Name:	**Underwater Explorer**
Team Member Names:	**Sam B, Sam M, Jacob, Mo, Adrian, Andrew**
Version:	**1**

A. List ALL major components (active devices, integrated circuits, etc.) excep

All Major Components	**Component Name**
	PIC Microcontroller Temperature sensor Voltage regulator MPLab snap debugger
+3.3V Power Rail	**Component Name**
	PIC Microcontroller Temperature sensor MPLab snap debugger
c4. Regulator or Source Ch	+3.3V low-dropout regulator

D. Select a specific external power source (wall supply or battery) for your sy

External Power Source 1	**Component Name**
Power Source 1 Selection	Plug-in Wall Supply
Power Rails Connected to External Power Source 1	+3.3V low-dropout regulator

Power Budget Example

t for power sources, voltage regulators, resistors, capacitors, or passive elements			
Part Number	**SupplyVoltageRange**	**#**	**AbsoluteMaximumCurrent (mA)**
PIC18F47K42	+3.3V	1	350
TC74A4	+3.3V	1	0.35
MIC5504	+3.3V	1	300
PG164100	+3.3V	1	0
Part Number	**SupplyVoltageRange**	**#**	**AbsoluteMaximumCurrent (mA)**
PIC18F47K42	+3.3V	1	350
TC74A4	+3.3V	1	0.35
PG164100	+3.3V	1	0
			Subtotal
			Safety Margin
			Total Current Required on +3.3V Rail
MIC5504	+3.3V	1	300
			Total Remaining Current Available on 3.3V Rail

stem, and confirm that it can supply all of the regulators for all of the power rails simul			
Part Number	**SupplyVoltageRange**	**Outpu**	**AbsoluteMaximumCurrent (mA)**
:/DC ADAPTER 09	100-240VAC	+9V	3000
MIC5504	+3.3V	1	300
			Total Remaining Current Available on External Power Source 1

TotalCurrent(mA)	Unit
350	mA
0.35	mA
300	mA
0	mA

TotalCurrent(mA)	Unit
200	mA
0.35	mA
0	mA
200.35	mA
25%	
250.4375	mA
300	mA
49.5625	mA

taneously. If you need multiple

TotalCurrent(mA)	Unit
3000	mA
0	mA
0	mA
300	mA
2700	mA