

UNIVERSITY OF LONDON

BSc EXAMINATION 2024

For Internal Students of Royal Holloway

DO NOT TURN OVER UNTIL TOLD TO BEGIN

CS2900: Multi-dimensional Data Processing
CS2900R: Multi-dimensional Data Processing – for
FIRSTSIT/RESIT CANDIDATES

Time Allowed: TWO hours

Answer ALL questions Calculators are NOT permitted

Important Copyright Notice
This exam paper has been made available in electronic form strictly for the educational benefit of current Royal Holloway students on the course of study in question.

No further copying, distribution or publication of this exam paper is permitted. By printing or downloading this exam paper, you are consenting to these restrictions.

©Royal Holloway, University of London 2024



- 1. The following questions require short definitions of technical terms in the context of vectors and matrices. Component-wise definitions are sufficient. You may assume that \underline{u} and \underline{v} are real valued column vectors in N-dimensions (N is finite) and that \mathbf{M} is a real valued $N \times N$ matrix.
 - (a) List three properties of the dot product of two vectors that are true in any finite number of dimensions. [9 marks]
 - (b) If $\underline{u} = \mathbf{M}\underline{v}$ then what is is the corresponding expression for the *i*th component of \underline{u} , u_i ? [3 marks]
 - (c) Define the following.

i. The length of a vector.	[3 marks]
ii. A vector multiplied by a scalar.	[3 marks]
iii. Diagonal matrix.	[3 marks]
iv. Symmetric matrix.	[3 marks]

NEXT PAGE



2. (a) What is the null vector in 6 dimensions?

[3 marks]

(b) Compute the dot product of the following vectors.

$$\begin{pmatrix} -\sqrt{2} \\ 1 \\ 0 \\ 1 \\ \sqrt{2} \end{pmatrix} , \begin{pmatrix} 0 \\ -1 \\ \sqrt{5} \\ -1 \\ 1 \end{pmatrix} .$$

[4 marks]

(c) Show that these vectors are orthogonal to each other.

$$\begin{pmatrix} -3\\0\\1\\4\\1 \end{pmatrix}, \begin{pmatrix} 2\\6\\6\\1\\-4 \end{pmatrix}.$$

[4 marks]

(d) Construct a unit vector $\hat{\underline{n}}$ pointing in the same direction as the following 4 dimensional real-valued vector. [4 marks]

$$\underline{n} = \begin{pmatrix} 1\\2\\\sqrt{2}\\\sqrt{2} \end{pmatrix}$$

(e) Compute the projection of the vector p, defined below, onto $\underline{\hat{n}}$. [6 marks]

$$\underline{p} = \begin{pmatrix} 1 \\ 0 \\ -1 \\ 1 \end{pmatrix}$$

(f) A ship has travelled from the origin to a point which is represented as the following vector

$$\binom{5}{4}$$
 ,

where

$$\begin{pmatrix} 1 \\ 0 \end{pmatrix}$$

NEXT PAGE



represents travel of one kilometre in due-north direction and

$$\begin{pmatrix} 0 \\ 1 \end{pmatrix}$$

represents travel of one kilometre in due-east direction.

Compute the length it has travelled along the North-East direction. You must compute this using vector notation. [6 marks]

(g) If

$$\mathbf{M_1} = \begin{pmatrix} 1 & 2 & 3 \\ 2 & 1 & -1 \end{pmatrix},$$

$$\mathbf{M_2} = \begin{pmatrix} 1 & 2 \\ -1 & 1 \\ 1 & -1 \end{pmatrix},$$

$$\mathbf{M_3} = \begin{pmatrix} 1 & -1 \\ 1 & 0 \end{pmatrix}.$$

Compute each the following or demonstrate why it is not possible to do so $M_1M_2,\,M_2M_3,\,M_1M_3.$ [9 marks]



- 3. (a) The following is with respect to the projection of vectors onto embedded sub-spaces.
 - i. Demonstrate that the unit vectors that lie in the same direction of $(-1, 1, 1, 1)^{\mathsf{T}}$ and $(1, 1, 1, -1)^{\mathsf{T}}$ can form an orthonormal basis. [2 marks]
 - ii. Compute the projection of the vector $(1-1\ 2\ 1)^{\mathsf{T}}$ onto the 2-dimensional plane that lies in a 4-dimensional space and passes through the origin and the points (-1,1,1,1) and (1,1,1,-1). The projected vector is to be represented in the original 4-dimensional space. Show all the necessary steps to compute this. [8 marks]
 - (b) What is the rank of the following matrices? Demonstrate your reasoning. [6 marks]

$$\begin{pmatrix} 1 & 1 & 1 \\ 1 & 1 & 0 \\ 2 & 2 & 2 \end{pmatrix}, \quad \begin{pmatrix} 2 & 1 \\ -1 & 1 \\ 0 & 1 \end{pmatrix}$$

(c) A graph has the following adjacency matrix.

$$\mathbf{A} = \begin{pmatrix} 0 & 1 & 1 & 0 \\ 1 & 0 & 0 & 1 \\ 1 & 0 & 0 & 0 \\ 0 & 1 & 0 & 0 \end{pmatrix}$$

i. Draw the equivalent graph, giving the vertices labels.

[3 marks]

ii. Using the adjacency matrix A list all the pairs of vertices that do not have a path of length two between them. Show your reasoning. [5 marks]



4. (a) The following questions are with respect to Singular Value Decomposition (SVD).

The matrix X can be expressed as the following product of matrices (it is not necessary to explicitly compute this).

$$\mathbf{X} = \begin{pmatrix} \frac{1}{\sqrt{2}} & \frac{1}{\sqrt{2}} \\ -\frac{1}{\sqrt{2}} & \frac{1}{\sqrt{2}} \end{pmatrix} \begin{pmatrix} 20 & 0 & 0 \\ 0 & 4 & 0 \end{pmatrix} \begin{pmatrix} 1 & 0 & 0 \\ 0 & \frac{1}{\sqrt{2}} & \frac{1}{\sqrt{2}} \\ 0 & -\frac{1}{\sqrt{2}} & \frac{1}{\sqrt{2}} \end{pmatrix}$$

i. Outline how you would show that the above expression for X is an SVD?

[6 marks]

ii. What is the condition number of X?

[2 marks]

iii. Compute the pseudo-inverse of X.

[8 marks]

END