

Flight screens

A logo stays anchored at left. Three lines carry one clear idea.

160 x 32 LEDs / Synthetic flight data / Pixel artwork for review

F01 Flight overview



DAL456 AB21
ALT 35000FT
GS 452KT

DAL456 / A321

F02 Motion details



DAL456 AB21
VS +1200FT/M
IAS 280KT

DAL456 / A321

F03 Airline and airframe



DELTA AIR LINES
DAL456
AB21 N456DL

DAL456 / A321

F04 Airport route



DAL456 AB21
KATL>KJFK
REFERENCE ROUTE

Optional local route

F05 From / to cities



FROM ATLANTA
TO NEW YORK
REFERENCE ROUTE

Optional local route

When departure is unknown

Useful options for private, unidentified, and route-incomplete flights.

160 x 32 LEDs / Synthetic flight data / Pixel artwork for review

N01 Aircraft + telemetry

	N123AB C172
	ALT 4500FT
	GS 112KT

Light aircraft / no route required

N02 Registration + model

	N123AB
	CESSNA 172
	HEX AB12CD

N123AB / Cessna 172

N03 Nearby distance + track

	N123AB C172
	DIST 1.8KM
	TRK 090DEG

Fresh position / local telemetry

N04 Departure unavailable

	N123AB C172
	FROM UNKNOWN
	ALT 4500FT

Missing departure is a normal flight state

N01 Business jet + telemetry

	N456CJ C25B
	ALT 31000FT
	GS 410KT

N456Cj / Citation CJ3

N05 Known destination only

	UAL123 B789
	FROM -- TO EGLL
	MANUAL TO

Unknown departure / manually supplied destination

N01 Unidentified aircraft

	HEX AD56EF --
	ALT 7200FT
	GS 125KT

HEX AD56EF / no guessed identity

Partial data & honest fallbacks

A useful aircraft remains visible when enrichment or routes are missing.

160 x 32 LEDs / Synthetic flight data / Pixel artwork for review

C01 Unknown airline / partial data



Unknown values stay explicit

C02 No callsign / zero speed



Unknown values stay explicit

C03 Aircraft on the ground



ALT GROUND / GS 0KT

C04 Route unavailable



Unknown values stay explicit

C05 Departure inferred



Unknown values stay explicit

C06 Airspeed / vertical rate absent



Unknown values stay explicit

System states

Distinct setup, connection, receiver, and quiet-sky messages.

160 x 32 LEDs / Synthetic flight data / Pixel artwork for review

S01 Starting



FLIGHT WALL
STARTING
PLEASE WAIT

Status replaces stale flight data

S02 Setup



SETUP VIA BLE
CONNECT TO WALL
SET WIFI + PI

Status replaces stale flight data

S03 Wifi Lost



WIFI LOST
RECONNECTING
CHECK ROUTER

Status replaces stale flight data

S04 Pi Unavailable



PI UNAVAILABLE
WIFI CONNECTED
CHECK PI + PORT

Status replaces stale flight data

S05 Receiver Stale



RECEIVER STALE
CHECK READSB
NO LIVE DATA

Status replaces stale flight data

S06 No Aircraft



NO AIRCRAFT
IN YOUR AREA
RECEIVER OK

Status replaces stale flight data

Airline logo study

Delta widget, United globe, and Southwest heart: 24 x 24 pixel interpretations.

160 x 32 LEDs / Synthetic flight data / Pixel artwork for review

F01 Flight overview



DAL456 A321
ALT 35000FT
GS 452KT

DAL456 / A321

F01 Flight overview



UAL123 B789
ALT 38000FT
GS 488KT

UAL123 / B789

F01 Flight overview



SWA789 B738
ALT 18000FT
GS 326KT

SWA789 / B738