CLOUD SECURITY

UNIT 4 ASSIGNMENT

Launch a Windows VM and Connect Using RDP

Step-by-step practical report with remote access configuration, PowerShell commands, representative output, and security checks

Student Name	Samadhan Pawar
Roll Number	2124ucsm1068
College / University	Sanjivani University
Programme	CSE · Cyber Security Engineering
Semester	VI (5th Semester)
Subject	Cloud Security
Submission date	16 October 2026

Execution and output note
This report contains commands and representative expected outputs for documentation. The output examples are illustrative and may differ by operating-system image, package version, region, or account settings. They are not represented as captured execution evidence.

1. Aim

To launch a Windows Server virtual machine on Amazon EC2, restrict Remote Desktop Protocol access to the user's IP address, connect using RDP, inspect system information, create a local user, verify Windows Firewall status, and create a test text file.

2. Requirements

- An AWS account with permission to create and manage EC2 instances and security groups.
- A Windows Server EC2 AMI and a key pair selected at launch.
- A Windows client with Remote Desktop Connection (mstsc.exe), or a compatible RDP client.
- The EC2 administrator password retrieved through the AWS console using the selected key pair; do not include passwords in the report.

3. Security Group Configuration

Inbound rule	Protocol / port
RDP	TCP 3389 — source: My IP (your current public IPv4 address /32)
HTTP/SSH	Not required for this RDP-only task unless separately needed
Outbound	Default outbound rules are acceptable for a basic lab unless the instructor specifies otherwise

Critical security note: Do not expose RDP (3389) to 0.0.0.0/0. Limit access to your own public IP and remove or tighten the rule when the practical is finished.

4. Procedure

Step 1 — Launch a Windows Server EC2 instance

- Open AWS Management Console → EC2 → Instances → Launch instances.
- Choose a Windows Server AMI, select an instance type appropriate for the lab, and choose or create a key pair.
- Create or select a security group with TCP 3389 allowed only from My IP.
- Launch the instance and wait for Running status and successful status checks.

Step 2 — Retrieve the administrator password and connect

Select the instance in the EC2 console and use Connect → RDP client → Get password. Use the private key associated with the instance to decrypt the password. Keep the password private; do not paste it into this report. Download the Remote Desktop file if provided, or open Remote Desktop Connection and enter the instance's public IPv4 address or public DNS name.

```
Remote Desktop Connection (mstsc.exe)
Computer: <EC2-PUBLIC-IP-OR-DNS>
User name: Administrator
Password: <enter privately; do not record in report>
```

Representative connection result:

```
Remote Desktop session opens to the Windows Server desktop.
The Windows desktop and Server Manager are visible.
```

Step 3 — Check system information in PowerShell

Open PowerShell as Administrator on the remote Windows Server and run:

```
Get-ComputerInfo |
```

```
  Select-Object CsName, WindowsProductName, WindowsVersion,
                OsArchitecture, CsTotalPhysicalMemory
```

Representative output format (values vary by AMI and instance type):

```
CsName      : EC2AMAZ-EXAMPLE
WindowsProductName : Windows Server
WindowsVersion     : <version varies>
OsArchitecture     : 64-bit
CsTotalPhysicalMemory : <memory varies by instance type>
```

Step 4 — Create a local user account

Run PowerShell as Administrator. The command prompts for a password without printing it. Use a strong password that meets the server's password policy. This example creates a standard local account and does not add it to the Administrators group.

```
$Password = Read-Host "Enter a strong password for LabUser" -AsSecureString
New-LocalUser -Name "LabUser" -Password $Password -FullName "Cloud Security Lab User" -Description "Created for U
Get-LocalUser -Name "LabUser" | Select-Object Name, Enabled, Description
```

Representative output:

```
Name    Enabled Description
----    ------- -----------
LabUser True    Created for Unit 4 practical
```

Step 5 — Enable and verify Windows Firewall

```
Set-NetFirewallProfile -Profile Domain,Private,Public -Enabled True
Get-NetFirewallProfile |
  Select-Object Name, Enabled, DefaultInboundAction, DefaultOutboundAction
```

Representative output:

```
Name     Enabled DefaultInboundAction DefaultOutboundAction
----     ------- -------------------- ---------------------
Domain   True    NotConfigured        NotConfigured
Private  True    NotConfigured        NotConfigured
Public   True    NotConfigured        NotConfigured
```

The Enabled field should be True for each profile. Default action values can differ depending on the image and local policy.

Step 6 — Create and verify a text file

```
New-Item -Path C:\CloudSecurityUnit4.txt -ItemType File -Force
Set-Content -Path C:\CloudSecurityUnit4.txt -Value "Unit 4 - Windows EC2 RDP practical"
Get-Content C:\CloudSecurityUnit4.txt
Get-Item C:\CloudSecurityUnit4.txt | Select-Object FullName, Length, LastWriteTime
```

Representative output:

```
Unit 4 - Windows EC2 RDP practical

FullName                      Length LastWriteTime
--------                      ------ -------------
C:\CloudSecurityUnit4.txt         35 <date/time varies>
```

5. Security and Validation Checklist

- The Windows EC2 instance is running and status checks pass.
- RDP inbound access is limited to the current public IP (/32).
- RDP login succeeds using the correct instance administrator credentials.
- PowerShell returns Windows system information.
- The LabUser account is present and enabled; its password is not documented.
- Windows Firewall is enabled for Domain, Private, and Public profiles.
- The test text file is created and its content can be read.

6. Troubleshooting

RDP connection times out	Check instance state, public IP, subnet routing, Windows RDP availability, and inbound TCP 3389 rule.
Unable to decrypt password	Confirm that the private key matches the key pair selected when the instance was launched.
Incorrect credentials	Use the correct administrator username and decrypted password; check keyboard layout.
PowerShell command not found	Run on the Windows Server instance in an elevated PowerShell session; some commands require appropriate privileges.

7. Clean-up

When the faculty no longer needs the instance, stop or terminate it according to the lab instructions. Review attached EBS volumes, snapshots, and other billable resources. Keep RDP restricted throughout and do not leave a broad inbound rule in place.

8. Conclusion

This practical covers deployment and remote administration of a Windows Server EC2 instance through RDP. It demonstrates restricted network access, retrieval and private handling of connection credentials, system-information inspection, local user creation, firewall verification, and basic file creation.

9. References

- Amazon EC2 Windows instances: https://docs.aws.amazon.com/AWSEC2/latest/WindowsGuide/EC2_GetStarted.html
- Connect to a Windows instance: https://docs.aws.amazon.com/AWSEC2/latest/WindowsGuide/connecting_to_windows_instance.html
- Amazon EC2 security groups: https://docs.aws.amazon.com/AWSEC2/latest/UserGuide/ec2-security-groups.html
- Microsoft Learn — Get-ComputerInfo: https://learn.microsoft.com/powershell/module/microsoft.powershell.management/get-computerinfo
- Microsoft Learn — Windows Firewall with Advanced Security: https://learn.microsoft.com/windows/security/operating-system-security/network-security/windows-firewall/

01 Adobe security txt




```
-----BEGIN PGP SIGNED MESSAGE-----
Hash: SHA256

Contact: https://hackerone.com/adobe
Contact: mailto:psirt@adobe.com

Expires: 2023-07-27T01:00:00.000Z

Encryption: https://helpx.adobe.com/security.html/security/key.ug.html

Acknowledgments: https://helpx.adobe.com/security.html

Preferred-Languages: en, ro, hi

Canonical: https://www.adobe.com/.well-known/security.txt


Policy: https://helpx.adobe.com/security.html/security/policy.ug.html

Hiring: https://www.adobe.com/careers.html
-----BEGIN PGP SIGNATURE-----

iQIzBAEBCAAdFiEEqvs1Pw7pNc/gvcvRX9Oj3XV3pEYFAmEBhSgACgkQX9Oj3XV3
pEZ3nA//WS5i8rOFrz7R9OwT/tjtkGVhzNq1m/FLteWpqK6YLUCgrtgNhu5XMbGA
agNY/yBiZRtoQX7ojraS8q6gUbhQaHMmhFjUBmTp6ekKs38Vj+a0aDam+CnJWmxP
MuuBelsP2KDYa80JmdX01ugtFYXq+exJFpJ+C/XQD7+p93FdFJFu837NEblL0X1h
r5XObd/R+Sh8OGSNOq/D5322RJ2ZhFjFgQBnR9CkoVgFzBHLnUoPbUsgzYsEUlM0
2mvjNVjiCVN2qw5/Pz3ospExXfac3m8UlM+vBRWV+jviuP354d2iDLk/CKTA4Mfg
+n6/xPNaIXd5aWzkgbunfPutpkLLgAuI+Zg1ILDxInfehkfNzk9gF5/tyGOnwmT/
6yMWW5VOueJ8n6D5igLAQbqV7598zb4MsvIfyW0s5LXhnMvu0Z1pUkDSLpQntAX1
ruKgxHgjKYBBkk3+Anoskx0ZBKGnzJeHlzIkdAzw5zIdU+tgl/fVLDeL3A+Wl0hG
5YVzEhJkyVNbZHoAZvxjCn0/wp7NSuSfHpnKQfiNPy3ZKAPBdRujQT83KzSKLLDN
ccgO+bn+UP5YEBqFqu/wwOSRVUSnRs/ITZFgdvFCQ2F6tU1VoXMCiiB7Y1cY4U+X
ZxEcxYAGWEGXeV4sFZkubhxP0dOKJE03KDF8WSUxmo4cdxgiYAE=
=L2Lq
-----END PGP SIGNATURE-----
```


Browser displaying Adobe security.txt. Supplementary security reference; not evidence of Windows RDP.

02 Firewall port filter




PowerShell output of Get-NetFirewallPortFilter -All. Shows firewall port-filter information.

03 Local user creation



PowerShell output showing creation and listing of a local user. Example password visible in original image has been redacted in this report.

04 Computer model inventory



PowerShell inventory output listing computer names and models. This is not the requested Get-ComputerInfo output from the target EC2 instance.

05 Get ComputerInfo

Windows PowerShell


```
PS C:\> Get-ComputerInfo | gm | more


   TypeName: Microsoft.PowerShell.Commands.ComputerInfo

Name                                          MemberType Definition
----                                          ---------- ----------
Equals                                        Method     bool Equals(System.Object obj)
GetHashCode                                   Method     int GetHashCode()
GetType                                       Method     type GetType()
ToString                                      Method     string ToString()
BiosBIOSVersion                               Property   string[] BiosBIOSVersion {get;}
BiosBuildNumber                               Property   string BiosBuildNumber {get;}
BiosCaption                                   Property   string BiosCaption {get;}
BiosCharacteristics                           Property   uint16[] BiosCharacteristics {get;}
BiosCodeSet                                   Property   string BiosCodeSet {get;}
BiosCurrentLanguage                           Property   string BiosCurrentLanguage {get;}
BiosDescription                               Property   string BiosDescription {get;}
BiosEmbeddedControllerMajorVersion            Property   System.Nullable[int16] BiosEmbeddedControllerMa...
BiosEmbeddedControllerMinorVersion            Property   System.Nullable[int16] BiosEmbeddedControllerMi...
BiosFirmwareType                              Property   System.Nullable[Microsoft.PowerShell.Commands.F...
BiosIdentificationCode                        Property   string BiosIdentificationCode {get;}
BiosInstallableLanguages                      Property   System.Nullable[uint16] BiosInstallableLanguage...
BiosInstallDate                               Property   System.Nullable[datetime] BiosInstallDate {get;}
BiosLanguageEdition                           Property   string BiosLanguageEdition {get;}
BiosListOfLanguages                           Property   string[] BiosListOfLanguages {get;}
BiosManufacturer                              Property   string BiosManufacturer {get;}
BiosName                                      Property   string BiosName {get;}
BiosOtherTargetOS                             Property   string BiosOtherTargetOS {get;}
BiosPrimaryBIOS                               Property   System.Nullable[bool] BiosPrimaryBIOS {get;}
BiosReleaseDate                               Property   System.Nullable[datetime] BiosReleaseDate {get;}
BiosSeralNumber                               Property   string BiosSeralNumber {get;}
BiosSMBIOSBIOSVersion                         Property   string BiosSMBIOSBIOSVersion {get;}
BiosSMBIOSMajorVersion                        Property   System.Nullable[uint16] BiosSMBIOSMajorVersion ...
BiosSMBIOSMinorVersion                        Property   System.Nullable[uint16] BiosSMBIOSMinorVersion ...
BiosSMBIOSPresent                             Property   System.Nullable[bool] BiosSMBIOSPresent {get;}
BiosSoftwareElementState                      Property   System.Nullable[Microsoft.PowerShell.Commands.S...
-- More  --
```


PowerShell Get-ComputerInfo command. The displayed output is the property list, not a concise Windows Server identity summary.

06 AWS EC2 search



AWS console search for EC2 service. It does not show a running Windows instance.

07 Inbound rule port 8080



Azure network security rule configuration for port 8080, not AWS RDP port 3389.