
Shopkeeper
Next.js Frontend\n(Shopkeeper Panel)
Express API
AuthMiddleware
RoleGuard
OrderController
OrderService
OrderEventEmitter
CustomerNotifier
PostgreSQL (Prisma)
Clicks "Mark Ready" on order card
PATCH /orders/:id/status\n{ status: "READY", Authorization: Bearer <JWT> }
validateToken(JWT)
{ userId, role: SHOPKEEPER }
requireShopkeeper(req)
alt
[role !== SHOPKEEPER]
403 Forbidden
403 { error: "Forbidden" }
Access denied message
[role === SHOPKEEPER]
pass
updateStatus(orderId, "READY")
updateStatus(orderId, "READY")
State machine validation
validateTransition(currentStatus → READY)
alt
[Invalid transition (e.g. PICKED_UP → PENDING)]
throws InvalidTransitionError
400 Bad Request
400 { error: "Invalid status transition" }
Show validation error
SELECT order WHERE id = orderId
Order { id, status: PENDING, customerId }
alt
[Order not found]
null
throws NotFoundError
404 Not Found
404 { error: "Order not found" }
Show not found error
UPDATE order\nSET status = 'READY', updatedAt = NOW()\nWHERE id = orderId
Updated Order { id, status: READY }
Observer pattern fires on status change
notify({ type: STATUS_CHANGED,\norder, newStatus: READY })
update({ type: STATUS_CHANGED,\norder, newStatus: READY })
Customer notified via InApp/Email
"Your order
return Updated Order
200 OK { orderId, status: "READY", updatedAt }
200 { orderId, status: "READY", updatedAt }
Order card updates to show READY status