

Stock
-productName: String
-productQuantity: int
-productBarcode: String
-productPrice: double
-productCustomerPrice: double
-Location location
+Stock()
+Stock(n: String, cp: double)
+Stock(b: String, l: Location)
+Stock(n: String, b: String, q: int, cp: double, l: Location)
+setProductName(n: String): void
+setProductQuantity(q: int): void
+setProductBarcode(b: String): void
+setProductPrice(p: double): void
+setProductCustomerPrice(p: double): void
+setLocation(l: Location): void
+getProductName(): String
+getProductQuantity(): int
+getProductBarcode(): String
+getProductPrice(): double
+getProductCustomerPrice(): double
+getLocation(): Location
+toString(): String
+productPurchaseDetails(): String
+productDeliveryDetails(): String
Manages
<<Abstract>>User
-userID: String
-userPassword: String
+User()
+User(uid: String, upw: String)
+setUserID(uid: String): void
+setUserPassword(upw: String): void
+getUserID(): String
+getUserPassword(): String
+userSignUp(): void
Admin
+Admin()
+Admin(uid: String, upw: String)
+userSignUp(): void
Order
#orderDate: long int
#orderProduct: String[] [2]
#orderTotalPrice: double
#Stock stock
+Order()
+Order(orderDate: long int, orderProduct: String[][2], orderTotalPrice)
<<interface>>
BarcodeScanning
+displayLocation(): String
Location
-productBarcode: String
-aisle: String
-section: char
-shelf: char
+Location()
+Location(pb: String, a: String, st: char, s: char)
+Location(location: Location)
+setProductBarcode(productBarcode: String): void
+setAisle(aisle: String): void
+setSection(section: char): void
+setShelf(shelf: char): void
+getProductBarcode(): String
+getAisle(): String
+getSection(): char
+getShelf(): char
+displayLocation(): String
+toString(): String
PurchaseOrder
- purchaseId: String
- purchaseDate: int
- purchaseProduct: String[][]
- purchaseTotalPrice: double
- purchaseStatus: String
- Supplier supplier
+ PurchaseOrder()
+ PurchaseOrder(purchaseId: String, purchaseDate: int, purchaseProduct: String[][], purchaseTotalPrice: double, purchaseStatus: String, supplier: Supplier)
+ getPurchaseId(): String
+ setPurchaseId(id: String): void
+ getPurchaseDate(): int
+ setPurchaseDate(date: int): void
+ getPurchaseProduct(): String[][]
+ setPurchaseProduct(item: String[][]): void
+ getPurchaseTotalPrice(): double
+ setPurchaseTotalPrice(totalPrice: double): void
+ getPurchaseStatus(): String
+ setPurchaseStatus(status: String): void
+ getSupplier(): Supplier
+ setSupplier(supplier: Supplier): void
DeliveryOrder
- orderID: String
- orderDate: int
- orderProduct: String[][]
- totalPrice: double
- orderStatus: String
- Customer customer
- Carrier carrier
- paymentMethod: int
+ DeliveryOrder()
+ DeliveryOrder(orderID: String, orderDate: int, orderProduct: String[][], totalPrice: double, orderStatus: String, customer: Customer, carrier: Carrier, paymentMethod: int)
+ getOrderID(): String
+ getOrderDate(): int
+ getOrderProduct(): String[][]
+ getTotalPrice(): double
+ getOrderStatus(): String
+ getCustomer(): Customer
+ getCarrier(): Carrier
+ setOrderID(orderID: String): void
+ setOrderDate(orderDate: int): void
+ setOrderProduct(orderProduct: String[][]): void
+ setTotalPrice(totalPrice: double): void
+ setOrderStatus(orderStatus: String): void
+ setCustomer(customer: Customer): void
+ setCarrier(carrier: Carrier): void
+ paymentMethod(method: int): String
Supplier
- supplierName: String
- supplierPhoneNumber: String
- supplierEmail: String
- supplierProduct: String
+ Supplier()
+ Supplier(sn: String, spn: String, se: String, sp: String)
+ getSupplierName(): String
+ setSupplierName(name: String): void
+ getSupplierPhoneNumber(): String
+ setSupplierPhoneNumber(phone: String): void
+ getSupplierEmail(): String
+ setSupplierEmail(email: String): void
+ getSupplierProduct(): String
+ setSupplierProduct(product: String): void
+ supplierDetails(): String
Payment
-totalPayment: double
+Payment()
+Payment(tp: double)
+setTotalPayment(tp: double): void
+getTotalPayment(): double
+getPaymentMethod(): void
Customer
- customerName: String
- customerAddress: String
- customerPhone : String
- customerEmail: String
+ Customer()
+ Customer(customerName: String, customerAddress: String, customerPhone: String, customerEmail: String)
+ Customer(customer: Customer)
+ setCustomerName(customerName: String): void
+ setCustomerAddress(customerAddress: String): void
+ setCustomerEmail(customerEmail: String): void
+ setCustomerPhone(customerPhone: String): void
+ getCustomerName(): String
+ getCustomerAddress(): String
+ getCustomerPhone(): String
+ getCustomerEmail(): String
+ customerDetails(): String
Delivery
-deliveryID: String
-Shipping shipping
+Delivery()
+Delivery(did: String)
+setDeliveryID(did: String)
+getDeliveryID(): String
Shipping
-shippingID: String
+Shipping()
+Shipping(sid: String)
+setShippingID(sid: String)
+getShippingID(): String
Carrier
- carrierName: String
- carrierPlate: String
- carrierPhone: String
- carrierEmail: String
- Customer customer
- status: String
+ Carrier()
+ Carrier(carrierName: String, carrierPlate: String, carrierPhone: String, carrierEmail: String, status: String)
+ Carrier(carrierName: String, carrierPlate: String, carrierPhone: String, carrierEmail: String)
+ Carrier(carrier: Carrier)
+ setCarrierName(carrierName: String): void
+ setCarrierPlate(carrierPlate: String): void
+ setCarrierPhone(carrierPhone: String): void
+ setCarrierEmail(carrierEmail: String): void
+ setStatus(status: String): void
+ getCarrierName(): String
+ getCarrierPlate(): String
+ getCarrierPhone(): String
+ getCarrierEmail(): String
+ getStatus(): String
+ getCustomer(): Customer
+ updateOrderStatus(): void
+ carrierDetails(): String
Invoice
-totalItem: int
-totalQuantity: int
-totalPrice: double
-date: Date
+Invoice()
+Invoice(ti: int, tq: int, tp: double, d: Date)
+printInvoice(ti: int, tq: int, tp: double, d: Date): String
Report
-date: Date
-startingDate: Date
-Invoice invoice
-Sales sales
-Analytics analytics
+getDailyReport(): void
+getWeeklyReport(): void
+getMonthlyReport(): void
+getYearlyReport(): void
Analytics
-date: Date
+getPurchaseTotalPrice(): double
+getOrderTotalPrice(): double
+getPurchaseDate(): date
+getOrderDate(): date
+displayAnalytics(): String