

Year :

Diary

Subj : Day 2

Date → 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31

MON
T
H

☐ January ☐ February ☐ March ☐ April ☐ May ☐ June ☐ July
☒ August ☐ September ☐ October ☐ November ☐ December

D
A
Y

☐ Saturday ☐ Sunday ☐ Monday ☐ Tuesday
☐ Wednesday ☐ Thursday ☒ Friday

- i) Install Project Successfully.
- ii) Get Real project.

iii) Issue Ditectet

Cloude Code is a paid Agent so I used VS code agent mode and /init command do not work there. So have to write CLAUDE.MD with Different command.

Analyze this entire project and understand its Architecture, structure, important files, development workflow and coding conventions. Do not modify any files.

Done.

iv) what this project Do. (3 sentence).

This project is a Flask Framework itself. It provides the core application objects, routing, request handling, templates, configuration, and JELI tools that developer use to create web services. It is not a specific app; it is the framework codebase that powers many Flax based projects.

22-Aug-2026, 1:51 ar

Year :

Diary

Subj :

Date → 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31

MONTH

☐ January ☐ February ☐ March ☐ April ☐ May ☐ June ☐ July
☐ August ☐ September ☐ October ☐ November ☐ December

DAY

☐ Saturday ☐ Sunday ☐ Monday ☐ Tuesday
☐ Wednesday ☐ Thursday ☐ Friday

2. (question num-2) where would I add a new command-line options?

Question → search → Find Relevant code →
Read → Decide where to modify.

● Agent Did before answering

i) searched for (regex). Regex is a search pattern. and find the CLI entry point and point the exact place.

ii) Finally it opened the file `cli.py` where the command line is located.

`src / flask / cli.py`

iii) I am not able to detect the answers where the agent changed its mind. But will try after.

For top level flag, look around Flask Group.

`Flask --app`
`Flask --debug`

22-Aug-2026, 1:52

Year :

Diary

Subj :

Date → 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31

MONTH

☐ January ☐ February ☐ March ☐ April ☐ May ☐ June ☐ July
☐ August ☐ September ☐ October ☐ November ☐ December

DAY

☐ Saturday ☐ Sunday ☐ Monday ☐ Tuesday
☐ Wednesday ☐ Thursday ☐ Friday

For new option on the actual Flask run
look around the run command.

Flask run --port

3. What is the most confusing part of this
codebase for newcomers.

The most confusing part is the split
between the public App API and the
lower-levels stuff. To internals: the
codebase mixes a very simple user-facing
interface with deeper registration systems.
In `src/flask/sansio/scaffold.py` and the
context machinery in `src/flask/ctx.py`.

A newcomer may expect everything to
live in one place, but route hooks,
config, request context, and app setup
are intentionally spread across
several layers to support extensibility
and clean separation.

Year :

Diary

Subj :

Date → 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31

MON
TUE
WED
THU
FRI
SAT
SUN

☐ January ☐ February ☐ March ☐ April ☐ May ☐ June ☐ July
☐ August ☐ September ☐ October ☐ November ☐ December

☐ Saturday ☐ Sunday ☐ Monday ☐ Tuesday
☐ Wednesday ☐ Thursday ☐ Friday

* which one of the three answers was best.

The first one is the best because it was directly grounded in the repo itself.

The third one was weakest. Because it was not directly supported by repository evidence and dependent on speculation about newcomer experience rather than facts in codes.

22-Aug-2026, 1:52 ar