

Windows PowerShell

Copyright (C) Microsoft Corporation. All rights reserved.

Install the latest PowerShell for new features and improvements! <https://aka.ms/PSWindows>

PS C:\WINDOWS\system32> wsl --install

Downloading: Ubuntu

[===== 7.5%]



manan_jindal@DESKTOP-KPCP7J6: /mnt/c/WINDOWS/system32

Windows PowerShell

Copyright (C) Microsoft Corporation. All rights reserved.

Install the latest PowerShell for new features and improvements! <https://aka.ms/PSWindows>

PS C:\WINDOWS\system32> wsl --install

Downloading: Ubuntu

Installing: Ubuntu

Distribution successfully installed. It can be launched via 'wsl.exe -d Ubuntu'

Launching Ubuntu...

Provisioning the new WSL instance Ubuntu

This might take a while...

Create a default Unix user account: Manan jindal

Invalid username. A valid username must start with a lowercase letter or underscore, and can contain lowercase letters.

Create a default Unix user account: manan_jindal

New password:

Retype new password:

Sorry, passwords do not match.

passwd: Authentication token manipulation error

passwd: password unchanged

Try again? [y/N] y

New password:

Retype new password:

passwd: password updated successfully

To run a command as administrator (user "root"), use "sudo <command>".

See "man sudo_root" for details.

manan_jindal@DESKTOP-KPCP7J6: /mnt/c/WINDOWS/system32\$


```
Get:11 http://security.ubuntu.com/ubuntu noble-security/universe amd64 c-n-f Metadata [17.0 kB]
Get:12 http://security.ubuntu.com/ubuntu noble-security/restricted amd64 Packages [1616 kB]
Get:13 http://security.ubuntu.com/ubuntu noble-security/restricted Translation-en [358 kB]
Get:14 http://security.ubuntu.com/ubuntu noble-security/restricted amd64 Components [212 B]
Get:15 http://security.ubuntu.com/ubuntu noble-security/multiverse amd64 Packages [18.5 kB]
Get:16 http://security.ubuntu.com/ubuntu noble-security/multiverse Translation-en [4288 B]
Get:17 http://security.ubuntu.com/ubuntu noble-security/multiverse amd64 Components [208 B]
Get:18 http://security.ubuntu.com/ubuntu noble-security/multiverse amd64 c-n-f Metadata [380 B]
Ign:19 http://archive.ubuntu.com/ubuntu noble/universe amd64 Packages
Get:20 http://archive.ubuntu.com/ubuntu noble/universe Translation-en [5982 kB]
Get:21 http://archive.ubuntu.com/ubuntu noble/universe amd64 Components [3871 kB]
Get:22 http://archive.ubuntu.com/ubuntu noble/universe amd64 c-n-f Metadata [301 kB]
Get:23 http://archive.ubuntu.com/ubuntu noble/multiverse amd64 Packages [269 kB]
Get:24 http://archive.ubuntu.com/ubuntu noble/multiverse Translation-en [118 kB]
Get:25 http://archive.ubuntu.com/ubuntu noble/multiverse amd64 Components [35.0 kB]
Get:26 http://archive.ubuntu.com/ubuntu noble/multiverse amd64 c-n-f Metadata [8328 B]
Get:27 http://archive.ubuntu.com/ubuntu noble-updates/main amd64 Packages [1341 kB]
Get:28 http://archive.ubuntu.com/ubuntu noble-updates/main Translation-en [267 kB]
Get:29 http://archive.ubuntu.com/ubuntu noble-updates/main amd64 Components [175 kB]
Get:30 http://archive.ubuntu.com/ubuntu noble-updates/universe amd64 Packages [1124 kB]
Get:31 http://archive.ubuntu.com/ubuntu noble-updates/universe Translation-en [288 kB]
Get:32 http://archive.ubuntu.com/ubuntu noble-updates/universe amd64 Components [377 kB]
Get:33 http://archive.ubuntu.com/ubuntu noble-updates/universe amd64 c-n-f Metadata [26.0 kB]
Get:34 http://archive.ubuntu.com/ubuntu noble-updates/restricted amd64 Packages [1710 kB]
Get:35 http://archive.ubuntu.com/ubuntu noble-updates/restricted Translation-en [377 kB]
Get:36 http://archive.ubuntu.com/ubuntu noble-updates/restricted amd64 Components [212 B]
Get:37 http://archive.ubuntu.com/ubuntu noble-updates/multiverse amd64 Packages [33.2 kB]
Get:38 http://archive.ubuntu.com/ubuntu noble-updates/multiverse Translation-en [6772 B]
Get:39 http://archive.ubuntu.com/ubuntu noble-updates/multiverse amd64 Components [940 B]
Get:40 http://archive.ubuntu.com/ubuntu noble-updates/multiverse amd64 c-n-f Metadata [592 B]
Get:41 http://archive.ubuntu.com/ubuntu noble-backports/main amd64 Packages [39.9 kB]
Get:42 http://archive.ubuntu.com/ubuntu noble-backports/main Translation-en [9152 B]
Get:43 http://archive.ubuntu.com/ubuntu noble-backports/main amd64 Components [7084 B]
Get:44 http://archive.ubuntu.com/ubuntu noble-backports/main amd64 c-n-f Metadata [272 B]
Get:45 http://archive.ubuntu.com/ubuntu noble-backports/universe amd64 Packages [30.2 kB]
Get:46 http://archive.ubuntu.com/ubuntu noble-backports/universe Translation-en [17.4 kB]
Get:47 http://archive.ubuntu.com/ubuntu noble-backports/universe amd64 Components [19.2 kB]
Get:48 http://archive.ubuntu.com/ubuntu noble-backports/universe amd64 c-n-f Metadata [1304 B]
Get:49 http://archive.ubuntu.com/ubuntu noble-backports/restricted amd64 Components [216 B]
Get:50 http://archive.ubuntu.com/ubuntu noble-backports/restricted amd64 c-n-f Metadata [116 B]
Get:51 http://archive.ubuntu.com/ubuntu noble-backports/multiverse amd64 Components [212 B]
Get:52 http://archive.ubuntu.com/ubuntu noble-backports/multiverse amd64 c-n-f Metadata [116 B]
Ign:19 http://archive.ubuntu.com/ubuntu noble/universe amd64 Packages
Get:19 http://archive.ubuntu.com/ubuntu noble/universe amd64 Packages [15.0 MB]
Fetched 36.3 MB in 4min 12s (144 kB/s)
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
2 packages can be upgraded. Run 'apt list --upgradable' to see them.
manan_jindal@DESKTOP-KPCP7J6:~$ sudo apt install openjdk-11-jdk-y
[sudo] password for manan_jindal:
```



```
Adding debian:Trustwave_Global_ECC_P256_Certification_Authority.pem
Adding debian:Trustwave_Global_ECC_P384_Certification_Authority.pem
Adding debian:TunTrust_Root_CA.pem
Adding debian:UCA_Extended_Validation_Root.pem
Adding debian:UCA_Global_G2_Root.pem
Adding debian:USERTrust_ECC_Certification_Authority.pem
Adding debian:USERTrust_RSA_Certification_Authority.pem
Adding debian:XRamp_Global_CA_Root.pem
Adding debian:certSIGN_ROOT_CA.pem
Adding debian:certSIGN_Root_CA_G2.pem
Adding debian:e-Szigno_Root_CA_2017.pem
Adding debian:ePKI_Root_Certification_Authority.pem
Adding debian:emSign_ECC_Root_CA_-_C3.pem
Adding debian:emSign_ECC_Root_CA_-_G3.pem
Adding debian:emSign_Root_CA_-_C1.pem
Adding debian:emSign_Root_CA_-_G1.pem
Adding debian:vTrus_ECC_Root_CA.pem
Adding debian:vTrus_Root_CA.pem
done.
```

```
Setting up openjdk-11-jre:amd64 (11.0.28+6-1ubuntu1~24.04.1) ...
```

```
Setting up openjdk-11-jdk-headless:amd64 (11.0.28+6-1ubuntu1~24.04.1) ...
```

```
update-alternatives: using /usr/lib/jvm/java-11-openjdk-amd64/bin/jar to provide /usr/bin/jar (jar) in a
update-alternatives: using /usr/lib/jvm/java-11-openjdk-amd64/bin/jarsigner to provide /usr/bin/jarsigne
update-alternatives: using /usr/lib/jvm/java-11-openjdk-amd64/bin/javac to provide /usr/bin/javac (javac
update-alternatives: using /usr/lib/jvm/java-11-openjdk-amd64/bin/javadoc to provide /usr/bin/javadoc (j
update-alternatives: using /usr/lib/jvm/java-11-openjdk-amd64/bin/javap to provide /usr/bin/javap (javap
update-alternatives: using /usr/lib/jvm/java-11-openjdk-amd64/bin/jcmd to provide /usr/bin/jcmd (jcmd) i
update-alternatives: using /usr/lib/jvm/java-11-openjdk-amd64/bin/jdb to provide /usr/bin/jdb (jdb) in a
update-alternatives: using /usr/lib/jvm/java-11-openjdk-amd64/bin/jdeprscan to provide /usr/bin/jdeprscan
update-alternatives: using /usr/lib/jvm/java-11-openjdk-amd64/bin/jdeps to provide /usr/bin/jdeps (jdeps
update-alternatives: using /usr/lib/jvm/java-11-openjdk-amd64/bin/jfr to provide /usr/bin/jfr (jfr) in a
update-alternatives: using /usr/lib/jvm/java-11-openjdk-amd64/bin/jimage to provide /usr/bin/jimage (jim
update-alternatives: using /usr/lib/jvm/java-11-openjdk-amd64/bin/jinfo to provide /usr/bin/jinfo (jinfo
update-alternatives: using /usr/lib/jvm/java-11-openjdk-amd64/bin/jlink to provide /usr/bin/jlink (jlink
update-alternatives: using /usr/lib/jvm/java-11-openjdk-amd64/bin/jmap to provide /usr/bin/jmap (jmap) in
update-alternatives: using /usr/lib/jvm/java-11-openjdk-amd64/bin/jmod to provide /usr/bin/jmod (jmod) in
update-alternatives: using /usr/lib/jvm/java-11-openjdk-amd64/bin/jps to provide /usr/bin/jps (jps) in a
update-alternatives: using /usr/lib/jvm/java-11-openjdk-amd64/bin/jrunscript to provide /usr/bin/jrunscri
update-alternatives: using /usr/lib/jvm/java-11-openjdk-amd64/bin/jshell to provide /usr/bin/jshell (jshe
update-alternatives: using /usr/lib/jvm/java-11-openjdk-amd64/bin/jstack to provide /usr/bin/jstack (jsta
update-alternatives: using /usr/lib/jvm/java-11-openjdk-amd64/bin/jstat to provide /usr/bin/jstat (jstat)
update-alternatives: using /usr/lib/jvm/java-11-openjdk-amd64/bin/jstatd to provide /usr/bin/jstatd (jsta
update-alternatives: using /usr/lib/jvm/java-11-openjdk-amd64/bin/rmic to provide /usr/bin/rmic (rmic) in
update-alternatives: using /usr/lib/jvm/java-11-openjdk-amd64/bin/serialver to provide /usr/bin/serialver
update-alternatives: using /usr/lib/jvm/java-11-openjdk-amd64/bin/jaotc to provide /usr/bin/jaotc (jaotc)
Setting up openjdk-11-jdk:amd64 (11.0.28+6-1ubuntu1~24.04.1) ...
update-alternatives: using /usr/lib/jvm/java-11-openjdk-amd64/bin/jconsole to provide /usr/bin/jconsole (j
```

```
manan_jindal@DESKTOP-KPCP7J6:~$
```




```
# ~/.bashrc: executed by bash(1) for non-login shells.
# see /usr/share/doc/bash/examples/startup-files (in the package bash-doc)
# for examples

# If not running interactively, don't do anything
case $- in
    *i*) ;;
    *) return;;
esac

# don't put duplicate lines or lines starting with space in the history.
# See bash(1) for more options
HISTCONTROL=ignoreboth

# append to the history file, don't overwrite it
shopt -s histappend

# for setting history length see HISTSIZE and HISTFILESIZE in bash(1)
HISTSIZE=1000
HISTFILESIZE=2000

# check the window size after each command and, if necessary,
# update the values of LINES and COLUMNS.
shopt -s checkwinsize

# If set, the pattern "*" used in a pathname expansion context will
# match all files and zero or more directories and subdirectories.
#shopt -s globstar

# make less more friendly for non-text input files, see lesspipe(1)
[ -x /usr/bin/lesspipe ] && eval "$(SHELL=/bin/sh lesspipe)"

# set variable identifying the chroot you work in (used in the prompt below)
if [ -z "${debian_chroot:-}" ] && [ -r /etc/debian_chroot ]; then
    debian_chroot=$(cat /etc/debian_chroot)
fi

# set a fancy prompt (non-color, unless we know we "want" color)
case "$TERM" in
    xterm-color|*-256color) color_prompt=yes;;
esac

# uncomment for a colored prompt, if the terminal has the capability; turned
# off by default to not distract the user: the focus in a terminal window
# should be on the output of commands, not on the prompt
#force_color_prompt=yes
```

^G Help
^X Exit

^O Write Out
^R Read File

^W Where Is
^_ Replace

^K Cut
^U Paste

^T Execute
^J Justify

Read 117 line
^C Location
^_ Go To Line