

## 1. CLINICAL OVERVIEW

Patient presents with **Brain** (). The current clinical status and molecular profile indicate a **MODERATE RISK** profile, requiring the following therapeutic intervention.

**PATIENT NAME**

Robert Miller

**MEDICAL RECORD NUMBER**

MR-2026-1102-M

**CLINICAL RISK LEVEL****MODERATE****GENDER / AGE**

male / 61

**DIAGNOSIS DATE**

5/2/2026

**WHO GRADE**

III

## PRIMARY CLINICAL RECOMMENDATION

{ "RADIATION": "RADIATION THERAPY", "SURGERY": "MAXIMAL SAFE RESECTION", "SYSTEMIC": "CHEMOTHERAPY (E.G., TEMOZOLOMIDE)", "TARGETED": "TARGETED THERAPY (E.G., IDH1 INHIBITORS) FOR IDH1-MUTATED TUMORS" }

### CLINICAL RATIONALE & EVIDENCE BASIS

- The patient has a localized brain tumor with IDH1, PTEN, and TP53 mutations. The primary treatment plan includes maximal safe resection, radiation therapy, and chemotherapy. Targeted therapy may be considered for IDH1-mutated tumors.


## 2. GENOMIC & MOLECULAR LANDSCAPE

| TOTAL VARIANTS | ACTIONABLE MUTATIONS | VARIANTS OF UNKNOWN SIG. (VUS) |
|----------------|----------------------|--------------------------------|
| 3              | 3                    |                                |

| GENE | STATUS        | CLINICAL IMPACT        | TIER |
|------|---------------|------------------------|------|
| IDH1 | Mutated       | Favorable prognosis    | High |
| MGMT | Unmethylated  | Resistant phenotype    | High |
| IDH1 | Mutated (48%) | Pathogenic (Clonal)    | High |
| PTEN | Lost (8%)     | VUS (Low Frequency)    | High |
| TP53 | Mutated (32%) | Pathogenic (Subclonal) | High |

## 3. IMAGING & VOLUMETRIC ANALYTICS

**VOLUMETRIC DISTRIBUTION****PERFORMANCE STATUS**



KPS Score

70


ECOG Score

2


Sphericity

## 4. ADVANCED OUTCOME PROJECTIONS

### SURVIVAL PROJECTION



### THERAPEUTIC TOXICITY PROFILE



## 5. PATIENT-REPORTED OUTCOMES (PROs)

**30-Day Protocol Adherence:** 71.6%

### Recent Clinical Alerts:

- [CRITICAL] CRITICAL SYMPTOM REPORTED: Fever
- [CRITICAL] CRITICAL SYMPTOM REPORTED: Fever
- [WATCH] Robert Miller has completed less than 30% of their daily wellness plan for 3 consecutive days.

### IMMEDIATE CLINICAL ACTIONS

1. Initiate recommended protocol within 7-10 days.
2. Schedule baseline MRI/CT for post-treatment comparison.
3. Monitor hematological parameters weekly if systemic therapy is initiated.