

1. CLINICAL OVERVIEW

Patient presents with **Brain** Clinical-molecular profile indicates a **MODERATE RISK** classification.

PATIENT NAME	MRN	RISK LEVEL
Robert Miller	MR-2026-1102-M	MODERATE
GENDER / AGE	DIAGNOSIS DATE	WHO GRADE
male / 61	5/2/2026	III
DIAGNOSIS		
Brain		

2. PRIMARY CLINICAL RECOMMENDATION

"RADIATION": "RADIATION THERAPY", "SURGERY": "MAXIMAL SAFE RESECTION", "SYSTEMIC": "CHEMOTHERAPY (E.G., TEMOZOLOMIDE)", "TARGETED": "TARGETED THERAPY (E.G., IDH1 INHIBITORS) FOR IDH1-MUTATED TUMORS"

Clinical Rationale & Evidence Basis

- The patient has a localized brain tumor with IDH1, PTEN, and TP53 mutations. The primary treatment plan includes maximal safe resection, followed by radiation therapy and chemotherapy. Targeted therapy may be considered for IDH1-mutated tumors.

3. GENOMIC & MOLECULAR LANDSCAPE


TOTAL VARIANTS	ACTIONABLE MUTATIONS
3	3

GENE	STATUS	CLINICAL IMPACT	TIER
IDH1	Mutated	Favorable prognosis	High
MGMT	Unmethylated	Resistant phenotype	High
IDH1	Mutated (48%)	Pathogenic (Clonal)	High
PTEN	Lost (8%)	VUS (Low Frequency)	High
TP53	Mutated (32%)	Pathogenic (Subclonal)	High


4. IMAGING & VOLUMETRIC ANALYTICS

CORE VOLUME (cc)	EDEMA VOLUME (cc)	NECROTIC %
90.14	16.9	5.63
KPS SCORE	ECOG SCORE	
70	2	

Volumetric Distribution




Estimated Survival Projection



5. ADVANCED OUTCOME PROJECTIONS

MEDIAN OS	MEDIAN PFS
15.2 Months	9.1 Months

Therapeutic Toxicity Profile



6. PATIENT-REPORTED OUTCOMES

30-Day Protocol Adherence: 71.6%

Recent Clinical Alerts

- [CRITICAL] CRITICAL SYMPTOM REPORTED: Fever
- [CRITICAL] CRITICAL SYMPTOM REPORTED: Fever
- [WATCH] Robert Miller has completed less than 30% of their daily wellness plan for 3 consecutive days.
- [CRITICAL] CRITICAL SYMPTOM REPORTED: Fever and severe pain in body

7. IMMEDIATE CLINICAL ACTIONS

1. Initiate recommended protocol within 7–10 days.
2. Schedule baseline MRI/CT for post-treatment comparison.
3. Monitor hematological parameters weekly if systemic therapy initiated.