









Cisco Packet Tracer Student

File Edit Options View Tools Extensions Help

Logical [Root] New Cluster Move Object Set Tiled Background Viewport

```
PC-PT
10.0.0.1
Gateway:
10.0.0.2

Router-PT
Router - 1
20.0.0.1

PC-PT
40.0.0.1
Gateway:
40.0.0.2
```

Command Prompt

```
Packet Tracer PC Command Line 1.0
PC>ping 10.0.0.1

Pinging 10.0.0.1 with 32 bytes of data:

Reply from 10.0.0.1: bytes=32 time=1ms TTL=128
Reply from 10.0.0.1: bytes=32 time=1ms TTL=128
Reply from 10.0.0.1: bytes=32 time=1ms TTL=128
Reply from 10.0.0.1: bytes=32 time=1ms TTL=128

Ping statistics for 10.0.0.1:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 1ms, Maximum = 1ms, Average = 1ms

PC>
```

Time: 00:26:39 Power Cycle Devices Fast Forward Time

Scenario 0 Fire Last Status Source Destination Type Color Time(sec) Periodic Num Edit Delete

Toggle PDU List Window

27°C Mostly cloudy

Cisco Packet Tracer Student - C:\Users\Admin\Downloads\lab 5b (janhaj).pkt

File Edit Options View Tools Extensions Help

Logical [Root] New Cluster Move Object Set Tiled Background Viewport

```
PC-PT
10.0.0.1
Gateway:
10.0.0.2

Router-PT
Router - 1
20.0.0.1

Router-PT
Router - 2
20.0.0.2

Router-PT
Router - 3
30.0.0.2

PC-PT
40.0.0.1
Gateway:
40.0.0.2
```

Time: 00:27:16 Power Cycle Devices Fast Forward Time

Scenario 0 Fire Last Status Source Destination Type Color Time(sec) Periodic Num Edit Delete

Toggle PDU List Window

27°C Mostly cloudy