

USN: 1BM22CS235

LAB-8 : Forward Chaining

```
facts = {
```

```
    "American(Robert)": True,
```

```
    "Missile(T1)": True,
```

```
    "Enemy(A, America)": True,
```

```
    "Owns(A, T1)": True,
```

```
    "Hostile(A)": False,
```

```
    "Weapon(T1)": False,
```

```
    "Sells(Robert, T1, A)": False,
```

```
    "Criminal(Robert)": False,
```

```
}
```

```
rules = [
```

```
    ("American(Robert) and Weapon(T1) and Sells(Robert, T1, A) and Hostile(A)", "Criminal(Robert)"),
```

```
    ("Owns(A, T1) and Missile(T1)", "Weapon(T1)"),
```

```
    ("Missile(T1) and Owns(A, T1)", "Sells(Robert, T1, A)"),
```

```
    ("Enemy(A, America)", "Hostile(A)"),
```

```
]
```

```
def check_fact(fact):
```

```
    return facts.get(fact, False)
```

```
def parse_condition(condition):
```

```
    return condition.split(" and ")
```

```
def forward_reasoning():
```

```
    new_inferences = True
```

```
    while new_inferences:
```

```

new_inferences = False
for condition, conclusion in rules:
    condition_facts = parse_condition(condition)
    if all(check_fact(fact) for fact in condition_facts):
        if not check_fact(conclusion):
            facts[conclusion] = True
            new_inferences = True
            print(f"Inferred: {conclusion}")

def print_inferred_facts():
    forward_reasoning()
    print("\nFinal Inferred Facts:")
    for fact, value in facts.items():
        print(f"{fact} is {'TRUE' if value else 'FALSE'}")

print_inferred_facts()

```

OUTPUT:

```

➡ Inferred: Weapon(T1)
  Inferred: Sells(Robert, T1, A)
  Inferred: Hostile(A)
  Inferred: Criminal(Robert)

Final Inferred Facts:
American(Robert) is TRUE
Missile(T1) is TRUE
Enemy(A, America) is TRUE
Owns(A, T1) is TRUE
Hostile(A) is TRUE
Weapon(T1) is TRUE
Sells(Robert, T1, A) is TRUE
Criminal(Robert) is TRUE

```